



उपक्षेत्रीय प्रबन्धक का कार्यालय
कोलारपिंपरी-पिंपलगॉव उपक्षेत्र

Under Jurisdiction of Nagpur Court Only
वेस्टर्न कोलफील्ड्स लिमिटेड
WESTERN COALFIELDS LIMITED
(मिनीरल कंपनी) (A Mineral Company)
(कोल इंडिया लि. की अनुसूची कंपनी)
(A Subsidiary of Coal India Limited)

कोलारपिंपरी-पिंपलगॉव उपक्षेत्र, वणी नॉर्थ क्षेत्र
Kolarpimpri-Pimpalgaon Sub Area,
Wani North Area



Office of the Sub Area Manager
Kolarpimpri-Pimpalgaon Sub Area
www.westerncoal.nic.in

पंजीका पोरासा, तह वनी, जि. यवतमाल (महाराष्ट्र)-445304/ Regd. Off. Po. Ukni, Tah Wani, Dist. Yavatmal Mah- 445304

संदर्भ संख्या / Ref. No. WCL/WNA/KPOC-PPGSA/SAM/2025-26/ 62

Date: 30.05.2025

To,

Addl. Principal Chief Conservator of Forests,
Ministry of Environment, Forest & Climate Change,
Regional Office (WCZ),
Ground Floor, East Wing,
"New Secretariat Building",
Civil Lines, Nagpur - 440 001 (M.S.)


Sub: Six Monthly Compliance Report of Conditions Stipulated in Environmental Clearance for
Kolar Pimpri Open Cast Mine (1.50 MTPA) of Wani North Area, WCL for the period
October 2024 to March 2025

Dear Sir,

With reference to above subject matter, please find enclosed herewith the Six Monthly Compliance Report of Conditions Stipulated in Environmental Clearance for Kolar Pimpri Open Cast Mine (1.50 MTPA) of Wani North Area, WCL for the period October 2024 to March 2025 for your kind information please.

Thanking you Sir.

Yours faithfully



Sub Area Manager
Kolarpimpri-Pimpalgaon Sub Area

Copy:

1. AGM, WNA
2. GM Env/HOD, WCL HQ, Nagpur
3. Regional Officer, MPCB, 1st Floor, Udyog Bhawan, Railway Station Road, Chandrapur - 442401
4. ANO(Env), WNA
5. Office Copy

No.J-11015/928/2007-IA.II(M)
Government of India
Ministry of Environment & Forests

Paryavaran Bhawan,
C.G.O.Complex,
New Delhi -110510.

Dated: 29th April 2010

To
Head of Department Env./CE(Civil),
M/s Western Coalfields Ltd.,
Coal Estate, Civil Lines,
NAGPUR - 440001.

Sub: Kolar Pimpri Extension OCP (Expansion from 511 ha to 1488.42 ha and production capacity from 1.05 MTPA to 1.50 MTPA) of M/s Western Coalfields Ltd. located in dist. Yavatmal, Maharashtra - environmental clearance - reg.

Sir,

This has reference to letter No. 43011/106/2007-CPAM dated 23.08.2007 of Ministry of Coal forwarding your application for Terms of Reference and this Ministry's grant of TOR vide letter dated 17.12.2007 and your application vide letter No. CIL/DLI/ENV/1681 dated 13.01.2010 and dated 07.01.2010 on the above-mentioned subject. The Ministry of Environment & Forests has considered the application. It is noted that the existing Kolar Pimpri Opencast Project of 1.05 MTPA capacity in an ML area of 511 ha was granted EC on 20.05.2005 and the present proposal is for **expansion of the Kolar Pimpri Extension Opencast Coalmine Project from 1.05 MTPA to 1.50 MTPA production capacity and expansion in ML area from 511 ha to 1488.42 ha**. Of the total ML area, 1438.38 ha consist of agricultural land and 50.04 ha consist of wasteland. No forestland is involved. Of the ML area of 1438.38 ha, 479.46 ha of the ML is under possession and the balance 961 ha is yet to be acquired. Of the total lease area, area for excavation is 357.65 ha, 674.55 ha is for OB dumps, 5 ha is for infrastructure, 55 ha is for embankment, 356.22 ha is for danger zone, rationalisation area, roads and for diversion of nala. There are no National Parks, Wildlife Sanctuary, Biosphere Reserves found in the 15 km buffer zone. River Wardha flows at distance of 100m from the ML. Major part of the ML is below the HFL of River Wardha (186.20mRL). An embankment has been constructed. The project involves modification of the natural drainage by diversion of a nala. Mining is opencast by mechanised method involving shovel-dumper. Mineral transportation of **4545 TPD** of coal is by road. Ultimate working depth of the mine is 200m below ground level (bgl). Present working depth is 95m bgl. Water table is in the range of 3.49-16.97m bgl during pre-monsoon and 1-9.34m bgl during post monsoon. Peak water requirement is 390 m³/d, which is met from mine pit water. No fresh source of water is proposed for use in the project operations. The estimated total OB generation over the life of mine is 282.303 Mm³ of which 37.337 Mm³ would be backfilled and the balance 244.964 Mm³ of OB is being dumped in 4 external OB dumps of a max. height of 60m of benches of 15m each, backfilling has begun from first year of mining operation. At the post mining stage, an area of 902.28 ha would be developed with plantation and a water body of 268.9 ha would be left in the decoladed void. R&R involves 512 PAFs to be displaced from 4 villages - Gowari, Aheri, Kolera and Pimpri of which Aheri, Kolera and Pimpri are yet to be resettled. Land oustees from the balance 961 ha of agricultural land yet to be acquired are to be enumerated. Balance life of the mine at 1.50 MTPA rated capacity is 27 years. Public Hearing was held on 23.12.2008. The project has been approved by M/s WCL on 14.07.2006. Capital cost of the project is **Rs. 7289.84 lakhs**.

2. The Ministry of Environment & forests hereby accords environmental clearance for the above-mentioned **expansion of the Kolar Pimpri Extension Opencast Coalmine Project from 1.05 MTPA to 1.50 MTPA production capacity and expansion in ML area from 511 ha to 1488.42 ha** under the Environmental Impact Assessment Notification,

File - 11 - D

2006 and subsequent amendments and Circulars thereto subject to the compliance of the terms and conditions mentioned below:

A. Specific Conditions

- (i) The embankment constructed along the river boundary shall be of suitable dimensions and stabilised with plantation so as to withstand the peak water flow and prevent mine inundation.
- (ii) The mining operations shall not extend in the balance 961 ha of the lease area until the R&R for all the villages has been completed and compensation paid to land oustees as per norms not less than that laid out under the National R&R Policy,
- (iii) OB shall be stacked at four earmarked external OB dumpsite(s) only covering an area of 641.98 ha and shall not exceed the max. height of 65m consisting of benches of 15m each. The ultimate slope of the dump shall not exceed 28°. Monitoring and management of the reclaimed dumpsites shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Ministry of Environment & Forests and its Regional office located at Bhopal on yearly basis.
- (iii) Catch drains and siltation ponds of appropriate size shall be constructed to arrest silt and sediment flows from soil, OB and mineral dumps. The water so collected shall be utilised for watering the mine area, roads, green belt development, etc. The drains shall be regularly desilted and maintained properly.
Garland drains (size, gradient and length) and sump capacity shall be designed keeping 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide adequate retention period to allow proper settling of silt material.
- (iv) Dimension of the retaining wall at the toe of the dumps and OB benches within the mine to check run-off and siltation shall be based on the rainfall data.
- (v) Crushers at the CHP of adequate capacity for the expansion project shall be operated with high efficiency bag filters, water sprinkling system shall be provided to check fugitive emissions from crushing operations, conveyor system, haulage roads, transfer points, etc.
- (vi) Drills shall be wet operated.
- (vii) The project authorities shall ensure that the roads used for mineral transportation are black topped and properly maintained. A 3-tier green belt comprising of a mix of native species shall be developed all along the major approach roads, and major haul roads.
- (viii) Controlled blasting shall be practiced with use of delay detonators and only during daytime. The mitigative measures for control of ground vibrations and to arrest the fly rocks and boulders shall be implemented.
- (ix) A progressive afforestation plan shall be implemented covering an area not less than 902.28 ha, which includes reclaimed external OB dump (674.55 ha), backfilled area (88.73 ha), along ML boundary, along roads and infrastructure (5 ha), embankment (55 ha) and within vacant land (356.22 ha) and in township located outside the lease by planting native species in consultation with the local DFO/Agriculture Department. The density of the trees shall be around 2500 plants per ha. Massive plantation shall be carried out in open spaces in and around the mine and avenue plantation along the main approach roads to the mine.

- (x) Of the total quarry area of 357.65 ha, the backfilled quarry area of 88.73 ha shall be reclaimed with plantation and a void of 268.90 ha which is proposed to be converted into a water body shall be gently sloped and the upper benches shall be terraced and stabilised with plantation/afforestation by planting native plant species in consultation with the local DFO/Agriculture Department. The density of the trees shall be around 2500 plants per ha.
- (xi) No groundwater shall be used for mining operations.
- (xii) Monitoring of ground water regime and river flow conjunctively on regular and long term basis shall be undertaken in view that the mine site is in the proximity of the river Wardha, through a close network of observation wells/piezometers & river gauging. Similarly, the hydrogeological impact on account of proposed expansion should also to be monitored regularly on long term perspectives.
- (xiii) A comprehensive 'Ground Water Monitoring Plan' shall be submitted within a period of three months of grant of EC. The plan shall incorporate information on details of piezometer/well (depth, locations) site characteristics, monitoring parameters (quality and quantity), time frame of implementation and budgetary provisions etc. Monitoring for quantity shall be done four times a year in pre-monsoon (May), monsoon (August), post-monsoon (November) and winter (January) seasons and for quality in May. Data thus collected shall be submitted to the Ministry of Environment & Forests and to the Central Pollution Control Board quarterly within one month of monitoring.
- (xiv) The Company shall put up artificial groundwater recharge measures for augmentation of groundwater resource in case monitoring indicates a decline in water table. The project authorities shall meet water requirement of nearby village(s) in case the village wells go dry due to dewatering of mine.
- (xv) Sewage treatment plant shall be installed in the existing colony. ETP shall also be provided for workshop and CHP wastewater.
- (xvi) Besides carrying out regular periodic health check up of their workers, 10% of the workers identified from workforce engaged in active mining operations shall be subjected to health check up for occupational diseases and hearing impairment, if any, through an agency such as NIOH, Ahmedabad within a period of one year and the results reported to this Ministry and to DGMS.
- (xvii) For monitoring land use pattern and for post mining land use, a time series of landuse maps, based on satellite imagery (on a scale of 1: 5000) of the core zone and buffer zone, from the start of the project until end of mine life shall be prepared once in 3 years (for any one particular season which is consistent in the time series), and the report submitted to MOEF and its Regional office at Bhopal.
- (xviii) A Final Mine Closure Plan along with details of Corpus Fund shall be submitted to the Ministry of Environment & Forests within six months from date of environmental clearance for approval.
- (xix) The project authorities shall in consultation with the panchayat of the local villages identify socio-economic and welfare measures under CSR to be carried out over the balance life of the mine. A budgetary provision of Rs 5 per tonne of coal shall be earmarked for CSR activities.

B. General Conditions

- (i) No change in mining technology and scope of working shall be made without prior approval of the Ministry of Environment and Forests.

- (ii) No change in the calendar plan including excavation, quantum of mineral coal and waste shall be made.
- (iii) Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for PM10, PM2.5, SO2 and NOx monitoring. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board.
- (iv) Fugitive dust emissions (PM10 and PM 2.5) from all the sources shall be controlled regularly monitored and data recorded properly. Water spraying arrangement on haul roads, wagon loading, dump trucks (loading and unloading) points shall be provided and properly maintained.
- (v) Data on ambient air quality (PM10, PM 2.5, SO2 and Nox) shall be regularly submitted to the Ministry including its Regional Office at Bhopal and to the State Pollution Control Board and the Central Pollution Control Board once in six months.
- (vi) Adequate measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with ear plugs/muffs.
- (vii) Industrial wastewater (workshop and wastewater from the mine) shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31st December 1993 or as amended from time to time before discharge. Oil and grease trap shall be installed before discharge of workshop effluents.
- (viii) Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transporting the mineral shall be covered with tarpaulins and optimally loaded.
- (ix) Environmental laboratory shall be established with adequate number and type of pollution monitoring and analysis equipment in consultation with the State Pollution Control Board.
- (x) Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects.
Occupational health surveillance programme of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and to take corrective measures, if needed and records maintained thereof.
- (xi) A separate environmental management cell with suitable qualified personnel shall be set up under the control of a Senior Executive, who will report directly to the Head of the company.
- (xii) The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to this Ministry and its Regional Office at Bhopal.
- (xiii) The Regional Office of this Ministry located at Bhopal shall monitor compliance of the stipulated conditions. The Project authorities shall extend full cooperation to the office(s) of the Regional Office by furnishing the requisite data/information/monitoring reports.
- (xiv) A copy of the will be marked to concerned Panchayat/ local NGO, if any, from whom any suggestion/representation has been received while processing the proposal.

- (xv) State Pollution Control Board shall display a copy of the clearance letter at the Regional Office, District Industry Centre and Collector's Office/Tehsildar's Office for 30 days.
- (xvi) The Project authorities shall advertise at least in two local newspapers widely circulated around the project, one of which shall be in the vernacular language of the locality concerned within seven days of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution control Board and may also be seen at the website of the ministry of Environment & Forests at <http://envfor.nic.in>.
3. The Ministry or any other competent authority may stipulate any further condition for environmental protection.
4. Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract the provisions of the Environment (Protection) Act, 1986.
5. The above conditions will be enforced *inter-alia*, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and Rules.


(Dr.T.Chandini)
Director

Copy to:

1. Secretary, Ministry of Coal, New Delhi.
2. Secretary, Department of Environment, Government of Maharashtra, 15th Floor, New Admn. Bldg., Madam Cama Road, MUMBAI - 400032..
3. Chief Conservator of Forests, Regional office (EZ), Ministry of Environment & Forests, E-2/240 Arera Colony, Bhopal - 462016.
4. Chairman, Maharsashtra State Pollution Control Board, Kalapataru Point, 3rd & 4th Floors, Sion, Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai - 400002.
5. Chairman, Central Pollution Control Board, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110032.
6. Member-Secretary, Central Ground Water Authority, Ministry of Water Resources, Curzon Road Barracks, A-2, W-3 Kasturba Gandhi Marg, New Delhi.
7. Shri M.K. Shukla, CGM, Coal India Limited, SCOPE Minar, Core-I, 4th Floor, Vikas Marg, Laxminagar, New Delhi.
8. District Collector, Yavatmal, Government of Maharashtra.
9. Monitoring File 10. Guard File 11. Record File.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

RED/L.S.I (R35)

Date: 22/04/2025

No:- Format1.0/CAC/UAN No.MPCB-
CONSENT-0000195255/CR/2504002421

To,
M/s Western Coalfields Limited,
Kolar Pimpri Open Cast Mine Project,
Village - Aheri, At post-Ukni,
Tal-Wani, Dist-Yavatmal.



Sub: Renewal of Consent to Operate.

Ref:

1. Earlier Consent granted by Board vide No. Format1.0/CAC/UAN No.MPCB-CONSENT-0000160282/CR/2305000851 dated 12/05/2023
2. Minutes of 14th Consent Appraisal Committee (CAC) Meeting Part-I held on dtd. 07.01.2025.

Your application No.MPCB-CONSENT-0000195255 Dated 20.01.2024

For: Grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to renewal is granted for a period up to 31/03/2026**
2. **The capital investment of the project is Rs.Rs. 313.61 Crs. (As per undertaking submitted by pp Existing C.I. is Rs. 316.17 Crs + Decreased by in C.I. is Rs. 2.56 Crs)**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Maximum Quantity	UOM
Products			
1	Coal Mining (Mine Lease Area-1488.42 ha)	1.5	MTPA

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	3558	As per Schedule-I	Recycle to the maximum extent for Dust Suppression & Fire Fighting and remaining on land for plantation/Irrigation/Gardening.

Sr No	Description	Permitted	Standards to	Disposal
2.	Domestic effluent	14.0	As per Schedule-I	On land for gardening/plantation

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
NA				

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Overburden	1500000	m3/month	Landfill	Backfilling and Reclamation of Land

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	2.0	KL/A	Recycler	Send to Authorised Reprocessor/Recycler
2	5.2 Wastes or residues containing oil	1.0	Ton/Y	Incineration	CHWTSDF
3	35.3 Chemical sludge from waste water treatment	5.0	Ton/Y	Landfill	CHWTSDF

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities
10. The applicant shall not carry out any excess production without obtaining Consent of the Board and without obtaining Environmental Clearance wherever it applicable.
11. PP shall carry out over burden dump management as per CPCB guidelines.
12. PP shall carry out plantation as per EC condition before ensuing monsoon.
13. PP shall ensure time bound compliance of conditions as imposed as per BG regime.
14. The applicant shall comply with the conditions of the Environmental Clearance granted by MoEFCC,GoI vide letter J-11015/928/2007-IA.II(M) dated 29.04.2010.
15. This consent is issued pursuant to the decision of the 14th Consent Appraisal Committee (CAC) Meeting Part-I held on dtd. 07.01.2025.

16. The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent.
17. The industry shall create an Environment Cell by appointing an Environmental Engineer OR Expert for looking after day-to-day activities related to Environment OR Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Disnag

ccb5b1f5
4d88a2ad
96a443e9
a5129dd7
59ce0d8b
ad13619f
7e20a49b
6bb9fc7d

Signed by: **Dr. Avinash Dhakne**
Member Secretary
For and on behalf of
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2025-04-22 17:32:35 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	1222102.00	MPCB-DR-24052	25/01/2024	RTGS
2	1133753.00	MPCB-DR-33293	11/04/2025	NEFT

Total Paid Fee: Rs. 1222102.00 + Rs. 12,32,341/- (Previous Balance as per UAN 160282) = Rs 24,54,443. Calculation: Consent fee for two terms fee is Rs. 12,54,442.60/- + Mining Projects Fee 12,00,000 + 605 days late B.G. submission charges is Rs. 1133753/-. Previous balance consent fee is considered in this renewal of consent ,hence balance with Board is Nil.

Copy to:

1. Regional Officer, MPCB, Chandrapur and Sub-Regional Officer, MPCB, Chandrapur
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CAC Desk-for record and website updation purpose.

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] ETP having capacity 100 CMD comprises of pre-settling tank-O&G trap-Settling tank-Treated effluent sump & SDB provided for treatment of workshop effluent. Sedimentation tank of capacity 960 m³ provided for treatment of Mine water.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10
(3)	BOD (3 days 27°C)	30
(4)	Total Suspended solids	100
(5)	Total Dissolved solids	2100
(6)	COD	250
(7)	Phenolic	1.0
(8)	Nitrate Nitrogen	10.0
(9)	Sulphate	1000
(10)	Chloride	600

- C] The treated effluent shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise. In no case, effluent shall find its way to outside factory premises.
2. A] As per your application, you have provided decentralized Septic Tank followed by Soak pit for the treatment of 14 CMD of sewage.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

Sr.No	Parameters	Standards (mg/l)	
1	BOD (3 days 27°C)	Not to exceed	30 mg/l
2	COD	Not to exceed	100 mg/l
3	Suspended Solids	Not to exceed	50 mg/l

- C] The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening /plantation only. In no case treated / untreated sewage shall find it's way outside the premises.

3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	450.00
2.	Domestic purpose	130.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	140.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	50

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
NA	NA		0.00	-	-	NA	-

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Control Equipments
- Coal handling plant shall be provided with dust collector & automatic water sprinkler and it shall be operated continuously.
 - Scientific spraying of water on all working area, dump area, stock piles with the help of appropriate dust suppression system.
 - Coal transportation shall be done by installing conveyors wherever possible & mechanically covered closed trucks shall be used for transportation. Overloading of dumpers shall be avoided to prevent spillages
 - The applicant shall carry out tree plantation along road side, around dumps or compulsory afforestation as per proposal approved by Forest Department. The tree plantation programme shall be taken up well in advance of the actual mining activity, so that green belt of sufficient width & height is developed between mining area/road and surrounding environment.
 - Black topped metal roads shall be provided and it shall be well maintained to prevent dust formation.
 - Slope of the over burden shall have slope not more than 28o to the horizontal. The overburden shall be covered by vegetation for stabilization.
 - Correct type & quantity of explosive shall be used to avoid excess dust formation & vibration in the surrounding area.
6. Standards for Ambient Air Pollutants:
- The Suspended Particulate Matter (SPM), Respirable Particulate Matter (RPM), Sulphur dioxide (SO₂) and Oxides of Nitrogen (NO_x) concentration in downwind direction considering predominant wind direction, at a distance of 500 metres from the following dust generating sources shall not exceed the standards specified in the table given below:

Dust Generating Sources:

Loading or unloading, Haul Road, coal transportation road, Coal handling plant (CHP), Railway Sliding, Blasting, Drilling, Overburden dumps, or any other dust generating external sources like coke ovens (hard as well as soft), briquette industry, nearby road etc.

Pollutant	Time weighted average	Concentration in Ambient Air
Suspended Particulates Matter (SPM)	Annual Average	360 µg/m ³
	24 hours	500 µg/m ³
Respirable Particulate Matter (size less than 10 µm) (RPM)	Annual Average	180 µg/m ³
	24 hours	250 µg/m ³
Sulphur Dioxide (SO ₂)	Annual Average	80 µg/m ³
	24 hours	120 µg/m ³
Oxides of Nitrogen as NO _x	Annual Average	80 µg/m ³
	24 hours	120 µg/m ³

- i. In case of any residential or commercial or industrial place falls within 500 metres of any dust generating sources, the National Ambient Air Quality Standards notified vide MOEFCC GOI notification dtd 16.11.2009 as ammended shall be made applicable.
- ii. The applicant shall provide minimum three ambient air quality monitoring stations within mining area which should be monitored for SPM, RSPM, SO₂, NO_x, HC, CO etc. The Annual Arithmetic Mean of minimum 104 measurements in a year taken twice a week 24 hourly at uniform interval shall conform to the National Ambient Air Quality Standards prescribed under Air (Prevention and Control of Pollution) Act, 1981 and Environment (Protection) Act, 1986. The records of results of monitoring done shall be made available for inspection to the officers of the Board.

7. The applicant shall take adequate measures for control of noise levels from its own sources as follows:

Sr. No	Location	Permissible Norms [in dB (A)]	Desired minimum thickness of green belt (m)
1.	Along Road side	65 (Commercial Area)	20
2.	In colonies	55 (Residential Area)	20
3.	Near Opencast Mines	75 (Industrial Area)	10
4.	Near CHPs	75	30
5.	Near Shaft	75	20
6.	Near Mine exhaust fan	75	> 50

8. Other conditions:

- i Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess standards laid down, such information shall be forthwith reported to Board, concerned Police station, office of Directorate of Health services, Dept. of explosives, Inspectorate of Factories & Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

SCHEDULE-III
Details of Bank Guarantees:

Sr. No.	Consent (C2E/ C2O /C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C2R	Rs. 2.0 Lakh	15 days	Regular monitoring of ground water level and quality should be carried out by establishing the network of existing wells and constructing new piezometers during mining operations	6 Monthly	31.03.2027
2	C2R	Rs.5.0 Lakh	15 days	Catch drain and siltation ponds of appropriate size should be constructed to arrest silt and sediment flow from soil, OB and mineral dumps. Water so collected should be utilized for watering of the mining area, roads green belt developers etc.	Regular Activity	31.03.2027
3	C2R	Rs.5.0 Lakh	15 days	Coal transportation shall be done by covered/closed trucks. Overloading of shall be avoided to prevent spillages.	Regular Activity	31.03.2027
4	C2R	Rs.5.0 Lakh	15 days	Convert existing water sprinkling arrangement into chemical fogging arrangement (M ₉ Cl ₂)	3 Months	31.03.2027
5	C2R	Rs.5.0 Lakh	15 days	Adoption and installation of tyre wash system to mining transportation at entry and exit point of mining area.	3 Months	31.03.2027
6	C2R	Rs.5.0 Lakh	15 days	Adoption of Bioswales technology on the road sides. Bioswales is a land scape element of construction design, primarily a run off conveyance system by the sides of road, to remove dust ,silt and debris.	3 Months	31.03.2027
7	C2R	Rs.5.0 Lakh	15 days	Over burden (OB) should be stacked at earmarked dumpsites only and should not be kept active for long period. Proper terracing of OB should be carried out so that the overall slope will come down to 28°. Over Burden shall be disposed by way of backfilling.	Continuous	31.03.2027
8	C2R	Rs.25.0 Lakh	15 days	Towards Operation and Maintenance of pollution control system and compliance of Consent & Environment Clearance conditions.	Continuous	31.03.2027

Sr. No	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
---------------	------------------------------	--------------------------	--------------------------	----------------------	--------------------------	----------------------

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No.

BO/MPCB/AS(T)/Circular/B-240229FTS0122

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				



SCHEDULE-IV

General Conditions:

1. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
3. Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
4. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
5. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipment, the production process connected to it shall be stopped.
6. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
7. The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
8. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the H&OW(M&TM) Rules 2016, which can be recycled/processed/ reused/ recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/ reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
9. The industry should comply with the Hazardous & Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous & Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
10. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
11. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.

12. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
13. The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
14. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
15. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
16. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
17. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
18. The industry should not cause any nuisance in surrounding area.
19. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
20. The applicant shall maintain good housekeeping.
21. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end

22. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
23. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipment provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
24. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises
25. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
26. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 18.11.2009 as amended.

This certificate is digitally & electronically signed.



**Ministry of Environment, Forests & Climate Change,
Regional Office (WCZ), Nagpur
MONITORING PROFORMA: PART - I (DATA SHEET)**

Name of the Project	Kolar Pimpri Extension OC Coal Mine
Location and address	At-Kolar Pimpri, PO-Ukni, Tah-Wani ,Dist- Yavatmal, State- Maharashtra,445304
Address for correspondence	Sub Area Manager, Kolar Pimpri-Pimpalgaon Sub Area, At-Kolar Pimpri, PO-Ukni, Tah-Wani, Dist-Yavatmal, State- Maharashtra.
MoEF&CC Clearance Letter No. & Date	Letter No.J-11015/928/2007-IA.II(M) Dt.29.04.2010.
Period of Status Report	From October 2024 to March 2025
Date of commencement of the project Work	22.04.1993

STATUS OF LAND ACQUISITION:-

Type of Land	Required as per EMP (ha)	Acquired (ha) As on 31.03.2025
Agriculture	1435.30 Ha	1435.30 Ha
Other (Govt.Land)	50.04	50.04
Forest	--	--
Total	1488.42	1488.42

STATUS OF LEGAL COMPLIANCES: -

a. Consent under Air (Prevention and control of Pollution) Act.	Consent to Operate has been granted by MPCB vide Consent order no. Forate1.0/CAC/UAN/MPCB CONSENT-0000195255/CR/2504002421 dated -22.04.2025 valid upto 31.03.2026
b. Consent under Water (Prevention and Control of Pollution) Act.	
c. Environment (Protection) Act.	Environment clearance accorded vide letter No. J-11015/928/2007-IA II(M) dt.29.04.2010 Environment Audit statement for the year 2023-2024 has been submitted online on MPCB portal.
d. Forest (Conservation) Act	N.A.

PART -II STATUS OF ENVIRONMENT

Air Pollution Control :-

a) No. of ambient air monitoring stations & frequency of monitoring	04 Nos. Ambient Air quality (Fortnightly Monitoring) 02 Nos. Fugitive Emission (monitoring in non-monsoon) 01 No of CAAQMS (Continuous monitoring)				
b) Name of the location	Ambient Air Quality Monitoring Stations 1.Substation: WNKO-1(Core Zone) 2.Rest Shelter: WNKO-2(Core Zone) 3.Pimpri Village: WNKO-3(Buffer Zone) 4.Water Filter plant, Pragati Nagar:WNKO-4 (Buffer Zone) Fugitive Dust Monitoring stations 1. CHP: WNKOAF-1 2. Weigh Bridge: WNKOAF-2				
c) Ambient air quality status for the parameters prescribed by state pollution control board. (Average 95% time weighted value)	Location	SPM	RSPM	NO _x	SO ₂
	Environmental Monitoring reports from October 2024 to March 2025 are enclosed.				

Water Pollution Control:-

a. No. of stations and frequency of monitoring	One, Fortnightly				
b. Description of locations	1) Mine Water discharge: W _N KOW-1				
c. Average concentrations of major pollutants prescribed by State Pollution Control Board (fig. in mg/lit except pH)	Location	Ph	TSS	COD	O&G
	Environmental Monitoring reports from October 2024 to March 2025 are enclosed.				
d. Quantity of effluent discharge to Local Water source from each Source in Cu.m./day	3458 KL/Day (Mine pumped out water after Treatment in sedimentation pond)				

Noise Pollution Control :-

a) No. of noise monitoring stations & frequency of monitoring	: 2 No.(Fortnightly)		
b)Description of locations	1.CHP: WNKON-1 2.Colony (Pragati Nagar): WNKON-2		
c) Noise level status prescribed by state pollution control board.	Location	Day	Night
	Environmental Monitoring reports from October 2024 to March 2025 are enclosed.		

PART-III
STATUS OF IMPLEMENTATION OF PROVISIONS OF EMP

i). Land Use Status:

S.N.	Particulars	Current October 2024 to March 2025	Upto 31 st March 2025
1.	Area excavated (Ha)	3.965	295.176
2.	Top soil removed (MM3) BC	0.215	7.908
3.	O. B. removed (MM3) Hard	9.202	120.721
4.	O. B. back filled (MM3)	NIL	NIL
5.	O. B. dumped (MM3)	9.417	107.816
6.	Area recovered for reclamation (physical area)	NIL	NIL
7.	Area reclaimed biologically (tree plantation on backfilled area)	NIL	NIL

ii). Production: Approved Capacity 1.50 MTPA (As per EC letter).

The year wise production data are as follows :

Year	Coal Production (tons)
2018-19	1318374.00
2019-20	784941.00
2020-21	1134975.00
2021-22	511377.00
2022-23	1500000.00
2023-24	1500000.00
2024-25	1500000.00

iii). Afforestation: (Figures in Numbers): 2,54,930 Nos.

S.N	Locations	Current Period (October 2024 to March 2025)	Progressive upto 31 st March 2025
1.	OB dump & embankments	--	1,84,400
2.	Railway Siding (Outside Lease)	--	5,400
3.	Backfilled Area	--	--
4.	Other area		35,880
	1. Transportation road }	--	
	2. Around CHP along } Nallah	--	
	3. Pragati Nagar (outside Lease.)	--	15,000
	4. Near Brahmani village.	--	14,250
	TOTAL	--	2,54,930

Location are marked on the working mine plan.

Area under plantation (progressive)	101.97 Ha
No. of plants per Hectare.	2500/Ha
Species planted up to date	Teak, Bamboo, Sivan, Khair, Nim, Sisam, Subabul, Gulmor, Fanas, Karanj, Casia, Glarasica, Emli & Mango.


Rehabilitation and Resettlement:-


S. N.	Particulars	Total nos.
1.	No. of land oustees	531 nos.
2.	No. of land oustees rehabilitated	436 nos.
3.	No. of PAPs/PAFs to be resettled	749 nos.
4.	No. of PAPs/PAFs resettled	278 nos.
5.	Area of new site (ha)	No.
6.	Status of development	No.

Organizational set up at Project level:-


Name and designation of the persons:

- (1) Dr. Suresh D. Gharde, SAM, Kolarpimpri-Pimpalgaon Sub Area
- (2) Shri Shesh Nath Prasad, Manager, Kolarpimpri OCM
- (3) Shri Vinay Kumar, SAE (Civil)/ Nodal Officer (Env.), KP-PPG Sub Area


27/05/25
SAE(Civil)/NO (Env)
Kolar Pimpri - Pimpalgaon Sub Area


27/05/25
Mine Manager
Kolar Pimpri OCM


28/05/25
for Survey Officer
Kolar Pimpri OCM


28/5/25
Sub Area Manager
Kolar Pimpri - Pimpalgaon Sub Area

EXPENDITURE

Capital Head :-

Figures in Rs. Lakhs

Account Head	Oct 24 to March 25	Progressive upto Mar'25
Reclamation(HEMM)	Nil	Nil
Air Pollution Control	--	174.76
Water Pollution Control	--	
1. Fixed Sprinkler	--	24.76
2. ETP		13.72
3. Sedimentation Tank		1.90
TOTAL	--	215.14

Revenue Head: -

Figures in Rs. Lakhs

Account Head	Oct 24 to March 25	Progressive upto Mar'25
Afforestation	--	167.78
Monitoring		19.98
(I) MPCB analysis charges	--	46.58
(II) CMPDIL	--	
Legal expenses	--	4.88
Air Pollution (Sweeping, brooming, sprinkling,)	4.99	297.27
Mobile water tanker	7.72	217.53
Water pollution Sedimentation tank & ETP Operation	7.40	41.72
Hazardous waste disposal	--	3.48
Consent fees	--	86.64
Water Cess	--	4.04
TOTAL	20.11	889.90

Sinayle
27/05/25
SAE (C) / No (Env)
Kolar Pimpri-Pimpalgaon SA,
Wani North Area.

27/05/25
Colliery Manager
Kolar Pimpri OCM
KP-PPG SA, WNA

Hand
28/5/25
Sub Area Manager
Kolar Pimpri-Pimpalgaon SA
Wani North Area.

STATUS OF COMPLIANCE OF ENVIRONMENTAL CLEARANCE CONDITIONS

(For the period October 2024 to March 2025)

Name of the Project : Kolarpimpri Extension Open Cast Mine (for production capacity from 1.05 MTPA to 1.50 MTPA)

EC Letter No.: MoEF&CC vide letter no.J-11015/928/2007-1A.II(M) dated 29.04.2010

A. Special Conditions:-

Sr. No.	Conditions	Compliance
i)	The embankment constructed along the river boundary shall be of suitable dimensions and stabilized with plantation so as to withstand the peak water flow and prevent mine inundation.	The embankment has been constructed along river boundary after taking due permission from Directorate General of Mines Safety (DGMS) and the height above the HFL is maintained as per the provisions of Coal Mines Regulation, 1957 and allied Technical Circulars issued by DGMS. The dimension and construction of embankment takes into account the peak water flow to prevent any danger to the mine from inundation due to inrush of surface water. Further, to increase the strength and stability of the embankment, plantation has been already done.
ii)	The mining operations shall not extend in the balance 961 ha of the lease area until the R&R for all the villages has been completed and compensation paid to land oustees as per norms not less than that laid out under the National R&R Policy.	Agreed, The mining operation shall be extended in the balance 961 Ha land only after the R&R for all the villages is completed and compensation is paid to land oustees as per R&R policy.
iii)	OB shall be stacked at four earmarked external OB dumpsite(s) only covering an area of 641.98 ha and shall not exceed the max. height of 65m consisting of benches of 15m each. The ultimate slope of the dump shall not exceed 28 degree. Monitoring and management of the reclaimed dumpsites shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Ministry of Environment & Forests and its Regional office located at Bhopal on yearly basis.	Overburden will be dumped at earmarked sites only. The maximum height of internal OB dump will not exceed 65 m above ground level. The maximum slope of the dump shall not exceed 28 degrees. Monitoring and management of reclaimed dump sites shall continue till the vegetation becomes self-sustaining and compliance status shall be submitted to MoEF and its Regional Office on yearly basis.
iii)	Catch drains and siltation ponds of appropriate size shall be constructed to arrest silt and sediment flows from soil, OB and mineral dumps. The water so collected shall be utilized for watering the mine area, roads, green belt development, etc. The drains shall be regularly desilted and maintained properly. Garland drains (size, gradient and length) and sump capacity shall be designed keeping 50% safety margin over and above the peak sudden	Catch drain of size 3.5 m x 2 m has been provided around the periphery of OB dumps as well as soil dumps to arrest silt and sediment flows from the respective dump site. In case of OB benches in the quarry, cross drainage has been provided which carry silt and sediments into the main sump made at floor of the seam. These sumps accumulate all the silts and act as a primary stage of silting pond. Then the water is pumped out on the surface and discharge to surface sedimentation tank which is of size 40 x 16 x 1.5 mtr. The clear water from the sedimentation tank is discharged to nallah which ultimately discharge to the Wardha river, some part of the water is used for sprinkling over mine roads, surface roads also for

	rainfall and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide adequate retention period to allow proper setting of silt material.	gardening. The catch drain around the OB dumps regularly de-silted before and during the monsoon. In addition, garland drain of size 4 x 2.5 mtr. Also made around periphery of the excavation area which carry the surface waters and these drains are regularly de-silted.
iv)	Dimension of the retaining wall at the toe of the dumps and OB benches within the mine to check run-off and siltation shall be based on the rainfall data.	As indicated above, the run off from the OB dumps are collected in the catch drains made around the periphery of the dumps (dimensions of catch drains given above). For collecting run off and siltation from OB benches, mine sump as detailed above, is in operation and acts as main settling / siltation pond. The capacity of this sump has been made to cater the entire peak rainfall in the catchment area .
v)	Crushers at the CHP of adequate capacity for the expansion project shall be operated with high efficiency bag filters, water sprinkling system shall be provided to check fugitive emissions from crushing operations, conveyor system, haulage roads, transfer points, etc.	Crusher of adequate capacity is provided with water sprinkling system to check fugitive emissions from crushing operation etc.
vi)	Drills shall be wet operated.	Drills have been provided with dust extractors. Drills are operated only during day time.
vii)	The project authorities shall ensure that the roads used for mineral transportation are black topped and properly maintained. A 3-tier green belt comprising of a mix of native species shall be developed all along the major approach roads, and major haul roads.	The main approach road has been black topped and is being maintained properly. Plantation have been done along the arterial roads and over embankments.
viii)	Controlled blasting shall be practiced with use of delay detonators and only during daytime. The mitigative measures for control of ground vibrations and to arrest the fly rocks and boulders shall be implemented.	Controlled blasting is carried out after due permission from DGMS so as to control ground vibrations and arrest fly rocks and strictly as per conditions laid down by DGMS. The blasting is carried out only in day time.
ix)	A progressive afforestation plan shall be implemented covering an area not less than 902.28 ha, which includes reclaimed external OB dump (674.55ha), backfilled area (88.73ha), along ML boundary, along roads and infrastructure (5 ha), embankment (55 ha) and within vacant land (356.22 ha) and in township located outside the lease by planting native species in consultation with the local DFO / Agriculture Department. The density of the trees shall be around 2500 plants per ha. Massive plantation shall be carried out in open spaces in and around the mine and avenue plantation along the main approach roads to the mine.	Progressive afforestation is being practiced. From 1994-95 to 2024-2025 total 101.97 Ha area have been planted by 2,54,930 plants in embankment, dumps and non dumps area with the density of trees 2500 plants per hectare. The practice of plantation will be taken up as a due responsibility in the future also.
x)	Of the total quarry area of 357.65 ha,	Agreed and will be taken up due course of time

	the backfilled quarry area of 88.73 ha shall be reclaimed with plantation and a void of 268.90 ha which is proposed to be converted into a water body shall be gently sloped and the upper benches shall be terraced and stabilized with plantation/afforestation by planting native plant species in consultation with the local DFO / Agriculture Department. The density of the trees shall be around 2500 plants per ha.	
xii)	No groundwater shall be used for mining operations.	No ground water is being used for the mining operations.
xii)	Monitoring of ground water regime and river flow conjunctively on regular and long term basis shall be undertaken in view that the mine site is in the proximity of the river Wardha, through a close network of observation wells / piezometers & river gauging. Similarly, the hydro geological impact on account of proposed expansion should also to be monitored regularly on long term perspectives.	Regular monitoring of ground water level and quality is being carried out four times in a year in pre-monsoon (May), monsoon(August), post-monsoon (November) and winter (January) and for quality in May. Data is being submitted regularly.
xiii)	A comprehensive 'Ground Water Monitoring Plan' shall be submitted within a period of three months of grant of EC. The plan shall incorporate information on details of piezometer / well (depth, locations) site characteristic, monitoring parameters (quantity and quality), time frame of implementation and budgetary provisions etc. Monitoring for quantity shall be done four times a year in pre-monsoon (May), monsoon (August), post-monsoon (November) and winter (January) seasons and for quality in May. Data thus collected shall be submitted to the Ministry of Environment & Forests and to the Central Pollution Control Board quarterly within one month of monitoring.	Agreed. Monitoring of Ground water level and quality is being monitored regularly and data is being submitted regularly.
xiv)	The Company shall put up artificial groundwater recharge measures for augmentation of groundwater resource in case monitoring indicates a decline in water table. The project authorities shall meet water requirement of nearby village(s) in case the village wells go dry due to dewatering of mine.	Water from mine discharge is passed through sedimentation tank (size of 40.0 m x 16.0 m x 1.5 m) & after proper settling the same is fed into local nallahs / streams to be used by nearby villagers for their agriculture etc. If wells in nearby village go dry, project authorities will supply water from the mine through water tankers as a prior responsibility.

xv)	Sewage treatment plant shall be installed in the existing colony. ETP shall also be provided for workshop and CHP wastewater.	For treatment of domestic sewage Septic tank and soak pits have been provided. ETP equipped with oil skimmer, flash mixture, dosing chamber etc. is provided for workshop.
xvi)	Besides carrying out regular periodic healthy check up of their workers, 10% of the workers identified from workforce engaged in active mining operations shall be subjected to health check up for occupational diseases and hearing impairment, if any, through an agency such as NIOH, Ahmedabad within a period of one year and the results reported to this Ministry and to DGMS.	Periodical medical examination/health checkup of workers are regularly done in WCL hospital.
xvii)	For monitoring land use pattern and for post mining land use, a time series of land use maps, based on satellite imagery (on a scale of 1: 5000) of the core zone and buffer zone, from the start of the project until end of mine life shall be prepared once in 3 years (for any one particular season which is consistent in the time series), and the report submitted to MOEF and its Regional office at Bhopal.	It is being complied. Land Restoration – Reclamation Monitoring based on Satellite Data carried out by CMPDIL, Ranchi. The reports are regularly being submitted to MoEF&CC besides uploading in the company website
xviii)	A Final Mine Closure Plan along with details of Corpus Fund shall be submitted to the Ministry of Environment & Forests within six months from date of environmental clearance for approval.	Mine closure plan has been prepared and duly approved by WCL Board. The corpus fund has been deposited in following escrow account: Bank & Branch : Oriental Bank of Commerce, Jaripatka, Nagpur Escrow Acc. No. : 08973161002836 Balance as on 31.03.2025: Rs. 80,00,77,889.37 /-
xix)	The project authorities shall in consultation with the panchayat of the local villages identify socio-economic and welfare measures under CSR to be carried out over the balance life of the mine. A budgetary provision of Rs. 5 per tone of coal shall be earmarked for CSR activities.	The socio – economic developmental as well as welfare activities are being taken up under CSR through consultation with the neighboring villages. Similar works will be carried out during the balance life also. As per CSR policy of Coal India Limited Rs. 2/tonne of coal produced or 2% of the average net profits of the company made during the three immediately preceding financial years whichever is more is spent on Corporate Social Responsibility works


B. General Conditions :-

Sr. No.	Conditions	Compliance												
i)	No change in mining technology and scope of working shall be made without prior approval of the Ministry of Environment and Forests.	Noted. No change in mining technology and scope has been made												
ii)	No change in the calendar plan including excavation, quantum of mineral coal and waste shall be made.	Noted, The year wise production data are as follows : <table><tr><th>Year</th><th>Coal Production (tons)</th></tr><tr><td>2020-21</td><td>1134975.00</td></tr><tr><td>2021-22</td><td>511377.00</td></tr><tr><td>2022-23</td><td>1500000.00</td></tr><tr><td>2023-24</td><td>1500000.00</td></tr><tr><td>2024-25</td><td>1500000.00</td></tr></table>	Year	Coal Production (tons)	2020-21	1134975.00	2021-22	511377.00	2022-23	1500000.00	2023-24	1500000.00	2024-25	1500000.00
Year	Coal Production (tons)													
2020-21	1134975.00													
2021-22	511377.00													
2022-23	1500000.00													
2023-24	1500000.00													
2024-25	1500000.00													
iii)	Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for PM10, PM2.5, SO2 and NOx monitoring. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board.	Following four ambient air quality monitoring stations have been established in the core zone and buffer zone for PM10, PM2.5 SO2 and NOx monitoring:- 1. Water filter plant (Pr. Nagar) : W _N KOA-1 2. Sub-Station Kolar Pimpri : W _N KOA-2 3. Rest shelter Kolar Pimpri OCM : W _N KOA -3 4. Pimpri village : W _N KOA -4 Reports are regularly being submitted. Environmental Monitoring reports from October 2024 to March 2025 are enclosed with this report.												
iv)	Fugitive dust emissions (PM10 and PM 2.5) from all the sources shall be controlled regularly monitored and data recorded properly. Water spraying arrangement on haul roads, wagon loading, dump trucks (loading and unloading) points shall be provided and properly maintained.	Fugitive dust emissions (PM10 and PM 2.5) is being monitored at following locations: 1. Weigh bridge, 2. CHP, 3. Wani Railway siding Fugitive Dust Emission from OB dumps have been controlled significantly by developing thick green belt/vegetation cover the OB dumps. Similarly, dust emissions from other sources are being controlled by regular water spraying through installation of fixed type rain guns and mobile water tankers.												
v)	Data on ambient air quality (PM10, PM2.5 and SO2 and NOx) shall be regularly submitted to the Ministry including its Regional Office at Bhopal and to the State Pollution Control Board and the Central Pollution Control Board once in six months.	Data on ambient air quality (PM 10, NOx, SOx and PM 2.5) is regularly submitted to MoEF&CC & its Regional Office The reports from October 2024 to March 2025 are enclosed with this report.												
vi)	Adequate measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in blasting and drilling operations, operations of HEMM, etc shall be provided	In order to control excessive noise during operations regular maintenance of all HEMM as well as supply of protective gears like ear plugs and muffs are carried out. In addition, regular monitoring on every fortnight is being done. Reports from October 2024 to March 2025 are enclosed with this report. Noise Quality Monitoring Station.												


	with ear plugs / muffs.	1) CHP : W _N KON-1 2) Pragati Nagar : W _N KON-2
vii)	Industrial waste water (workshop and waste water from the mine) shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31 st December 1993 or as amended from time to time before discharge. Oil and grease trap shall be installed before discharge of workshop effluents.	Mine pumped out water after initial sedimentation in the mine sump is collected into surface sedimentation pond for further settlement. The quality of treated effluent from sedimentation point is monitored every fortnight. Similarly, the effluents from the workshop are treated in ETP fitted with oil and grease trap and Clear-water is also regularly monitored. It may be mentioned here that there is no discharge of effluent from workshop into any surface water body.
viii)	Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transporting the mineral shall be covered with tarpaulins and optimally loaded.	All the vehicles which are directly or indirectly related to the mining activity are having valid PUC Certificate from the authorized agencies.
ix)	Environmental laboratory shall be established with adequate number and type of pollution monitoring and analysis equipment in consultation with the State Pollution Control Board.	Monitoring of environmental quality parameters is being carried out by RI-IV Nagpur, CMPDIL. A fully fledged Environmental laboratory accredited by NABL already exists at CMPDI, Nagpur with qualified Engineers along with adequate number of field staff for carrying out all the environmental monitoring of WCL projects.
x)	Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects. Occupational health surveillance programme of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and to take corrective measures, if needed and records maintained thereof.	Protective health & safety gears are provided to workmen exposed to dust. The workers are regularly given training on safety & health aspects (Statutory requirement under Mines Act). Periodical medical examination is carried out for each employee once in every 5 year to detect any disease so that, appropriate action can be taken.
xi)	A separate environmental management cell with suitable qualified personnel shall be set up under the control of a Senior Executive, who will report directly to the Head of the company.	At project level, environmental management cell is headed by Sub Area Manager and is assisted directly by project Nodal Officer (Environment). At Area level, AGM heads the cell assisted by GM (Operation) and ANO (Environment). GM (Environment) heads the Environment Department at HQ / Corporate level with a multidisciplinary team of qualified engineers, who directly report to DT, WCL.
xii)	The funds earmarked for environmental protection measures shall be kept in separate account and shall not	The funds earmarked for environmental protection measures are not used for any other purpose. The expenditure both under capital & revenue for the current year as well as progressive is given in the Expenditure Statement. It is regularly reported to

	be diverted for other purpose. Year-wise expenditure shall be reported to this Ministry and its Regional Office at Bhopal.	Regional Office, MoEF & CC along with Six Monthly Report.
xiii)	The Regional Office of the Ministry located at Bhopal shall monitor compliance of the stipulated conditions. The Project authorities shall extend full cooperation to the office(s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	Six monthly reports on compliance to environmental clearance conditions are regularly submitted to RO, MoEF & CC, Nagpur & full cooperation is being extended to them as and when they visit.
xiv)	A copy of the will be marked to concerned Panchayat / local NGO, if any, from whom any suggestion / representation has been received while processing the proposal.	A copy of environmental clearance letter has been sent to concern Sarpanch of village Panchayat.
xv)	State Pollution Control Board shall display a copy of the clearance letter at the Regional Office, District Industry Centre and Collector's Office / Tehsildar's Office for 30 days.	Not applicable.
xvi)	The Project authorities shall advertise at least in two local newspapers widely circulated around the project, one of which shall be in the vernacular language of the locality concerned within seven days of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution control Board and may also be seen at the website of the ministry of Environment & Forest at http://envfor.nic.in .	Complied.
3	The Ministry or any other competent authority may stipulate any further conditions for environmental protection.	Noted.
4	Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract the provisions of the Environment (Protection) Act, 1986	Noted.

5	The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and Rules.	Noted.
---	--	--------


 Sr. Survey Officer
 Kolar Pimpri OCM


 Sub Area Engineer (Civil)
 Kolar Pimpri-Pimpalgaon Sub Area


 Mine Manager
 Kolar Pimpri OCM


 Sub Area Manager
 Kolar Pimpri-Pimpalgaon Sub Area



STRICTLY RESTRICTED
FOR COMPANY USE ONLY
The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL / Government

ENVIRONMENTAL MONITORING REPORT

KOLARPIMPRI OC

WANI NORTH AREA

WESTERN COALFIELDS LTD.

JOB NO. 4094423068



OCTOBER 2024

Environment Laboratory
NABL Accredited vide Cert. No. TC-7102
CMPDI
REGIONAL INSTITUTE-IV, KASTURBA NAGAR,
JARIPATKA, NAGPUR, PIN – 440 014

AN ISO 9001:2015 COMPANY

Environment Laboratory CMPDI RI-IV, NAGPUR	Test Report	
---	--------------------	---

TEST REPORT NO.	RIN/TR/OCT-24/25	DATE OF ISSUE	25.11.2024
NAME OF CUSTOMER	GM(ENV.), WCL(HQ), NAGPUR		
TEST REQUIRED	SPM: IS 5182 Part-4:1999(RA 2019), PM-10: IS-5182 Part 23:2006(RA 2017), PM2.5: USEPA Quality Assurance guidance document volume-II (part-II)-2.12:2016, NO2: IS 5182 Part-06:2006(2017), SO2:IS 5182 Part-2:2001(RA 2017)		
SAMPLE DESCRIPTION	AIR SAMPLE	SAMPLING PLAN :	LQR 47
SAMPLING METHOD : LSOP 4	PERIOD OF PERFORMANCE OF LAB ACTIVITIES:		16-10-24 TO 15-11-24

SUBSTATION KOLARPIMPRI WNKOA1							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)					ENVIRONMENT CONDITIONS (Sky/Wind)
		SPM	PM ₁₀	PM _{2.5}	NO ₂	SO ₂	
FROM	TO	5	5	2	6	10	
09.10.2024	10.10.2024	309	217	37	16	12	CLEAR/CALM
22.10.2024	23.10.2024	322	236	45	17	14	CLEAR/CALM
STANDARDS FOR COAL MINE, GSR 742(E), dt. 25TH DECember 2000		600	300	-	120	120	

REST SHELTER WNKOA2							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)					ENVIRONMENT CONDITIONS (Sky/Wind)
		SPM	PM ₁₀	PM _{2.5}	NO ₂	SO ₂	
FROM	TO	5	5	2	6	10	
09.10.2024	10.10.2024	215	149	32	13	10	CLEAR/CALM
22.10.2024	23.10.2024	310	208	42	14	12	CLEAR/CALM
STANDARDS FOR COAL MINE, GSR 742(E), dt. 25TH DECember 2000		600	300	-	120	120	

PIMPRI VILLAGE WNKOA3							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)				ENVIRONMENT CONDITIONS (Sky/Wind)	
		PM ₁₀	PM _{2.5}	NO ₂	SO ₂		
FROM	TO	5	2	6	10		
03.10.2024	04.10.2024	81	26	9	BDL		CLEAR/CALM
04.10.2024	05.10.2024	89	29	10	BDL		CLEAR/CALM
10.10.2024	11.10.2024	75	19	7	BDL		CLEAR/CALM
11.10.2024	12.10.2024	85	23	8	BDL		CLEAR/CALM
16.10.2024	17.10.2024	86	31	10	BDL		CLEAR/CALM
17.10.2024	18.10.2024	74	23	9	BDL		CLEAR/CALM
23.10.2024	24.10.2024	79	29	10	BDL		CLEAR/CALM
24.10.2024	25.10.2024	66	20	8	BDL		CLEAR/CALM
28.10.2024	29.10.2024	72	22	10	BDL		CLEAR/CALM
29.10.2024	30.10.2024	82	26	12	BDL		CLEAR/CALM
NAAQS, 2009		100	60	80	80		

WATER FILTER PLANT PRAGATI NAGAR WNKOA4							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)				ENVIRONMENT CONDITIONS (Sky/Wind)	
		PM ₁₀	PM _{2.5}	NO ₂	SO ₂		
FROM	TO	5	2	6	10		
03.10.2024	04.10.2024	75	26	8	BDL		CLEAR/CALM
04.10.2024	05.10.2024	86	30	9	BDL		CLEAR/CALM
10.10.2024	11.10.2024	70	21	8	BDL		CLEAR/CALM
11.10.2024	12.10.2024	89	25	9	BDL		CLEAR/CALM
16.10.2024	17.10.2024	70	26	10	BDL		CLEAR/CALM
17.10.2024	18.10.2024	69	21	8	BDL		CLEAR/CALM
23.10.2024	24.10.2024	85	31	10	BDL		CLEAR/CALM
24.10.2024	25.10.2024	73	29	10	BDL		CLEAR/CALM
28.10.2024	29.10.2024	70	26	9	BDL		CLEAR/CALM
29.10.2024	30.10.2024	75	28	10	BDL		CLEAR/CALM
NAAQS, 2009		100	60	80	80		


Analysed by

Environment Laboratory CMPDI RI-IV, NAGPUR	Test Report	
---	--------------------	---

SAMPLE DESCRIPTION	Water sample		
Test Required	pH: IS 3025 -Part 11:1983(RA 2017),TSS: IS 3025-Part 17:1984(RA 2017),COD: APHA (23rd Edition) 5220 C :2017,O &G: IS 3025-Part 39:1991(RA 2019) & BOD: IS 3025 (Part 44): 1993 (RA 2019)		
SAMPLING METHOD	LSOP 5	PERIOD OF PERFORMANCE OF LAB ACTIVITIES:	16-10-24 TO 15-11-24

MINE WATER DISCHARGE: WNKOW1				
DATE OF SAMPLE COLLECTION	ANALYSIS RESULTS			
	pH	TSS (in mg/l)	COD(in mg/l)	O & G(in mg/l)
DETECTION LIMIT	2	10	4	2
04.10.2024	7.60	24	32	BDL
19.10.2024	7.82	28	40	BDL
STANDARDS FOR COAL MINE, GSR 742E, dt. 25/09/2000	5.5 - 9.0	100	250	10



Analysed by

Environment Laboratory CMPDI RI-IV, NAGPUR	Test Report	
---	--------------------	---

NOISE LEVEL MONITORING DATA

SAMPLE DESCRIPTION	NOISE SAMPLE
Test Required	CPCB PRDECOCOL FOR AMBIENT NOISE MEASUREMENT, OCT-2015
SAMPLING METHOD	LSOP 6

CHP: WNKON1			
MONTH	DATE OF SAMPLE COLLECTION	NOISE LEVEL IN dB(A)	
		DAY TIME	NIGHT TIME
	DETECTION LIMIT	20	20
OCT'24	09.10.2024	72.6	69.1
OCT'24	21.10.2024	66.7	65.4
NOISE POLLUTION (REGULATION AND CONTROL) RULES		75	70

COLONY PRAGATI NAGAR: WNPON2			
MONTH	DATE OF SAMPLE COLLECTION	NOISE LEVEL IN dB(A)	
		DAY TIME	NIGHT TIME
	DETECTION LIMIT	20	20
OCT'24	09.10.2024	44.3	43.1
OCT'24	21.10.2024	44.5	42.1
NOISE POLLUTION (REGULATION AND CONTROL) RULES		55	45



Amol Kamble
Reviewed by



Deepanshu Sahu
Authorised by

1. This report cannot be reproduced in part or full without written of the management.
2. Laboratory activities are performed at the Laboratory permanent facility that is ground floor, Environment Lab, CMPDI RI-IV, Nagpur.
3. This report refers to the values related to the items tested.

***** End of report *****



STRICTLY RESTRICTED
FOR COMPANY USE ONLY
The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL / Government

ENVIRONMENTAL MONITORING REPORT

KOLARPIMPRI OC

WANI NORTH AREA

WESTERN COALFIELDS LTD.

JOB NO. 4094423068



NOVEMBER 2024

Environment Laboratory
NABL Accredited vide Cert. No. TC-7102
CMPDI
REGIONAL INSTITUTE-IV, KASTURBA NAGAR,
JARIPATKA, NAGPUR, PIN – 440 014

AN ISO 9001:2015 COMPANY

Environment Laboratory CMPDI RI-IV, NAGPUR	Test Report	
---	--------------------	---

TEST REPORT NO.	RIN/TR/NOV-24/25	DATE OF ISSUE	24.12.2024
NAME OF CUSTOMER	GM(ENV.), WCL(HQ), NAGPUR		
TEST REQUIRED	SPM: IS 5182 Part-4:1999(RA 2019), PM-10: IS-5182 Part 23:2006(RA 2017), PM2.5: USEPA Quality Assurance guidance document volume-II (part-II)-2.12:2016, NO2: IS 5182 Part-06:2006(2017), SO2:IS 5182 Part-2:2001(RA 2017)		
SAMPLE DESCRIPTION	AIR SAMPLE	SAMPLING PLAN :	LQR 47
SAMPLING METHOD : LSOP 4	PERIOD OF PERFORMANCE OF LAB ACTIVITIES:		16-11-24 TO 15-12-24

SUBSTATION KOLARPIMPRI WNKOA1							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)					ENVIRONMENT CONDITIONS (Sky/Wind)
FROM	TO	SPM	PM ₁₀	PM _{2.5}	NO ₂	SO ₂	
10.11.2024	11.11.2024	296	203	48	17	14	CLEAR/CALM
24.11.2024	25.11.2024	271	189	45	14	10	CLEAR/LIGHT BREEZE
STANDARDS FOR COAL MINE, GSR 742(E), dt. 25TH DECember 2000		600	300	-	120	120	

REST SHELTER WNKOA2							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)					ENVIRONMENT CONDITIONS (Sky/Wind)
FROM	TO	SPM	PM ₁₀	PM _{2.5}	NO ₂	SO ₂	
10.11.2024	11.11.2024	237	148	37	14	10	CLEAR/CALM
24.11.2024	25.11.2024	252	163	43	15	12	CLEAR/LIGHT BREEZE
STANDARDS FOR COAL MINE, GSR 742(E), dt. 25TH DECember 2000		600	300	-	120	120	

PIMPRI VILLAGE WNKOA3							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)				ENVIRONMENT CONDITIONS (Sky/Wind)	
FROM	TO	PM ₁₀	PM _{2.5}	NO ₂	SO ₂		
04.11.2024	05.11.2024	72	24	8	BDL	CLEAR/CALM	
05.11.2024	06.11.2024	82	29	9	BDL	CLEAR/CALM	
11.11.2024	12.11.2024	67	18	9	BDL	CLEAR/CALM	
12.11.2024	13.11.2024	77	22	9	BDL	CLEAR/CALM	
18.11.2024	19.11.2024	80	29	10	BDL	CLEAR/LIGHT BREEZE	
19.11.2024	20.11.2024	88	32	8	BDL	CLEAR/LIGHT BREEZE	
25.11.2024	26.11.2024	76	25	7	BDL	CLEAR/CALM	
26.11.2024	27.11.2024	70	21	7	BDL	CLEAR/CALM	
NAAQS, 2009		100	60	80	80		

WATER FILTER PLANT PRAGATI NAGAR WNKOA4							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)				ENVIRONMENT CONDITIONS (Sky/Wind)	
FROM	TO	PM ₁₀	PM _{2.5}	NO ₂	SO ₂		
04.11.2024	05.11.2024	88	34	10	BDL	CLEAR/CALM	
05.11.2024	06.11.2024	66	18	8	BDL	CLEAR/CALM	
11.11.2024	12.11.2024	75	25	9	BDL	CLEAR/CALM	
12.11.2024	13.11.2024	81	29	9	BDL	CLEAR/CALM	
18.11.2024	19.11.2024	92	34	11	BDL	CLEAR/LIGHT BREEZE	
19.11.2024	20.11.2024	87	30	10	BDL	CLEAR/LIGHT BREEZE	
25.11.2024	26.11.2024	76	27	9	BDL	CLEAR/CALM	
26.11.2024	27.11.2024	71	20	9	BDL	CLEAR/CALM	
NAAQS, 2009		100	60	80	80		



Analysed by

Environment Laboratory CMPDI RI-IV, NAGPUR	Test Report	
---	--------------------	---

SAMPLE DESCRIPTION	Water sample		
Test Required	pH: IS 3025 -Part 11:1983(RA 2017),TSS: IS 3025-Part 17:1984(RA 2017),COD: APHA (23rd Edition) 5220 C :2017,O &G: IS 3025-Part 39:1991(RA 2019) & BOD: IS 3025 (Part 44): 1993 (RA 2019)		
SAMPLING METHOD	LSOP 5	PERIOD OF PERFORMANCE OF LAB ACTIVITIES:	16-11-24 TO 15-12-24

MINE WATER DISCHARGE: WNKOW1				
DATE OF SAMPLE COLLECTION	ANALYSIS RESULTS			
	pH	TSS (in mg/l)	COD(in mg/l)	O & G(in mg/l)
DETECTION LIMIT	2	10	4	2
07.11.2024	7.87	26	40	BDL
24.11.2024	7.96	28	36	BDL
STANDARDS FOR COAL MINE, GSR 742E, dt. 25/09/2000	5.5 - 9.0	100	250	10



Analysed by

Environment Laboratory CMPDI RI-IV, NAGPUR	Test Report	
---	--------------------	---

NOISE LEVEL MONITORING DATA


SAMPLE DESCRIPTION	NOISE SAMPLE
Test Required	CPCB PROTOCOL FOR AMBIENT NOISE MEASUREMENT, NOV-2015
SAMPLING METHOD	LSOP 6

CHP: WNKON1			
MONTH	DATE OF SAMPLE	NOISE LEVEL IN dB(A)	
	COLLECTION	DAY TIME	NIGHT TIME
	DETECTION LIMIT	20	20
NOV'24	09.11.2024	68.1	65.6
NOV'24	26.11.2024	67.5	64.5
NOISE POLLUTION (REGULATION AND CONTROL) RULES		75	70

COLONY PRAGATI NAGAR: WNPON2			
MONTH	DATE OF SAMPLE	NOISE LEVEL IN dB(A)	
	COLLECTION	DAY TIME	NIGHT TIME
	DETECTION LIMIT	20	20
NOV'24	09.11.2024	44.2	41.6
NOV'24	26.11.2024	44.4	42.3
NOISE POLLUTION (REGULATION AND CONTROL) RULES		55	45



Amol Kamble
Reviewed by



Deepanshu Sahu
Authorised by

1. This report cannot be reproduced in part or full without written of the management.
2. Laboratory activities are performed at the Laboratory permanent facility that is ground floor, Environment Lab, CMPDI RI-IV, Nagpur.
3. This report refers to the values related to the items tested.

***** End of report *****



STRICTLY RESTRICTED
FOR COMPANY USE ONLY
The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL / Government

ENVIRONMENTAL MONITORING REPORT

KOLARPIMPRI OC

WANI NORTH AREA

WESTERN COALFIELDS LTD.

JOB NO. 4094423068



DECEMBER 2024



Environment Laboratory
NABL Accredited vide Cert. No. TC-7102
CMPDI
REGIONAL INSTITUTE-IV, KASTURBA NAGAR,
JARIPATKA, NAGPUR, PIN – 440 014

AN ISO 9001:2015 COMPANY



Environment Laboratory CMPDI RI-IV, NAGPUR	Test Report	 TC-7102
---	--------------------	--

TEST REPORT NO.	RIN/TR/DEC-24/25	DATE OF ISSUE	28-01-2025
NAME OF CUSTOMER	GM(ENV.), WCL(HQ), NAGPUR		
TEST REQUIRED	SPM: IS 5182 Part-4:1999(RA 2019), PM-10: IS-5182 Part 23:2006(RA 2017), PM2.5: USEPA Quality Assurance guidance document volume-II (part-II)-2.12:2016, NO2: IS 5182 Part-06:2006(2017), SO2:IS 5182 Part-2:2001(RA 2017)		
SAMPLE DESCRIPTION	AIR SAMPLE	SAMPLING PLAN :	LQR 47
SAMPLING METHOD : LSOP 4	PERIOD OF PERFORMANCE OF LAB ACTIVITIES:		16-12-24 TO 15-01-25

SUBSTATION KOLARPIMPRI WNKO A1							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)					ENVIRONMENT CONDITIONS (Sky/Wind)
		SPM	PM ₁₀	PM _{2.5}	NO ₂	SO ₂	
FROM	TO	5	5	2	6	10	
14-12-2024	15-12-2024	278	197	47	14	11	CLEAR/LIGHT BREEZE
23-12-2024	24-12-2024	302	217	54	19	15	CLEAR/CALM
STANDARDS FOR COAL MINE, GSR 742(E), dt. 25TH DECEMBER 2000		600	300	-	120	120	

REST SHELTER WNKO A2							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)					ENVIRONMENT CONDITIONS (Sky/Wind)
		SPM	PM ₁₀	PM _{2.5}	NO ₂	SO ₂	
FROM	TO	5	5	2	6	10	
14-12-2024	15-12-2024	241	158	40	11	BDL	CLEAR/LIGHT BREEZE
23-12-2024	24-12-2024	287	177	52	16	13	CLEAR/CALM
STANDARDS FOR COAL MINE, GSR 742(E), dt. 25TH DECEMBER 2000		600	300	-	120	120	

PIMPRI VILLAGE WNKO A3							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)				ENVIRONMENT CONDITIONS (Sky/Wind)	
		PM ₁₀	PM _{2.5}	NO ₂	SO ₂		
FROM	TO	5	2	6	10		
03-12-2024	04-12-2024	88	32	10	BDL		CLEAR/CALM
04-12-2024	05-12-2024	71	25	9	BDL		CLEAR/CALM
10-12-2024	11-12-2024	86	29	10	BDL		CLEAR/CALM
11-12-2024	12-12-2024	69	20	8	BDL		CLEAR/CALM
17-12-2024	18-12-2024	76	29	9	BDL		CLEAR/LIGHT BREEZE
18-12-2024	19-12-2024	89	31	10	BDL		CLEAR/CALM
24-12-2024	25-12-2024	61	25	8	BDL		CLEAR/LIGHT BREEZE
25-12-2024	26-12-2024	80	29	9	BDL		CLEAR/LIGHT BREEZE
NAAQS, 2009		100	60	80	80		

WATER FILTER PLANT PRAGATI NAGAR WNKO A4							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)				ENVIRONMENT CONDITIONS (Sky/Wind)	
		PM ₁₀	PM _{2.5}	NO ₂	SO ₂		
FROM	TO	5	2	6	10		
03-12-2024	04-12-2024	85	27	10	BDL		CLEAR/CALM
04-12-2024	05-12-2024	93	31	11	BDL		CLEAR/CALM
10-12-2024	11-12-2024	82	28	11	BDL		CLEAR/CALM
11-12-2024	12-12-2024	79	25	9	BDL		CLEAR/CALM
17-12-2024	18-12-2024	74	28	9	BDL		CLEAR/LIGHT BREEZE
18-12-2024	19-12-2024	83	31	10	BDL		CLEAR/CALM
24-12-2024	25-12-2024	94	34	12	10		CLEAR/LIGHT BREEZE
25-12-2024	26-12-2024	88	27	11	BDL		CLEAR/LIGHT BREEZE
NAAQS, 2009		100	60	80	80		



Analysed by

Environment Laboratory CMPDI RI-IV, NAGPUR	Test Report	
---	--------------------	---

SAMPLE DESCRIPTION	Water sample		
Test Required	pH: IS 3025 -Part 11:1983(RA 2017),TSS: IS 3025-Part 17:1984(RA 2017),COD: APHA (23rd Edition) 5220 C :2017,O &G: IS 3025-Part 39:1991(RA 2019) & BOD: IS 3025 (Part 44): 1993 (RA 2019)		
SAMPLING METHOD	LSOP 5	PERIOD OF PERFORMANCE OF LAB ACTIVITIES:	16-12-24 TO 15-01-25

MINE WATER DISCHARGE: WNKOW1				
DATE OF SAMPLE COLLECTION	ANALYSIS RESULTS			
	pH	TSS (in mg/l)	COD(in mg/l)	O & G(in mg/l)
DETECTION LIMIT	2	10	4	2
03-12-2024	7.98	30	48	BDL
23-12-2024	8.18	36	52	BDL
STANDARDS FOR COAL MINE, GSR 742E, dt. 25/09/2000	5.5 - 9.0	100	250	10



Analysed by

Environment Laboratory CMPDI RI-IV, NAGPUR	Test Report	 TC-7102
---	--------------------	--

NOISE LEVEL MONITORING DATA

SAMPLE DESCRIPTION	NOISE SAMPLE
Test Required	CPCB PRDECOCOL FOR AMBIENT NOISE MEASUREMENT, DEC-2015
SAMPLING METHOD	LSOP 6

CHP: WNKON1		NOISE LEVEL IN dB(A)	
MONTH	DATE OF SAMPLE COLLECTION	DAY TIME	NIGHT TIME
	DETECTION LIMIT	20	20
DEC'24	09-12-2024	68.1	66.3
DEC'24	23-12-2024	66.7	64.5
NOISE POLLUTION (REGULATION AND CONTROL) RULES		75	70

COLONY PRAGATI NAGAR: WNPON2		NOISE LEVEL IN dB(A)	
MONTH	DATE OF SAMPLE COLLECTION	DAY TIME	NIGHT TIME
	DETECTION LIMIT	20	20
DEC'24	09-12-2024	43.2	41.3
DEC'24	23-12-2024	44.5	42.2
NOISE POLLUTION (REGULATION AND CONTROL) RULES		55	45



Amol Kamble
Reviewed by



M. Rabbani
Authorised by

1. This report cannot be reproduced in part or full without written of the management.
2. Laboratory activities are performed at the Laboratory permanent facility that is ground floor, Environment Lab, CMPDI RI-IV, Nagpur.
3. This report refers to the values related to the items tested.

***** End of report *****



STRICTLY RESTRICTED
FOR COMPANY USE ONLY
The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL / Government

ENVIRONMENTAL MONITORING REPORT

KOLARPIMPRI OC

WANI NORTH AREA

WESTERN COALFIELDS LTD.

JOB NO. 4094423068



JANUARY 2025



Environment Laboratory
NABL Accredited vide Cert. No. TC-7102
CMPDI
REGIONAL INSTITUTE-IV, KASTURBA NAGAR,
JARIPATKA, NAGPUR, PIN – 440 014

AN ISO 9001:2015 COMPANY



Environment Laboratory CMPDI RI-IV, NAGPUR	Test Report	
---	--------------------	---

TEST REPORT NO.	RIN/TR/JAN-25/25	DATE OF ISSUE	25-02-2025
NAME OF CUSTOMER	GM(ENV.), WCL(HQ), NAGPUR		
TEST REQUIRED	SPM: IS 5182 Part-4:1999(RA 2019), PM-10: IS-5182 Part 23:2006(RA 2017), PM2.5: USEPA Quality Assurance guidance document volume-II (part-II)-2.12:2016, NO2: IS 5182 Part-06:2006(2017), SO2:IS 5182 Part-2:2001(RA 2017)		
SAMPLE DESCRIPTION	AIR SAMPLE	SAMPLING PLAN :	LQR 47
SAMPLING METHOD : LSOP 4	PERIOD OF PERFORMANCE OF LAB ACTIVITIES:		16-01-25 TO 15-02-25

SUBSTATION KOLARPIMPRI WNKO A1							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)					ENVIRONMENT CONDITIONS (Sky/Wind)
		SPM	PM ₁₀	PM _{2.5}	NO ₂	SO ₂	
FROM	TO	5	5	2	6	10	
12-01-2025	13-01-2025	312	209	53	16	12	CLEAR/LIGHT BREEZE
26-01-2025	27-01-2025	284	193	47	15	11	CLEAR/CALM
STANDARDS FOR COAL MINE, GSR 742(E), dt. 25TH DECember 2000		600	300	-	120	120	

REST SHELTER WNKO A2							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)					ENVIRONMENT CONDITIONS (Sky/Wind)
		SPM	PM ₁₀	PM _{2.5}	NO ₂	SO ₂	
FROM	TO	5	5	2	6	10	
12-01-2025	13-01-2025	277	182	46	15	10	CLEAR/LIGHT BREEZE
26-01-2025	27-01-2025	251	162	41	13	BDL	CLEAR/CALM
STANDARDS FOR COAL MINE, GSR 742(E), dt. 25TH DECember 2000		600	300	-	120	120	

PIMPRI VILLAGE WNKO A3							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)				ENVIRONMENT CONDITIONS (Sky/Wind)	
		PM ₁₀	PM _{2.5}	NO ₂	SO ₂		
FROM	TO	5	2	6	10		
01-01-2025	02-01-2025	72	21	9	BDL	CLEAR/CALM	
02-01-2025	03-01-2025	85	26	10	BDL	CLEAR/CALM	
08-01-2025	09-01-2025	93	30	10	BDL	CLEAR/CALM	
09-01-2025	10-01-2025	66	18	7	BDL	CLEAR/CALM	
13-01-2025	14-01-2025	75	24	10	BDL	CLEAR/CALM	
16-01-2025	17-01-2025	69	20	7	BDL	CLEAR/CALM	
22-01-2025	23-01-2025	72	27	8	BDL	CLEAR/CALM	
23-01-2025	24-01-2025	86	30	9	BDL	CLEAR/CALM	
27-01-2025	28-01-2025	62	20	7	BDL	CLEAR/CALM	
28-01-2025	29-01-2025	77	25	9	BDL	CLEAR/CALM	
NAAQS, 2009		100	60	80	80		

WATER FILTER PLANT PRAGATI NAGAR WNKO A4							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)				ENVIRONMENT CONDITIONS (Sky/Wind)	
		PM ₁₀	PM _{2.5}	NO ₂	SO ₂		
FROM	TO	5	2	6	10		
01-01-2025	02-01-2025	82	28	10	BDL	CLEAR/CALM	
02-01-2025	03-01-2025	72	21	9	BDL	CLEAR/CALM	
08-01-2025	09-01-2025	89	31	10	BDL	CLEAR/CALM	
09-01-2025	10-01-2025	69	20	7	BDL	CLEAR/CALM	
13-01-2025	14-01-2025	94	35	11	BDL	CLEAR/CALM	
16-01-2025	17-01-2025	88	27	10	BDL	CLEAR/CALM	
22-01-2025	23-01-2025	73	22	9	BDL	CLEAR/CALM	
23-01-2025	24-01-2025	79	26	9	BDL	CLEAR/CALM	
27-01-2025	28-01-2025	66	19	8	BDL	CLEAR/CALM	
28-01-2025	29-01-2025	82	27	10	BDL	CLEAR/CALM	
NAAQS, 2009		100	60	80	80		



Analysed by

Environment Laboratory CMPDI RI-IV, NAGPUR	Test Report	 EC-7102
---	--------------------	--

SAMPLE DESCRIPTION	Water sample		
Test Required	pH: IS 3025 -Part 11:1983(RA 2017),TSS: IS 3025-Part 17:1984(RA 2017),COD: APHA (23rd Edition) 5220 C :2017,O &G: IS 3025-Part 39:1991(RA 2019) & BOD: IS 3025 (Part 44): 1993 (RA 2019)		
SAMPLING METHOD	LSOP 5	PERIOD OF PERFORMANCE OF LAB ACTIVITIES:	16-01-25 TO 15-02-25

MINE WATER DISCHARGE: WNKOW1				
DATE OF SAMPLE COLLECTION	ANALYSIS RESULTS			
	pH	TSS (in mg/l)	COD(in mg/l)	O & G(in mg/l)
DETECTION LIMIT	2	10	4	2
13-01-2025	8.02	28	48	BDL
22-01-2025	8.07	22	36	BDL
STANDARDS FOR COAL MINE, GSR 742E, dt. 25/09/2000	5.5 - 9.0	100	250	10



Analysed by

Environment Laboratory CMPDI RI-IV, NAGPUR	Test Report	
---	--------------------	---

NOISE LEVEL MONITORING DATA

SAMPLE DESCRIPTION	NOISE SAMPLE
Test Required	CPCB PROTOCOL FOR AMBIENT NOISE MEASUREMENT, DEC-2015
SAMPLING METHOD	LSOP 6

CHP: WNKON1		NOISE LEVEL IN dB(A)	
MONTH	DATE OF SAMPLE COLLECTION	DAY TIME	NIGHT TIME
	DETECTION LIMIT	20	20
JAN'25	11-01-2025	69.2	67.4
JAN'25	26-01-2025	68.1	66.2
NOISE POLLUTION (REGULATION AND CONTROL) RULES		75	70

COLONY PRAGATI NAGAR: WNPON2		NOISE LEVEL IN dB(A)	
MONTH	DATE OF SAMPLE COLLECTION	DAY TIME	NIGHT TIME
	DETECTION LIMIT	20	20
JAN'25	11-01-2025	44.1	41.7
JAN'25	26-01-2025	43.2	41.2
NOISE POLLUTION (REGULATION AND CONTROL) RULES		55	45



Amol Kamble
Reviewed by



M. Rabbani
Authorised by

1. This report cannot be reproduced in part or full without written of the management.
2. Laboratory activities are performed at the Laboratory permanent facility that is ground floor, Environment Lab, CMPDI RI-IV, Nagpur.
3. This report refers to the values related to the items tested.

***** End of report *****



STRICTLY RESTRICTED
FOR COMPANY USE ONLY
The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL / Government

ENVIRONMENTAL MONITORING REPORT

KOLARPIMPRI OC

WANI NORTH AREA

WESTERN COALFIELDS LTD.

JOB NO. 4094423068



FEBRUARY 2025



Environment Laboratory
NABL Accredited vide Cert. No. TC-7102
CMPDI
REGIONAL INSTITUTE-IV, KASTURBA NAGAR,
JARIPATKA, NAGPUR, PIN – 440 014

AN ISO 9001:2015 COMPANY



Environment Laboratory CMPDI RI-IV, NAGPUR	Test Report	 TC-7102
---	--------------------	--

TEST REPORT NO.	RIN/TR/FEB-25/25	DATE OF ISSUE	25-03-2025
NAME OF CUSTOMER	GM(ENV.), WCL(HQ), NAGPUR		
TEST REQUIRED	SPM: IS 5182 Part-4:1999(RA 2019), PM-10: IS-5182 Part 23:2006(RA 2017), PM2.5: USEPA Quality Assurance guidance document volume-II (part-II)-2.12:2016, NO2: IS 5182 Part-06:2006(2017), SO2:IS 5182 Part-2:2001(RA 2017)		
SAMPLE DESCRIPTION	AIR SAMPLE	SAMPLING PLAN :	LQR 47
SAMPLING METHOD : LSOP 4	PERIOD OF PERFORMANCE OF LAB ACTIVITIES:		16-02-25 TO 15-03-25

SUBSTATION KOLARPIMPRI WNKOA1							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)					ENVIRONMENT CONDITIONS (Sky/Wind)
		SPM	PM ₁₀	PM _{2.5}	NO ₂	SO ₂	
FROM	TO	5	5	2	6	10	
02-02-2025	03-02-2025	278	197	47	14	11	CLEAR/CALM
16-02-2025	17-02-2025	244	168	27	13	10	CLEAR/CALM
STANDARDS FOR COAL MINE, GSR 742(E), dt. 25TH DECEMBER 2000		600	300	-	120	120	

REST SHELTER WNKOA2							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)					ENVIRONMENT CONDITIONS (Sky/Wind)
		SPM	PM ₁₀	PM _{2.5}	NO ₂	SO ₂	
FROM	TO	5	5	2	6	10	
02-02-2025	03-02-2025	241	158	40	11	BDL	CLEAR/CALM
16-02-2025	17-02-2025	271	187	48	15	11	CLEAR/CALM
STANDARDS FOR COAL MINE, GSR 742(E), dt. 25TH DECEMBER 2000		600	300	-	120	120	

PIMPRI VILLAGE WNKOA3							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)				ENVIRONMENT CONDITIONS (Sky/Wind)	
		PM ₁₀	PM _{2.5}	NO ₂	SO ₂		
FROM	TO	5	2	6	10		
03-02-2025	04-02-2025	88	32	10	BDL		CLEAR/CALM
04-02-2025	05-02-2025	71	25	9	BDL		CLEAR/CALM
10-02-2025	11-02-2025	86	29	10	BDL		CLEAR/CALM
11-02-2025	12-02-2025	69	20	8	BDL		CLEAR/CALM
17-02-2025	18-02-2025	72	22	8	BDL		CLEAR/CALM
18-02-2025	19-02-2025	66	18	7	BDL		CLEAR/CALM
24-02-2025	25-02-2025	81	28	9	BDL		CLEAR/CALM
25-02-2025	26-02-2025	75	25	8	BDL		CLEAR/CALM
NAAQS, 2009		100	60	80	80		

WATER FILTER PLANT PRAGATI NAGAR WNKOA4							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)				ENVIRONMENT CONDITIONS (Sky/Wind)	
		PM ₁₀	PM _{2.5}	NO ₂	SO ₂		
FROM	TO	5	2	6	10		
03-02-2025	04-02-2025	85	27	10	BDL		CLEAR/CALM
04-02-2025	05-02-2025	93	31	11	BDL		CLEAR/CALM
10-02-2025	11-02-2025	82	28	11	BDL		CLEAR/CALM
11-02-2025	12-02-2025	79	25	9	BDL		CLEAR/CALM
17-02-2025	18-02-2025	81	25	10	BDL		CLEAR/CALM
18-02-2025	19-02-2025	77	19	7	BDL		CLEAR/CALM
24-02-2025	25-02-2025	90	34	11	BDL		CLEAR/CALM
25-02-2025	26-02-2025	82	28	9	BDL		CLEAR/CALM
NAAQS, 2009		100	60	80	80		



Analysed by

Environment Laboratory CMPDI RI-IV, NAGPUR	Test Report	
---	--------------------	---

SAMPLE DESCRIPTION	Water sample		
Test Required	pH: IS 3025 -Part 11:1983(RA 2017),TSS: IS 3025-Part 17:1984(RA 2017),COD: APHA (23rd Edition) 5220 C :2017,O &G: IS 3025-Part 39:1991(RA 2019) & BOD: IS 3025 (Part 44): 1993 (RA 2019)		
SAMPLING METHOD	LSOP 5	PERIOD OF PERFORMANCE OF LAB ACTIVITIES:	16-02-25 TO 15-03-25

MINE WATER DISCHARGE: WNKOW1				
DATE OF SAMPLE COLLECTION	ANALYSIS RESULTS			
	pH	TSS (in mg/l)	COD(in mg/l)	O & G(in mg/l)
DETECTION LIMIT	2	10	4	2
03-02-2025	7.93	38	52	BDL
18-02-2025	8.00	28	40	BDL
STANDARDS FOR COAL MINE, GSR 742E, dt. 25/09/2000	5.5 - 9.0	100	250	10



Analysed by

Environment Laboratory CMPDI RI-IV, NAGPUR	Test Report	 TC-7102
---	--------------------	--

NOISE LEVEL MONITORING DATA

SAMPLE DESCRIPTION	NOISE SAMPLE
Test Required	CPCB PRDECOCOL FOR AMBIENT NOISE MEASUREMENT, DEC-2015
SAMPLING METHOD	LSOP 6

CHP: WNKON1		NOISE LEVEL IN dB(A)	
MONTH	DATE OF SAMPLE COLLECTION	DAY TIME	NIGHT TIME
	DETECTION LIMIT	20	20
FEB'25	09-02-2025	61.9	60.6
FEB'25	21-02-2025	67.6	64.4
NOISE POLLUTION (REGULATION AND CONTROL) RULES		75	70

COLONY PRAGATI NAGAR: WNPON2		NOISE LEVEL IN dB(A)	
MONTH	DATE OF SAMPLE COLLECTION	DAY TIME	NIGHT TIME
	DETECTION LIMIT	20	20
FEB'25	09-02-2025	45.3	44.2
FEB'25	21-02-2025	42.3	40.6
NOISE POLLUTION (REGULATION AND CONTROL) RULES		55	45



Amol Kamble
Reviewed by



M. Rabbani
Authorised by

1. This report cannot be reproduced in part or full without written of the management.
2. Laboratory activities are performed at the Laboratory permanent facility that is ground floor, Environment Lab, CMPDI RI-IV, Nagpur.
3. This report refers to the values related to the items tested.

***** End of report *****



STRICTLY RESTRICTED
FOR COMPANY USE ONLY
The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL / Government

ENVIRONMENTAL MONITORING REPORT

KOLARPIMPRI OC

WANI NORTH AREA

WESTERN COALFIELDS LTD.

JOB NO. 4094423068



MARCH 2025



Environment Laboratory
NABL Accredited vide Cert. No. TC-7102
CMPDI
REGIONAL INSTITUTE-IV, KASTURBA NAGAR,
JARIPATKA, NAGPUR, PIN – 440 014

AN ISO 9001:2015 COMPANY



Environment Laboratory CMPDI RI-IV, NAGPUR	Test Report	 TC-7102
---	--------------------	--

TEST REPORT NO.	RIN/TR/MAR-25/25	DATE OF ISSUE	15-04-2025
NAME OF CUSTOMER	GM(ENV.), WCL(HQ), NAGPUR		
TEST REQUIRED	SPM: IS 5182 Part-4:1999(RA 2019), PM-10: IS-5182 Part 23:2006(RA 2017), PM2.5: USEPA Quality Assurance guidance document volume-II (part-II)-2.12:2016, NO2: IS 5182 Part-06:2006(2017), SO2:IS 5182 Part-2:2001(RA 2017)		
SAMPLE DESCRIPTION	AIR SAMPLE	SAMPLING PLAN :	LQR 47
SAMPLING METHOD : LSOP 4	PERIOD OF PERFORMANCE OF LAB ACTIVITIES:		16-03-25 TO 15-04-25

SUBSTATION KOLARPIMPRI WNKOA1							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)					ENVIRONMENT CONDITIONS (Sky/Wind)
FROM	TO	SPM	PM ₁₀	PM _{2.5}	NO ₂	SO ₂	
13-03-2025	14-03-2025	304	200	55	18	15	CLEAR/CALM
27-03-2025	28-03-2025	287	193	41	15	11	CLEAR/CALM
STANDARDS FOR COAL MINE, GSR 742(E), dt. 25TH DECember 2000		600	300	-	120	120	

REST SHELTER WNKOA2							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)					ENVIRONMENT CONDITIONS (Sky/Wind)
FROM	TO	SPM	PM ₁₀	PM _{2.5}	NO ₂	SO ₂	
13-03-2025	14-03-2025	255	179	47	14	10	CLEAR/CALM
27-03-2025	28-03-2025	270	192	51	16	13	CLEAR/CALM
STANDARDS FOR COAL MINE, GSR 742(E), dt. 25TH DECember 2000		600	300	-	120	120	

PIMPRI VILLAGE WNKOA3							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)				ENVIRONMENT CONDITIONS (Sky/Wind)	
FROM	TO	PM ₁₀	PM _{2.5}	NO ₂	SO ₂		
02-03-2025	03-03-2025	74	23	8	BDL	CLEAR/CALM	
03-03-2025	04-03-2025	64	18	7	BDL	CLEAR/CALM	
09-03-2025	10-03-2025	88	29	10	BDL	CLEAR/CALM	
10-03-2025	11-03-2025	79	26	9	BDL	CLEAR/CALM	
16-03-2025	17-03-2025	88	31	9	BDL	CLEAR/CALM	
17-03-2025	18-03-2025	79	27	7	BDL	CLEAR/CALM	
23-03-2025	24-03-2025	66	20	7	BDL	CLEAR/CALM	
24-03-2025	25-03-2025	71	24	8	BDL	CLEAR/CALM	
28-03-2025	29-03-2025	86	29	10	BDL	CLEAR/CALM	
29-03-2025	30-03-2025	63	19	8	BDL	CLEAR/CALM	
NAAQS, 2009		100	60	80	80		

WATER FILTER PLANT PRAGATI NAGAR WNKOA4							
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)				ENVIRONMENT CONDITIONS (Sky/Wind)	
FROM	TO	PM ₁₀	PM _{2.5}	NO ₂	SO ₂		
02-03-2025	03-03-2025	77	24	8	BDL	CLEAR/CALM	
03-03-2025	04-03-2025	82	28	8	BDL	CLEAR/CALM	
09-03-2025	10-03-2025	88	31	9	BDL	CLEAR/CALM	
10-03-2025	11-03-2025	96	36	10	BDL	CLEAR/CALM	
16-03-2025	17-03-2025	90	32	10	BDL	CLEAR/CALM	
17-03-2025	18-03-2025	84	27	9	BDL	CLEAR/CALM	
23-03-2025	24-03-2025	87	30	11	BDL	CLEAR/CALM	
24-03-2025	25-03-2025	93	35	11	BDL	CLEAR/CALM	
28-03-2025	29-03-2025	81	29	10	BDL	CLEAR/CALM	
29-03-2025	30-03-2025	77	27	9	BDL	CLEAR/CALM	
NAAQS, 2009		100	60	80	80		


Analysed by

Environment Laboratory CMPDI RI-IV, NAGPUR	Test Report	
---	-------------	---

FUGITIVE DUST MONITORING

TEST REQUIRED	SPM: IS 5182 Part-4:1999(RA 2019), PM-10: IS-5182 Part 23:2006(RA 2017) & PM2.5: USEPA Quality Assurance guidance document volume-II (part-II)-2.12:2016		
SAMPLE DESCRIPTION	Air sample(Fugitive)		
SAMPLING METHOD : LSOP 4	PERIOD OF PERFORMANCE OF LAB ACTIVITIES:		16-03-25 TO 15-04-25

CHP WNKOF1				
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)		ENVIRONMENT CONDITIONS (Sky/Wind)
		SPM	PM ₁₀	
FROM	TO			
13-03-2025	14-03-2025	425	310	CLEAR/CALM

WEIGH BRIDGE WNKOF2				
DATE(dd:mm:yy) OF SAMPLING		PARAMETERS (24 hourly values in $\mu\text{g}/\text{m}^3$)		ENVIRONMENT CONDITIONS (Sky/Wind)
		SPM	PM ₁₀	
FROM	TO			
13-03-2025	14-03-2025	418	299	CLEAR/CALM



Analysed by

Environment Laboratory CMPDI RI-IV, NAGPUR	Test Report	 TC-7192
---	--------------------	--

SAMPLE DESCRIPTION	Water sample		
Test Required	pH: IS 3025 -Part 11:1983(RA 2017),TSS: IS 3025-Part 17:1984(RA 2017),COD: APHA (23rd Edition) 5220 C :2017,O &G: IS 3025-Part 39:1991(RA 2019) & BOD: IS 3025 (Part 44): 1993 (RA 2019)		
SAMPLING METHOD	LSOP 5	PERIOD OF PERFORMANCE OF LAB ACTIVITIES:	16-03-25 TO 15-04-25

MINE WATER DISCHARGE: WNKOW1				
DATE OF SAMPLE COLLECTION	ANALYSIS RESULTS			
	pH	TSS (in mg/l)	COD(in mg/l)	O & G(in mg/l)
DETECTION LIMIT	2	10	4	2
03-03-2025	8.33	36	48	BDL
19-03-2025	8.24	24	44	BDL
STANDARDS FOR COAL MINE, GSR 742E, dt. 25/09/2000	5.5 - 9.0	100	250	10



Analysed by

Environment Laboratory CMPDI RI-IV, NAGPUR	Test Report	
---	--------------------	---

NOISE LEVEL MONITORING DATA

SAMPLE DESCRIPTION	NOISE SAMPLE
Test Required	CPCB PROTOCOL FOR AMBIENT NOISE MEASUREMENT, DEC-2015
SAMPLING METHOD	LSOP 6

CHP: WNKON1			
MONTH	DATE OF SAMPLE COLLECTION	NOISE LEVEL IN dB(A)	
		DAY TIME	NIGHT TIME
	DETECTION LIMIT	20	20
MAR'25	06-03-2025	70.9	67.4
MAR'25	25-03-2025	69.1	67.4
NOISE POLLUTION (REGULATION AND CONTROL) RULES		75	70

COLONY PRAGATI NAGAR: WNPON2			
MONTH	DATE OF SAMPLE COLLECTION	NOISE LEVEL IN dB(A)	
		DAY TIME	NIGHT TIME
	DETECTION LIMIT	20	20
MAR'25	06-03-2025	44.1	43.6
MAR'25	25-03-2025	43.2	41.5
NOISE POLLUTION (REGULATION AND CONTROL) RULES		55	45



Amol Kamble
Reviewed by



M. Rabbani
Authorised by

1. This report cannot be reproduced in part or full without written of the management.
2. Laboratory activities are performed at the Laboratory permanent facility that is ground floor, Environment Lab, CMPDI RI-IV, Nagpur.
3. This report refers to the values related to the items tested.

***** End of report *****

STRICTLY RESTRICTED
FOR COMPANY USE ONLY

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL / Government

ENVIRONMENTAL MONITORING REPORT w.r.t. HEAVY METALS IN AMBIENT AIR

WANI NORTH AREA

WESTERN COALFIELDS LTD.



HALF YEARLY (OCT 24 - MAR 25)

Environment Laboratory
NABL Accredited vide Cert. No. TC-7102

CMPDI

REGIONAL INSTITUTE-IV, KASTURBA NAGAR,
JARIPATKA, NAGPUR, PIN – 440 014

AN ISO 9001:2015 COMPANY

INDEX

Sl. No.	PARTICULARS	PAGE NO.
1	HEAVY METAL ANALYSIS REPORT	1 TO 15

Environment Laboratory CMPDI RI-IV, NAGPUR	Test Report Ambient Air Quality Monitoring Data For Heavy Metals	 TC-7182
---	---	--

TEST REPORT NO.	RIN/TR/DEC /HM86	DATE OF ISSUE	28-01-2025
NAME OF CUSTOMER	GM(ENV.),WCL(HQ), NAGPUR	SAMPLE DESCRIPTION	AIR SAMPLE
CUSTOMER LETTER REFERENCE NO.	WCL/HQ/ENV/14-I/443-455 DATED 03.04.2024		
TEST REQUIRED	Heavy metals (As, Pb, Ni, Cr & Cd) in air samples (ASTM D 4185)		
NAME OF AREA	WANI NORTH	SAMPLING METHOD : LSOP 4	
NAME OF PROJECT	KOLARPIMPARI OC	SAMPLING PLAN : LQR 47	
No. of Pages	1		

Sl No.	Name of location	Location Code	Date of sampling
1	SUBSTATION -KOLARPIMPARI	WNKOA-1	09-10-2024
2	REST SHELTER	WNKOA-2	09-10-2024
3	PIMPRI VILLAGE	WNKOA-3	03-10-2024

Sl. No.	Parameter	Method of analysis	Detection limit	Observed Value			National Ambient Air Quality Standard NAAQS, 2009
				WNKOA-1	WNKOA-2	WNKOA-3	
1	Arsenic, $\mu\text{g}/\text{m}^3$	ASTM D 4185	$0.0007 \mu\text{g}/\text{m}^3$	BDL	BDL	BDL	$0.006 \mu\text{g}/\text{m}^3$ (Annual average)
2	Lead, $\mu\text{g}/\text{m}^3$	IS 5182 PART 22	$7.0 \mu\text{g}/\text{m}^3$	BDL	BDL	BDL	$1.0 \mu\text{g}/\text{m}^3$ (24 Hourly average)
3	Nickle, $\mu\text{g}/\text{m}^3$	ASTM D 4185	$0.007 \mu\text{g}/\text{m}^3$	BDL	BDL	BDL	$0.02 \mu\text{g}/\text{m}^3$ (Annual average)
4	Total Chromium, $\mu\text{g}/\text{m}^3$	ASTM D 4185	$0.0045 \mu\text{g}/\text{m}^3$	BDL	BDL	BDL	**
5	Cadmium, $\mu\text{g}/\text{m}^3$	ASTM D 4185	$0.0015 \mu\text{g}/\text{m}^3$	BDL	BDL	BDL	**
6	Mercury, $\mu\text{g}/\text{m}^3$	ASTM D 4185	$0.0007 \mu\text{g}/\text{m}^3$	BDL	BDL	BDL	**

BDL: BELOW DETECTION LIMIT

Teetibla

SCIENTIFIC ASSISTANT

M. Rabbani

M. RABBANI
AUTHORIZED SIGNATORY

1	This Report refers to the values related to the items tested.
2	This Report cannot be reproduced in part or full without written permission of the management.
3	** This parameter not regulated as per NAAQS

Environment Laboratory CMPDI RI-IV, NAGPUR	Test Report Ambient Air Quality Monitoring Data For Heavy Metals	 TC-7182
---	---	--

TEST REPORT NO.	RIN/TR/DEC /HM95	DATE OF ISSUE	28-01-2025
NAME OF CUSTOMER	GM(ENV.),WCL(HQ), NAGPUR	SAMPLE DESCRIPTION	AIR SAMPLE
CUSTOMER LETTER REFERENCE NO.	WCL/HQ/ENV/14-I/443-455 DATED 03.04.2024		
TEST REQUIRED	Heavy metals (As, Pb, Ni, Cr & Cd) in air samples (ASTM D 4185)		
NAME OF AREA	WANI NORTH	SAMPLING METHOD : LSOP 4	
NAME OF PROJECT	KOLARPIMPRI OC	SAMPLING PLAN : LQR 47	
No. of Pages	1		

Sl No.	Name of location	Location Code	Date of sampling
1	WEIGH BRIDGE	WNKOF-1	22-10-2024
2	CHP	WNKOF-2	22-10-2024

Sl. No.	Parameter	Method of analysis	Detection limit	Observed Value		National Ambient Air Quality Standard NAAQS, 2009
				WNKOF-1	WNKOF-2	
1	Arsenic, $\mu\text{g}/\text{m}^3$	ASTM D 4185	$0.0007 \mu\text{g}/\text{m}^3$	BDL	BDL	$0.006 \mu\text{g}/\text{m}^3$ (Annual average)
2	Lead, $\mu\text{g}/\text{m}^3$	IS 5182 PART 22	$7.0 \mu\text{g}/\text{m}^3$	BDL	BDL	$1.0 \mu\text{g}/\text{m}^3$ (24 Hourly average)
3	Nickle, $\mu\text{g}/\text{m}^3$	ASTM D 4185	$0.007 \mu\text{g}/\text{m}^3$	0.0074	0.0072	$0.02 \mu\text{g}/\text{m}^3$ (Annual average)
4	Total Chromium, $\mu\text{g}/\text{m}^3$	ASTM D 4185	$0.0045 \mu\text{g}/\text{m}^3$	BDL	BDL	**
5	Cadmium, $\mu\text{g}/\text{m}^3$	ASTM D 4185	$0.0015 \mu\text{g}/\text{m}^3$	BDL	BDL	**
6	Mercury, $\mu\text{g}/\text{m}^3$	ASTM D 4185	$0.0007 \mu\text{g}/\text{m}^3$	BDL	BDL	**

BDL: BELOW DETECTION LIMIT

Teetibla

SCIENTIFIC ASSISTANT

M. Rabbani

M. RABBANI
AUTHORIZED SIGNATORY

1	This Report refers to the values related to the items tested.
2	This Report cannot be reproduced in part or full without written permission of the management.
3	** This parameter not regulated as per NAAQS

REPORT ON
MONITORING OF GROUND WATER LEVEL
OF
KOLAR PIMPRI EXTN.OC MINE,
WANI NORTH AREA
WESTERN COALFIELDS LTD.



PERIOD- DEC 2022 (POST-MONSOON), JAN-FEB -2023 (WINTER) , MAY-2023 (PRE-MONSOON) AUG-23 (MONSOON) NOV 2023 (POST-MONSOON) ,JAN 2024 (WINTER) ,MAY 2024(PRE MONSOON), AUG 2024 (MONSOON), NOV (POST-MONSOON) 2024 & JAN 2025 (WINTER)



M/s Anacon Laboratories Pvt. Ltd., Nagpur

MoEF&CC (GOI) Recognized Laboratory
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018
Lab. & Consultancy: FP-34, 35, Food Park,
MIDC, Butibori, Nagpur – 441122
Mob: +91-9372960077
Email: ngp@anacon.in
Website: www.anaconlaboratories.com
Report No. ANqr /PD/20A/2023/199

2023-24 & 2024-25

Certificate

Groundwater level monitoring has been conducted with due diligence, and a comprehensive report on the monitoring of groundwater levels in all observation wells has been prepared as per the scope of work outlined in work order no. वेकोलि/मुख्यालय/पर्यावरण/14-L/77, dated 08.12.2022 & second extension of work vide reference no. वेकोलि/मुख्यालय/पर्यावरण /14-L/48-60 Dated- 01.01.2025 for the Jan 2025 (winter) Period.

The report includes the monitoring of groundwater levels and water quality analysis of observation wells pertaining to the KOLAR PIMPRI EXTN.OC MINE, Wani North area of Yeotmal District, M.S.

The groundwater level monitoring was meticulously carried out by Anacon Laboratories Pvt. Ltd., and the analysis of the samples was performed by Skylab Analytical Laboratory, Bhiwandi, Kalyan a NABL Accredited Laboratory. (NABL Certificate no. TC-5150)

Anacon Laboratories Pvt. Ltd. gratefully acknowledges the full cooperation rendered by the concerned WCL officials, which facilitated the timely completion of the project.



Atharva Nayab
(Geologist)



Gyanchand Bohra
NABET Accredited EIA Expert
for Hydrogeology & Geology

Nagpur
Jan-2025



(Dr. D. G. Garway)
Head of Organization
Anacon Laboratories Pvt. Ltd., Nagpur

CONTENTS			
TABLE/FIGURE	NAME OF SUB MINE PROJECT	GROUND WATER MONITORING DETAILS OF WELL	Page No.
I-FIGURE	KOLAR PIMPRI EXTN.OC MINE,	GROUND WATER MONITORING STATION (OBSERVATION WELLS IN AND AROUND OF KOLAR PIMPRI EXTN.OC MINE,	7
I-TABLE	KOLAR PIMPRI EXTN.OC MINE,	PERIOD- DEC 2022 (POST-MONSOON), JAN-FEB -2023 (WINTER) , MAY-2023 (PRE-MONSOON) AUG-23 (MONSOON) NOV 2023 (POST-MONSOON) ,JAN 2024 (WINTER) ,MAY 2024(PRE MONSOON), AUG 2024 (MONSOON), NOV (POST- MONSOON) 2024 & JAN 2025 (WINTER)	8
FIGURE-II	KOLAR PIMPRI EXTN.OC MINE	HYDROGRAPHS OF THE WATER LEVEL (OBSERVATION WELLS IN AND AROUND KOLAR PIMPRI EXTN.OC MINE)	11



Dgaway



INTRODUCTION

Western Coalfields Limited (WCL) is one of the eight Subsidiary Companies of Coal India Limited (CIL) which is under administrative control of Ministry of Coal. The Company incorporated under the Companies Act, 1956 has its registered office at Coal Estate, Civil Lines, Nagpur-440001. WCL has been conferred "Mini-ratna" status on 15 March 2008. It has mining operation spread over the states of Maharashtra (in Nagpur, Chandrapur & Yeotmal Districts) and Madhya Pradesh (in Betul and Chhindwara Districts). It has been divided into 10 administrative areas. The Company is a major source of supplies of coal to the industries located in Western India in the States of Maharashtra, Madhya Pradesh, Gujarat and also in Southern India in the States of Andhra Pradesh, Tamil Nadu, Karnataka and Kerala. A large numbers of Power Houses under Maharashtra, Madhya Pradesh, Gujarat, Karnataka, Punjab and Uttar Pradesh - Electricity Boards are major consumers of its coal along with cement, steel, chemical, fertilizer, paper and brick Industries in these states.

M/s Anacon Laboratories Pvt. Ltd. has been awarded the Work of "Groundwater level Monitoring (i.e. bore well / piezometer Water levels) and Water quality analysis (as per IS10500) for 76 projects / mines of WCL (situated in the state of Madhya Pradesh – Chhindwara & Betul districts and Maharashtra – Nagpur, Chandrapur & Yeotmal districts) for one year as per condition stipulated in Environmental Clearance letters issued by MoEF & CC & NOC issued by CGWA" vide work order वेकोलि/मुख्यालय/पर्यावरण/14-L/77 on date: 08.12.2022 & second extension of work vide reference no. वेकोलि/मुख्यालय/पर्यावरण /14-L/48-60 Dated- 01.01.2025 for the Jan 2025 (winter) Period.

This Ground Water Level Monitoring report is prepared KOLAR PIMPRI EXTN.OC MINE,,of Wani North area of WCL for 10 seasons i.e. **PERIOD- DEC 2022 (POST-MONSOON), JAN-FEB -2023 (WINTER) , MAY-2023 (PRE-MONSOON) AUG-23 (MONSOON) NOV 2023 (POST-MONSOON) ,JAN 2024 (WINTER) ,MAY 2024(PRE MONSOON), AUG 2024 (MONSOON), NOV (POST-MONSOON) 2024 & JAN 2025 (WINTER).** These mines are located in Wani North Area of Yeotmal District, Maharashtra.

GENERAL HYDROGEOLOGICAL CONDITION

Deccan Trap Basalt is the predominant water bearing formation, followed by Gondwana formation having Sandstone and Shale sequence. Penganga and Quaternary Alluvium aquifers are spread in limited areas. Archean aquifers are limited and have less significance in the area.

ARCHEAN

Achaeans, which comprise granites, granitic gneisses and schists, occur in Umarkhed taluka. These rocks as such have limited ground water potential. In these rocks only weathered portions and jointed zones possess water-bearing capacity and ground water occurs under unconfined condition in the area.

VINDHYAN

In Vindhyan, Limestones are water bearing formation while Sandstone, due to their hard and compact nature, have poor ground water potential and occur in southeastern peripheral parts of Wani taluka. The Limestones as such are massive but wherever they are cavernous they are capable of holding water. The ground water occurs under unconfined condition in the area.

GONDWANA

The Gondwana consists of Kamthi and Barakar Sandstone and Shale and occupy north-south extending elongated stretch in parts of Maregaon and Wani talukas. Sandstone is usually friable and possesses primary porosity due to its granular nature. They are most productive water bearing formations in the district. The ground water occurs under semi confined to confined conditions in the area and water bearing zones have been encountered down to depth of 470 m.

DECCAN TRAP BASALT

Deccan Trap Basalt is widely spread and forms important water bearing formation, which occupies almost entire district except south eastern part. On the whole, Deccan Trap Basalt exhibits a multi aquifer system. Based on the Litholog of 51 exploratory wells and Piezometers, it is observed that weathered Vesicular Basalt mainly forms the predominant shallow aquifer down to the depth of 20 m bgl. Massive Basalt is also encountered at the top thereby forming poor yielding aquifer and also restricting the ground water recharge to the underlying porous Vesicular Basalt. Fractured Basalt is also observed in certain places with limited to significant thickness. In Deccan Trap Basalt phreatic aquifer generally occurs down to 25 m, however, fracture zones have occurred within 80 m range except at few places where it occurs down to 158 m also.

ALLUVIUM

Alluvium occurs in patches along the banks of Wardha and Penganga rivers and their major tributaries and consists of clay and silt with lenticular bodies of sand and gravel. In Ralegaon area, it is observed that sand zones are found in the depth range of 20-25 m bgl, while the top 15-16 m is full of clay and silt. Ground water in Alluvium occurs both under unconfined and 8 semi-confined conditions.



A handwritten signature in blue ink, appearing to read "D. Gaurav".

**KOLAR PIMPRI EXTN.OC MINE,
WANI NORTH AREA
WESTERN COALFIELDS LTD.**

PERIOD- DEC 2022 (POST-MONSOON), JAN-FEB -2023 (WINTER) , MAY-2023 (PRE-MONSOON) AUG-23 (MONSOON) NOV 2023 (POST-MONSOON) ,JAN 2024 (WINTER) ,MAY 2024(PRE MONSOON), AUG 2024 (MONSOON), NOV (POST-MONSOON) 2024 & JAN 2025 (WINTER)



[Handwritten signature]




FIGURE-I: GROUND WATER MONITORING STATION (OBSERVATION WELLS IN AND AROUND OF KOLAR PIMPRI EXTN. OC MINE)



Signature

Table-IVA: Groundwater level monitoring data of dugwells/piezometers in buffer zone of Kolar Pimpri Extn. UC, Wani North Area, WCL

Sr. No	Well No.	Name of village	Well location	Latitude	Longitude	R.L. in m	Well dia (m)	Well depth (m bmp)	Height of measuring point (m agl)	Depth to Water Level (m bgl)										Utility / Owner	Formation Tapped
										Dec-22	JAN-FEB-23	May-23	Aug-23	Nov-23	Jan-24	May-24	Aug-24	Nov-24	Jan-25		
1	WN6	Nilapur	About 800 m W of village, adjacent to Wani road	20°3'47.19768 29585572"	79°0'1.446359 86976027"	197	4.95	9.2	0.34	2.1	3.5	4.2	1.60	2.30	3.40	4.35	1.50	2.40	3.30	D/I	—
2	WN8a	Bhalar	Near bus stop. Well of Sri. Arun Maruti Goble	20°1'56"	79°0'51"	215	1.55	8.6	0.73	2.6	4.2	6.7	2.30	3.10	4.00	6.10	2.10	3.00	3.80	D/I	—
3	WN13	Kesurli	N of village, near Hanuman Mandir	20°0'32.39059 62013654"	79°0'4.785185 15303108"	198	2.8	8.5	0.33	3.4	3.7	4.9	2.00	2.60	3.50	5.10	2.20	2.45	3.40	D/I	—
4	WN14	KESURLI(B)	TW near Kesurli More on E of Wani road	20°1'40"	79°2'55.2"	210	4	9.3	0.5	2.9	4.55	6.2	1.90	2.00	4.10	5.70	2.00	2.20	3.70	D/I	—
5	WN2	Wadgaon	About 400 m S of village, adjacent to nalla	20°6'52.32874 44895587"	78°58'12.9702 792106241"	224	4.75	7.01	0.85	1.4	4.1	5.5	1.70	1.90	3.50	4.80	1.75	1.60	2.95	D/I	—
6	WN5	Kolar (DCB)	E of village, adjacent to nalla well of Nilkant Pijurkar	20°4'36.12621 7532636"	79°1'46.45401 26850829"	211	1.82	10.52	0.15	3.4	5.5	7.2	2.00	3.10	5.00	6.80	1.60	2.70	4.50	D/I	—
7	WN54	Ganeshpur	TW near the road junction of Wegaon & Ghonsa	20°3'6.591919 90747701"	78°56'38.1777 867760342"	214	1.58	7.04	GL	2	2.6	4.4	1.80	2.20	2.80	5.00	1.90	2.10	2.70	D/I	—
8	WN1	Wanjri	C of village in southern sector, about 60 m E of main road	20°6'34.89843 34314579"	78°56'35.9709 229812744"	210	2.74	7.16	0.88	2.2	3.55	6.2	3.10	2.80	3.50	6.30	3.10	2.28	3.60	D/I	—
9	M7	Wislon	200 m N of village in the field, adjacent to Nandori road, near to school.	20°10'25.7094 627078914"	79°1'29.04561 34946305"	215	2.21	6.36	0.65	2.3	3.8	4.4	2.80	3.10	3.70	4.50	3.00	3.40	3.80	DOME STIC	SHELLY LIMESTONE
10	M10	Naglon TW	C of village near well No. 10 in the compound of owner house	20°8'53.27485 43252183"	79°1'7.014943 93898315"	198	1.82	15	0.55	4.3	6.5	7.1	3.00	4.05	5.50	6.80	3.15	4.20	5.10	IRRIGATION	BASALT
11	M10A	Naglon/Kuchna colony	In field near Kuchna colony	20°8'53.27"	79°1'7.01"	198	1.82	8.7	0.55	1.9	1.2	3.4	1.90	2.50	2.60	3.70	2.00	2.40	2.80	DOME STIC	SHELLY LIMESTONE

Sr. No	Well No.	Name of village	Well location	Latitude	Longitude	R.L. in m	Well dia (m)	Well depth (m bmp)	Height of measuring point (m agl)	Depth to Water Level (m bgl)										Utility / Owner	Formation Tapped
										Dec-22	JAN-FEB-23	May-23	Aug-23	Nov-23	Jan-24	May-24	Aug-24	Nov-24	Jan-25		
																					NE
12	M14B	Majri	SE of village , near GP office adjacent road	20°8'12.45821 17911999"	79°2'36.69044 12868496"	217	3.11	6.95	0.3	2.1	3.6	5.5	3.20	4.00	3.90	5.10	2.90	3.80	4.20	IRRIGATION	SHELLY LIMESTONE
13	M16B	Kondha (New)	E of village, N of main road	20°8'12.82156 08360037"	79°4'5.888387 07195464"	219	3.32	10.49	0.64	2.25	6.3	7.3	3.00	3.60	5.00	7.00	2.75	3.90	4.90	IRRIGATION	SHELLY LIMESTONE
14	M17B	Kandoli	N of village, near Hanuman Mandir	20°8'30.85700 6674367"	79°5'0.815059 913458088"	212	2.56	11.68	0.54	3.65	5	6.8	2.80	3.40	4.50	6.50	2.60	3.50	4.40	IRRIGATION	BASALT
15	M21	Manora	W of village, 60 m S of Mangli road	20°7'46.21122 98634764"	79°7'7.847903 25661105"	212	2.35	7.35	0.33	2.35	4.4	6.0	2.60	3.15	4.20	5.10	2.40	3.30	4.00	DOME STIC	BASALT
16	M23	Bhadravati Camp (GSI Drilling camp)	N of village (outside) , about 70 m E of Kesurli road after G.S.I drilling camp	20°6'48.67935 12288855"	79°6'24.29876 37521275"	221	2.68	12.25	0.82	3.6	4	5.3	4.50	5.50	5.00	6.00	5.00	5.10	5.30	DOME STIC	SHELLY LIMESTONE
17	M23A	Bhadravati killa word	Vivekanand Madhyamik vidhalaya	20°6'31.39143 12007597"	79°6'42.02757 81246596"	224	2.49	17.74	0.54	5.6	8.2	10.1	3.80	4.60	6.00	9.30	3.70	4.50	5.70	IRRIGATION	SHELLY LIMESTONE
18	M26	Gaurala	C of village, near OHT	20°5'25.72710 36416739"	79°6'47.63153 62670925"	202	2.59	8.81	0.51	3.2	2.6	4.5	1.90	2.60	2.80	4.20	1.95	2.40	3.00	IRRIGATION	BASALT
19	M27	Sumthana	About 50 m W of Nagpur - Chandrapur road, backside of Shivam Kirana	20°5'59.29"	79°7'56.65"	213	2.68	13.35	0.7	6.5	7	8.4	1.60	2.20	6.60	8.10	1.70	2.10	3.80	IRRIGATION	SHELLY LIMESTONE
20	M32B	Dhorwas	W of village, adjacent to road & near to embankment	20°3'36"	79°5'28"	204	2.62	9.54	0.54	1.6	3	4.9	3.30	4.00	3.70	5.00	3.45	4.20	4.40	IRRIGATION	BASALT

Sr. No	Well No.	Name of village	Well location	Latitude	Longitude	R.L. in m	Well dia (m)	Well depth (m bmp)	Height of measuring point (m agl)	Depth to Water Level (m bgl)										Utility / Owner	Formation Tapped
										Dec-22	JAN-FEB-23	May-23	Aug-23	Nov-23	Jan-24	May-24	Aug-24	Nov-24	Jan-25		
21	M41B	Vijasan	Near ZP school of Balwadi	20°6'0.901283 823739618"	79°5'48.96162 71474631"	213	2.74	12.59	0.82	3.1	2.8	5.7	4.50	6.00	6.50	6.10	4.75	5.70	6.10	DOME STIC	SHELLY LIME STONE
22	M35	Pipri	1.5 km NE of village, adjacent to Bhadravati road, near to road culvert infield	20°2'17.27"	79°5'49.07"	215	1.98	9.38	GL	3.8		7.7	3.10	4.00	4.70	7.50	3.00	3.70	4.40	IRRIGATION	SHELLY LIME STONE
23	M66	THORANA	IN THE AGRICULTURE FIELD OUTSIDE THE VILLAGE ON NORTH SIDE OF THE VILLAGE	20°8'59.19"	78°59'7.63"	200	4.2	11	0.5	4.1	8.3	9.4	1.50	2.60	5.70	10.00	3.10	2.50	5.20	DOME STIC	BASALT
24	M68	TARODA VILLAGE	OUT SIDE THE VILLAGE IN AGRICULTURE LAND	19°59'16.44"	79°3'47.46"	210	4	9.3	0.4	3.3	4.1	8.4	2.00	3.50	4.30	7.60	2.00	3.80	4.50	IRRIGATION	SHELLY LIME STONE



Signature

KOLAR PIMPRI EXTN. OC MINE HYDROGRAPH




FIGURE-II: HYDROGRAPHS OF THE WATER LEVEL (OBSERVATION WELLS IN AND AROUND KOLAR PIMPRI EXTN.OC MINE)



Signature

ULR:TC5150240000000061F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s Western Coalfields Limited (WCL)(Majri Area)
 Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ
 (M.S), 44000.

REPORT NO :SAL/MSP19/FMD/05/GW(24-25-061)

REPORT DATE : 06/05/2024

CUSTOMER REF : Verbal

REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-061)

SAMPLING PLAN& METHOD NO.: IS 3025 Part 1

SAMPLING DATE :01/05/2024

SAMPLE RECEIPT DATE :02/05/2024

ANALYSIS START DATE :02/05/2024

ANALYSIS COMPLETE DATE :06/05/2024

GROUND WATER ANALYSIS

LOCATION : Wison - Majri Area-Well No.M7

SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr.Kartik Shrivastava-Anacon Laboratory

SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit *	Permissible Limit *	Reference Method
1	Alkalinity	mg/L	252.9	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	BDL (DL-1)	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	164	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	122	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL (DL-0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	BDL (DL-0.1)	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	15.55	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	3.67	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	7.16	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	21.65	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	954	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	BDL (DL-1)	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	470	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL (DL-0.01)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	BDL (DL-0.1)	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL (DL-0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL (DL-0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	0.140	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL (DL-0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL (DL-0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL (DL-0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	BDL (DL-0.05)	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Alkalinity, Calcium, TDS, Hardness(total) are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. *Permissible limit in absence of an alternate source for drinking water. 5 *mg/l is equivalent to 'ppm' & BDL- Below detection limit. 7 DL- DL Indicates detection limit of instrument /method and shall be considered as 'absent'.

202, CFC-3, Asmeeta Texpa, Addl Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA. Pincode-421311.

Mob. : 9887577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

SALAC24230915703

ULR:TC5150240000000062F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s Western Coalfields Limited (WCL)(Majri Area)
Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ
(M.S), 44000.

REPORT NO :SAL/MSP19/FMD/05/GW(24-25-062)

REPORT DATE : 06/05/2024

CUSTOMER REF : Verbal

REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-062)

SAMPLING PLAN& METHOD NO.: IS 3025 Part 1

SAMPLING DATE :01/05/2024

SAMPLE RECEIPT DATE :02/05/2024

ANALYSIS START DATE :02/05/2024

ANALYSIS COMPLETE DATE :06/05/2024

GROUND WATER ANALYSIS

LOCATION : Naglon TW - (Majri Area) (Well No: M10)

SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr.Kartik Shrivastava-Anacon Laboratory

SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit #	Permissible Limit #	Reference Method
1	Alkalinity	mg/L	256.25	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	1	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	188.06	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	98.6	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL (DL-0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	BDL (DL-0.1)	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	16.32	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	4.67	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	7.23	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	39.32	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	804	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	BDL (DL-1)	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	302	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL (DL-0.01)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	BDL (DL-0.1)	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL (DL-0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL (DL-0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	BDL (DL-0.1)	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL (DL-0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL (DL-0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL (DL-0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	BDL (DL-0.05)	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Alkalinity, Calcium, TDS, Hardness(total) are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by any person/organization etc. will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. #Permissible limit in absence of an alternate source for drinking water. 5 'mg/l' is equivalent to 'ppm'. 6 BDL- Below detection limit, 7 DL- DL indicates detection limit of instrument /method and shall be considered as 'absent'.

202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA. Pincode-421311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

ULR:TC515024000000063F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s Western Coalfields Limited (WCL)(Majri Area)
 Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ
 (M.S.), 44000.

REPORT NO :SAL/MSP19/FMD/05/GW(24-25-063)

REPORT DATE : 06/05/2024

CUSTOMER REF : Verbal

REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-063)

SAMPLING PLAN& METHOD NO.: IS 3025 Part 1

SAMPLING DATE :01/05/2024

SAMPLE RECEIPT DATE :02/05/2024

ANALYSIS START DATE :02/05/2024

ANALYSIS COMPLETE DATE :06/05/2024

GROUND WATER ANALYSIS

LOCATION : Naglon/Kuchna Colony- (Majri Area) (Well No: M10A)

SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr.Kartik Shrivastava-Anacon Laboratory

SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit *	Permissible Limit *	Reference Method
1	Alkalinity	mg/L	248.62	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	1	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	168.28	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	102.02	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL (DL-0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	BDL (DL-0.1)	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	18.26	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	2.84	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	7.37	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	22.32	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	948	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	BDL (DL-1)	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	444	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL (DL-0.01)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	BDL (DL-0.1)	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL (DL-0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL (DL-0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	0.10	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL (DL-0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL (DL-0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL (DL-0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	BDL (DL-0.05)	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Alkalinity, Calcium, TDS, Hardness(total) are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. *Permissible limit in absence of an alternate source for drinking water. 5 *mg/l is equivalent to 'ppm'. 6 BDL- Below detection limit. 7 DL- DL indicates detection limit of instrument (method and shall be considered as 'absent').

202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon. Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA. Pincode-421311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

SALAC24230915705

ULR:TC515024000000064F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s Western Coalfields Limited (WCL)(Majri Area)
Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ
(M.S.), 44000.

REPORT NO :SAL/MSP19/FMD/05/GW(24-25-064)

REPORT DATE : 06/05/2024

CUSTOMER REF : Verbal

REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-064)

SAMPLING PLAN& METHOD NO.: IS 3025 Part 1

SAMPLING DATE :01/05/2024

SAMPLE RECEIPT DATE :02/05/2024

ANALYSIS START DATE :02/05/2024

ANALYSIS COMPLETE DATE :06/05/2024

GROUND WATER ANALYSIS

LOCATION : Majri - (Majri Area) (Well No: M14B)

SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr.Kartik Shrivastava-Anacon Laboratory

SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit *	Permissible Limit *	Reference Method
1	Alkalinity	mg/L	287.5	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	BDL (DL-1)	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	176.3	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	98.2	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL (DL 0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	BDL (DL 0.1)	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	13.60	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	4.89	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	7.56	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	9.78	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	1032	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	BDL (DL-1)	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	502	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL (DL-0.01)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	BDL (DL-0.1)	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL (DL-0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL (DL-0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	0.10	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL (DL-0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL (DL-0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL (DL-0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	BDL (DL-0.05)	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Alkalinity, Calcium, TDS, Hardness(total) are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. *Permissible limit in absence of an alternate source for drinking water. 5 'mg/l' is equivalent to 'ppm'. 6 BDL- Below detection limit. 7 DL- DL indicates detection limit of instrument /method and shall be considered as 'absent'.

202, CFC-3, Asmeeta Texpa, Addi.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist., Thane, Maharashtra, INDIA. Pincode-421311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

SALAC24230915706

ULR:TC5150240000000065F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s Western Coalfields Limited (WCL)(Majri Area)
Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ
(M.S.), 44000.

REPORT NO :SAL/MSP19/FMD/05/GW(24-25-065)

REPORT DATE : 06/05/2024

CUSTOMER REF : Verbal

REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-065)

SAMPLING PLAN& METHOD NO.: IS 3025 Part 1

SAMPLING DATE :01/05/2024

SAMPLE RECEIPT DATE :02/05/2024

ANALYSIS START DATE :02/05/2024

ANALYSIS COMPLETE DATE :06/05/2024

GROUND WATER ANALYSIS

LOCATION : Kondha (New)- (Majri Area) (Well No: M16B)

SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr.Kartik Shrivastava-Anacon Laboratory

SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit *	Permissible Limit *	Reference Method
1	Alkalinity	mg/L	281.25	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	BDL (DL-1)	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	150.59	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	124.02	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL (DL-0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	BDL (DL-0.1)	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	28.95	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	5.02	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	7.47	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	37.90	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	1048	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	BDL (DL-1)	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	402	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL (DL-0.01)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	BDL (DL-0.1)	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL (DL-0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL (DL-0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	0.10	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL (DL-0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL (DL-0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL (DL-0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	BDL (DL-0.05)	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Alkalinity, Calcium, TDS, Hardness(total) are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. *Permissible limit in absence of an alternate source for drinking water. 5 'mg/l' is equivalent to 'ppm'. 6 BDL- Below detection limit. 7 DL- DL indicates detection limit of instrument /method and shall be considered as 'absent'.

202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist., Thane, Maharashtra, INDIA. Pincode-421311.

Mob.: 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

ULR:TC515024000000066F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s Western Coalfields Limited (WCL)(Majri Area)
 Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ
 (M.S.), 44000.

REPORT NO :SAL/MSP19/FMD/05/GW(24-25-066)

REPORT DATE :06/05/2024

CUSTOMER REF : Verbal

REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-066)

SAMPLING PLAN& METHOD NO.: IS 3025 Part 1

SAMPLING DATE :01/05/2024

SAMPLE RECEIPT DATE :02/05/2024

ANALYSIS START DATE :02/05/2024

ANALYSIS COMPLETE DATE :06/05/2024

GROUND WATER ANALYSIS

LOCATION : Kandoli -(Majri Area) (Well No: M17B)

SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr.Kartik Shrivastava-Anacon Laboratory

SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit *	Permissible Limit *	Reference Method
1	Alkalinity	mg/L	250.03	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	1	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	160.24	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	122.04	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL (DL-0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	BDL (DL-0.1)	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	28.93	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	3.43	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	7.21	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	22.79	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	902	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	BDL (DL-1)	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	444	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL (DL-0.01)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	BDL (DL-0.1)	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL (DL-0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL (DL-0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	BDL (DL-0.1)	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL (DL-0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL (DL-0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL (DL-0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	BDL (DL-0.05)	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Alkalinity, Calcium, TDS, Hardness(total) are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. *Permissible limit in absence of an alternate source for drinking water. 5 *mg/l is equivalent to 'ppm'. 6 BDL- Below detection limit. 7 DL- DL Indicates detection limit of instrument /method and shall be considered as 'absent'.

202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA. Pincode-421311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

SALAC24230915708

ULR:TC5150240000000068F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s Western Coalfields Limited (WCL)(Majri Area)
Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ
(M.S), 44000.

REPORT NO :SAL/MSP19/FMD/05/GW(24-25-068)

REPORT DATE : 06/05/2024

CUSTOMER REF : Verbal

REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-068)

SAMPLING PLAN& METHOD NO.: IS 3025 Part 1

SAMPLING DATE :01/05/2024

SAMPLE RECEIPT DATE :02/05/2024

ANALYSIS START DATE :02/05/2024

ANALYSIS COMPLETE DATE :06/05/2024

GROUND WATER ANALYSIS

LOCATION : Manora -(Majri Area) (Well No: M21)

SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr.Kartik Shrivastava-Anacon Laboratory

SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit *	Permissible Limit *	Reference Method
1	Alkalinity	mg/L	288.02	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	BDL (DL-1)	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	199.97	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	122.02	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL (DL-0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	BDL (DL-0.1)	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	49.87	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	5.71	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	7.54	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	36.09	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	1022	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	BDL (DL 1)	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	522	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL (DL-0.01)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	0.10	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL (DL-0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL (DL-0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	1.90	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	0.17	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL (DL-0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL (DL-0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	BDL (DL-0.05)	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Alkalinity, Calcium, Magnesium, TDS, Hardness(total) Iron, Manganese are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by any person/organisation etc will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. *Permissible limit in absence of an alternate source for drinking water. 5 'mg/l' is equivalent to 'ppm'. 6 BDL- Below detection limit. 7 DL- DL indicates detection limit of instrument /method and shall be considered as 'absent'.

202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist., Thane, Maharashtra, INDIA. Pincode-421311.
Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

ULR:TC515024000000069F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s Western Coalfields Limited (WCL) (Majri Area)
 Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ
 (M.S), 44000.

REPORT NO : SAL/MSP19/FMD/05/GW(24-25-069)

REPORT DATE : 07/05/2024

CUSTOMER REF : Verbal

REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-069)

SAMPLING PLAN & METHOD NO.: IS 3025 Part 1

SAMPLING DATE : 02/05/2024

SAMPLE RECEIPT DATE : 03/05/2024

ANALYSIS START DATE : 03/05/2024

ANALYSIS COMPLETE DATE : 07/05/2024

GROUND WATER ANALYSIS

LOCATION : Bhadravati Camp (GSI Drilling Camp) - (Majri Area) (Well No: M23)

SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr. Kartik Shrivastava-Anacon Laboratory

SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit *	Permissible Limit *	Reference Method
1	Alkalinity	mg/L	240.42	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	BDL (DL-1)	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	184.77	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	130.36	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL (DL-0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	BDL (DL-0.1)	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	33.12	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	5.13	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	7.87	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	30.20	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	948	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	BDL (DL-1)	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	458	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL (DL-0.01)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	BDL (DL-0.1)	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL (DL-0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL (DL-0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	0.11	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL (DL-0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL (DL-0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL (DL-0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	BDL (DL-0.05)	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Alkalinity, Calcium, Magnesium, TDS, Hardness (total) are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. *Permissible limit in absence of an alternate source for drinking water. 5 *mg/l is equivalent to 'ppm'. 6 BDL - Below detection limit. 7 DL - DL indicates detection limit of instrument / method and shall be considered as 'absent'.

202, CFC-3, Asmeeta Texpa, Addl. Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist., Thane, Maharashtra, INDIA. Pincode-421311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

SALAC24230915711

ULR:TC515024000000070F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:
M/s Western Coalfields Limited (WCL)(Majri Area)
 Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ
 (M.S.), 44000.

REPORT NO :SAL/MSP19/FMD/05/GW(24-25-070)
REPORT DATE : 07/05/2024
CUSTOMER REF : Verbal
REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-070)
SAMPLING PLAN& METHOD NO.: IS 3025 Part 1
SAMPLING DATE :02/05/2024
SAMPLE RECEIPT DATE :03/05/2024
ANALYSIS START DATE :03/05/2024
ANALYSIS COMPLETE DATE :07/05/2024

GROUND WATER ANALYSIS

LOCATION : Bhadravatikilla Word -(Majri Area) (Well No: M23A)
SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr.Kartik Shrivastava-Anacon Laboratory
SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit *	Permissible Limit *	Reference Method
1	Alkalinity	mg/L	240.43	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	BDI (DL-1)	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	187.12	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	139.02	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDI (DL-0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	BDI (DL-0.1)	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	32.15	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	3.65	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	7.81	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	33.43	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	942	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	BDI (DL-1)	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	448	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL (DL-0.01)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	BDL (DL-0.1)	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL (DL-0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL (DL-0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	0.22	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL (DL-0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL (DL-0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL (DL-0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	BDL (DL-0.05)	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Alkalinity, Calcium, Magnesium, TDS, Hardness(total) are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing; 2. This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory; 3. Any attempt of forgery or misleading use of this report by any person/organization will attract suitable legal action against them by SkyLab Analytical Laboratory; 4. *Permissible limit in absence of an alternate source for drinking water; 5 'mg/l' is equivalent to 'ppm'; 6 BDL- Below detection limit; 7 DL- DL indicates detection limit of instrument /method and shall be considered as 'absent'.

ULR:TC5150240000000071F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s Western Coalfields Limited (WCL)(Majri Area)
Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ
(M.S.), 44000.

REPORT NO :SAL/MSP19/FMD/05/GW(24-25-071)

REPORT DATE : 07/05/2024

CUSTOMER REF : Verbal

REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-071)

SAMPLING PLAN& METHOD NO.: IS 3025 Part 1

SAMPLING DATE :02/05/2024

SAMPLE RECEIPT DATE :03/05/2024

ANALYSIS START DATE :03/05/2024

ANALYSIS COMPLETE DATE :07/05/2024

GROUND WATER ANALYSIS

LOCATION : Gaurala -(Majri Area) (Well No: M26)

SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr.Kartik Shrivastava-Anacon Laboratory

SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit *	Permissible Limit *	Reference Method
1	Alkalinity	mg/L	256.25	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	BDL (DL-1)	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	204.57	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	135.2	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL (DL-0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	BDL (DL-0.1)	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	10.69	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	3.12	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	7.25	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	23.65	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	868	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	BDL (DL-1)	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	344	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL (DL-0.01)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	BDL (DL-0.1)	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL (DL-0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL (DL-0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	0.52	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL (DL-0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL (DL-0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL (DL-0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	BDL (DL-0.05)	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Alkalinity, Calcium, TDS, Hardness(total) are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by any person/organization will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. *Permissible limit in absence of an alternate source for drinking water. 5 'mg/l' is equivalent to 'ppm' 6 BDL- Below detection limit. 7 DL- DL Indicates detection limit of instrument /method and shall be considered as 'absent'.

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s Western Coalfields Limited (WCL)(Majri Area)
Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ
(M.S.), 44000.

REPORT NO :SAL/MSP19/FMD/05/GW(24-25-072)

REPORT DATE : 07/05/2024

CUSTOMER REF : Verbal

REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-072)

SAMPLING PLAN& METHOD NO.: IS 3025 Part 1

SAMPLING DATE :02/05/2024

SAMPLE RECEIPT DATE :03/05/2024

ANALYSIS START DATE :03/05/2024

ANALYSIS COMPLETE DATE :07/05/2024

GROUND WATER ANALYSIS

LOCATION : Sumthana -(Majri Area) (Well No: M27)

SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr.Kartik Shrivastava-Anacon Laboratory

SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit *	Permissible Limit *	Reference Method
1	Alkalinity	mg/L	243.75	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	BDL(DL-1)	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	183.66	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	133.6	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL (DL-0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	BDL (DL-0.1)	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	13.12	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	2.95	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	8.23	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO4	mg/L	25.83	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	854	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	BDL (DL-1)	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	380	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL (DL-0.01)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	BDL (DL-0.1)	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL (DL-0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL (DL-0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	BDL (DL-0.1)	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL (DL-0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL (DL-0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL (DL-0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	BDL (DL-0.05)	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Alkalinity, Calcium, TDS, Hardness(total), Iron are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by any person/organisation will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. *Permissible limit in absence of an alternate source for drinking water. 5 'mg/l' is equivalent to 'ppm'. 6 BDL- Below detection limit. 7 DL- DL Indicates detection limit of instrument /method and shall be considered as 'absent'.

SALAC24230915714

202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA. Pincode-421311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

ULR:TC515024000000075F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s Western Coalfields Limited (WCL)(Majri Area)
Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ
(M.S), 44000.

REPORT NO :SAL/MSP19/FMD/05/GW(24-25-075)

REPORT DATE : 07/05/2024

CUSTOMER REF : Verbal

REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-075)

SAMPLING PLAN& METHOD NO.: IS 3025 Part 1

SAMPLING DATE :02/05/2024

SAMPLE RECEIPT DATE :03/05/2024

ANALYSIS START DATE :03/05/2024

ANALYSIS COMPLETE DATE :07/05/2024

GROUND WATER ANALYSIS

LOCATION : Dhorwasa - (Majri Area) (Well No: M32B)

SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr.Kartik Shrivastava-Anacon Laboratory

SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit *	Permissible Limit *	Reference Method
1	Alkalinity	mg/L	225.86	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	BDL (DL-1)	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	169.25	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	115.56	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL (DL-0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	BDL (DL-0.1)	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	5.83	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	4.34	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	8.10	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	38.47	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	889	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	BDL (DL-1)	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	422	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL (DL-0.01)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	BDL (DL-0.1)	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL (DL-0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL (DL-0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	0.18	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL (DL-0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL (DL-0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL (DL-0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	0.89	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Alkalinity, Calcium, TDS, Hardness(total) are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by any person/organization etc. will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. *Permissible limit in absence of an alternate source for drinking water. 5 'mg/l' is equivalent to 'ppm'. 6 BDL- Below detection limit. 7 DL- DL Indicates detection limit of instrument /method and shall be considered as 'absent'.

ULR:TC515024000000092F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s Western Coalfields Limited (WCL)(Majri Area)
 Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ
 (M.S.), 44000.

REPORT NO :SAL/MSP19/FMD/05/GW(24-25-092)

REPORT DATE : 10/05/2024

CUSTOMER REF : Verbal

REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-092)

SAMPLING PLAN& METHOD NO.: IS 3025 Part 1

SAMPLING DATE :04/05/2024

SAMPLE RECEIPT DATE :06/05/2024

ANALYSIS START DATE :06/05/2024

ANALYSIS COMPLETE DATE :10/05/2024

GROUND WATER ANALYSIS

LOCATION : Pipri-(Majri Area) (Well No: M35)

SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr.Kartik Shrivastava-Anacon Laboratory

SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit #	Permissible Limit #	Reference Method
1	Alkalinity	mg/L	244.09	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	BDL (DL-1)	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	229.67	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	151.2	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL (DL-0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	BDL (DL-0.1)	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	44.06	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	3.65	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	7.96	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	30.20	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	952	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	BDL (DL-1)	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	404	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL (DL-0.01)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	BDL (DL-0.1)	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL (DL-0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL (DL-0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	0.27	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL (DL-0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL (DL-0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL (DL-0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	0.08	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Alkalinity, Calcium, TDS, Hardness(total), Magnesium are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by any person or organization etc will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. #Permissible limit in absence of an alternate source for drinking water. 5. mg/l is equivalent to 'ppm'. 6 BDL- Below detection limit. 7 DL- DL Indicates detection limit of instrument /method and shall be considered as 'absent'.

TEST REPORT

NAME & ADDRESS OF CUSTOMER:
 M/s Western Coalfields Limited (WCL)(Majri Area)
 Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ
 (M.S.), 44000.

REPORT NO :SAL/MSP19/FMD/05/GW(24-25-076)
REPORT DATE : 07/05/2024
CUSTOMER REF : Verbal
REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-076)
SAMPLING PLAN& METHOD NO.: IS 3025 Part 1
SAMPLING DATE :02/05/2024
SAMPLE RECEIPT DATE :03/05/2024
ANALYSIS START DATE :03/05/2024
ANALYSIS COMPLETE DATE :07/05/2024

GROUND WATER ANALYSIS

LOCATION : Vijasan -(Majri Area) (Well No: M418)
SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr.Kartik Shrivastava-Anacon Laboratory
SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit *	Permissible Limit *	Reference Method
1	Alkalinity	mg/L	267.62	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	BDI (DL-1)	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	149.02	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	156.09	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL (DL-0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	BDL (DL-0.1)	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	27.49	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	3.70	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	8.14	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	36.66	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	898	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	BDI (DL 1)	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	444	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL (DL-0.01)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	BDL (DL-0.1)	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL (DL-0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL (DL-0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	0.3	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL (DL-0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL (DL-0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL (DL-0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	BDL (DL-0.05)	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Alkalinity, Calcium, TDS, Hardness(total) are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. *Permissible limit in absence of an alternate source for drinking water. 5 'mg/l' is equivalent to 'ppm'. 6 BDL- Below detection limit. 7 DL- DL indicates detection limit of instrument /method and shall be considered as 'absent'.



ULR:TC515024000000097F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:
M/s Western Coalfields Limited (WCL)(Majri Area)
Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ
(M.S.), 44000.

REPORT NO :SAL/MSP19/FMD/05/GW(24-25-097)
REPORT DATE : 10/05/2024
CUSTOMER REF : Verbal
REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-097)
SAMPLING PLAN& METHOD NO.: IS 3025 Part 1
SAMPLING DATE :05/05/2024
SAMPLE RECEIPT DATE :06/05/2024
ANALYSIS START DATE :06/05/2024
ANALYSIS COMPLETE DATE :10/05/2024

GROUND WATER ANALYSIS

LOCATION : Thorana -(Majri Area) (Well No: M66)
SAMPLE SPECIFICATION : Ground Water
SAMPLE COLLECTED BY : Mr.Kartik Shrivastava-Anacon Laboratory
SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit *	Permissible Limit *	Reference Method
1	Alkalinity	mg/L	240.32	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	BDL (DL-1)	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	170.96	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	122.06	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL (DL-0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	BDL (DL-0.1)	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	33.09	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	2.82	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	7.76	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	8.92	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	892	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	BDL (DL-1)	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	454	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL (DL-0.01)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	BDL (DL-0.1)	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL (DL-0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL (DL-0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	BDL (DL-0.1)	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL (DL-0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL (DL-0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL (DL-0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	0.08	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Alkalinity, Calcium, TDS, Hardness(total), Iron are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. *Permissible limit in absence of an alternate source for drinking water. 5 'mg/l' is equivalent to 'ppm' & BDL- Below detection limit. 7 DL- DL Indicates detection limit of instrument /method and shall be considered as 'absent'.

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s Western Coalfields Limited (WCL)(Majri Area)
Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ
(M.S), 44000.

REPORT NO :SAL/MSP19/FMD/05/GW(24-25-099)

REPORT DATE : 10/05/2024

CUSTOMER REF : Verbal

REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-099)

SAMPLING PLAN& METHOD NO.: IS 3025 Part 1

SAMPLING DATE :05/05/2024

SAMPLE RECEIPT DATE :06/05/2024

ANALYSIS START DATE :06/05/2024

ANALYSIS COMPLETE DATE :10/05/2024

GROUND WATER ANALYSIS

LOCATION : Taroda Village -(Majri Area) (Well No: M68)

SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr.Kartik Shrivastava-Anacon Laboratory

SAMPLE QUANTITY : 1 Ltrs.

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit *	Permissible Limit *	Reference Method
1	Alkalinity	mg/L	106.25	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	BDL (DL-1)	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	129.67	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	66.4	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL (DL-0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	BDL (DL-0.1)	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	10.69	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	4.19	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	7.86	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	7.12	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	368	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	BDL (DL-1)	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	210	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL (DL-0.01)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	BDL (DL-0.1)	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL (DL-0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL (DL-0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	0.16	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL (DL-0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL (DL-0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL (DL-0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	BDL (DL-0.05)	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Hardness(total) are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by any person/organization etc. will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. *Permissible limit in absence of an alternate source for drinking water. 5 'mg/l' is equivalent to 'ppm'. 6 BDL- Below detection limit, 7 DL- DL indicates detection limit of instrument /method and shall be considered as 'absent'.

SALAC24230915741

202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA. Pincode-421311.
Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s Western Coalfields Limited (WCL) (Wani North Area)
Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ (M.S), 44000.

REPORT NO :SAL/MSP19/FMD/05/GW(24-25-027)

REPORT DATE : 07/05/2024

CUSTOMER REF : Verbal

REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-027)

SAMPLING PLAN & METHOD NO.: IS 3025 Part 1

SAMPLING DATE : 02/05/2024

SAMPLE RECEIPT DATE : 03/05/2024

ANALYSIS START DATE : 03/05/2024

ANALYSIS COMPLETE DATE : 07/05/2024

GROUND WATER ANALYSIS

LOCATION : Wanjri - (Wani North Area) Well No: WN1

SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr. Kartik Shrivastava-Anacon Laboratory

SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit #	Permissible Limit #	Reference Method
1	Alkalinity	mg/L	220.64	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	BDL(DL-1)	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	170	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	64	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL(DL-0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	0.27	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	20.41	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	4.00	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	6.18	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	20.61	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	702	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	0.1	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	248	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL(DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL(DL-0.02)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	0.07	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL(DL-0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL(DL-0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	0.6	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL(DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL(DL-0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL(DL-0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL(DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL(DL-0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	BDL(DL-0.05)	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Alkalinity, TDS, Hardness (total) are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. *Permissible limit in absence of an alternate source for drinking water 3 mg/l is equivalent to 'ppm'. 5 BDL- Below detection limit, 7 DL- DL indicates detection limit of instrument /method and shall be considered as 'absent'.

ULR:TC515024000000024F

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

• ENVIRONMENT

• FOOD

• TEXTILE

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s Western Coalfields Limited (WCL) (Wani North Area)

Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ (M.S.), 44000.

REPORT NO : SAL/MSP19/FMD/05/GW(24-25-024)

REPORT DATE : 06/05/2024

CUSTOMER REF : Verbal

REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-024)

SAMPLING PLAN & METHOD NO.: IS 3025 Part 1

SAMPLING DATE : 01/05/2024

SAMPLE RECEIPT DATE : 02/05/2024

ANALYSIS START DATE : 02/05/2024

ANALYSIS COMPLETE DATE : 06/05/2024

GROUND WATER ANALYSIS

LOCATION : Wadgaon - (Wani North Area) Well No: WN2

SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr. Kartik Shrivastava-Anacon Laboratory

SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit *	Permissible Limit *	Reference Method
1	Alkalinity	mg/L	238.99	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	BDL(DL-1)	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	148	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	84.6	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL(DL-0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	BDL(DL-0.1)	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	11.66	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	BDL(DL-2)	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	8.43	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	10.63	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	323	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	BDL(DL-0.1)	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	130	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL(DL-0.02)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	BDL(DL-0.01)	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL(DL-0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL(DL-0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	0.01	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL(DL-0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL(DL-0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL(DL-0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	BDL(DL-0.05)	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Alkalinity, Calcium are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report for any purpose/organization etc will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. *Permissible limit in absence of an alternate source for drinking water. *mg/l is equivalent to 'ppm'. 5 BDL- Below detection limit. 7 DL- DL indicates detection limit of instrument /method and shall be considered as 'absent'.

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s Western Coalfields Limited (WCL) (Wani North Area)

Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ (M.S.), 44000.

REPORT NO :SAL/MSP19/FMD/05/GW(24-25-025)

REPORT DATE : 06/05/2024

CUSTOMER REF : Verbal

REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-025)

SAMPLING PLAN& METHOD NO.: IS 3025 Part 1

SAMPLING DATE :01/05/2024

SAMPLE RECEIPT DATE :02/05/2024

ANALYSIS START DATE :02/05/2024

ANALYSIS COMPLETE DATE :06/05/2024

GROUND WATER ANALYSIS

LOCATION : Kolar(DCB) - (Wani North Area) Well No: WN5

SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr.Kartik Shrivastava-Anacon Laboratory

SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit *	Permissible Limit *	Reference Method
1	Alkalinity	mg/L	224.06	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	BDL(DL- 1)	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	130.66	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	88.6	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL(DL- 0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	BDL(DL- 0.1)	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	15.55	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	2.32	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	7.04	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	11.30	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	786	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	BDL(DL- 0.1)	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	288	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL(DL- 0.02)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	0.05	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL(DL- 0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL(DL- 0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	0.16	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL(DL- 0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL(DL- 0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL(DL- 0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	0.06	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Alkalinity Calcium, TDS, Hardness (total) are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report is confidential and cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. *Permissible limit in absence of an alternate source for drinking water, 5 mg/l is equivalent to 'ppm'. 5 BDL- Below detection limit. 7 DL- DL indicates detection limit of instrument /method and shall be considered as 'absent'.

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s Western Coalfields Limited (WCL) (Wani North Area)
 Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ (M.S.), 44000.

REPORT NO :SAL/MSP19/FMD/05/GW(24-25-001)

REPORT DATE : 06/05/2024

CUSTOMER REF : Verbal

REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-001)

SAMPLING PLAN & METHOD NO.: IS 3025 Part 1

SAMPLING DATE :01/05/2024

SAMPLE RECEIPT DATE :02/05/2024

ANALYSIS START DATE :02/05/2024

ANALYSIS COMPLETE DATE :06/05/2024

GROUND WATER ANALYSIS

LOCATION : Nilapur (Wani North Area) Well No.: WN6

SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr. Kartik Shrivastava-Anacon Laboratory

SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit *	Permissible Limit *	Reference Method
1	Alkalinity	mg/L	198.25	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	BDL(DL-1)	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	126.02	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	186.26	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL(DL-0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	BDL(DL-0.1)	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	19.92	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	BDL(DL-2)	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	6.36	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	12.44	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	889	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	BDL(DL-0.1)	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	446	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL(DL-0.02)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	0.04	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL (DL-0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL (DL-0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	0.22	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL (DL-0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL (DL-0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL (DL-0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	BDL (DL-0.05)	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Calcium, TDS, Hardness(total) are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

 Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory


END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. *Permissible limit in absence of an alternate source for drinking water. 5 'mg/l' is equivalent to 'ppm'. 6 BDL- Below detection limit. 7 DL- DL indicates detection limit of instrument /method and shall be considered as 'absent'.

ULR:TC515024000000002F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s Western Coalfields Limited (WCL) (Wani North Area)

Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ (M.S.), 44000.

REPORT NO :SAL/MSP19/FMD/05/GW(24-25-002)

REPORT DATE : 06/05/2024

CUSTOMER REF : Verbal

REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-002)

SAMPLING PLAN & METHOD NO.: IS 3025 Part 1

SAMPLING DATE : 01/05/2024

SAMPLE RECEIPT DATE : 02/05/2024

ANALYSIS START DATE : 02/05/2024

ANALYSIS COMPLETE DATE : 06/05/2024

GROUND WATER ANALYSIS

LOCATION : Bhalar - (Wani North Area) Well No.: WN8A

SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr. Kartik Shrivastava-Anacon Laboratory

SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit #	Permissible Limit #	Reference Method
1	Alkalinity	mg/L	188.8	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	BDL(DL- 1)	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	129.67	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	128.7	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL(DL- 0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	0.63	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	31.10	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	4.03	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	7.82	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	15.10	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	789	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	0.1	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	379	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL(DL- 0.02)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	0.04	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL (DL-0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL (DL-0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	0.08	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL (DL-0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL (DL-0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL (DL-0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	0.06	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Calcium, Magnesium, TDS, Hardness(total) are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report is confidential and cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by a person or organization etc will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. #Permissible limit in absence of an alternate source for drinking water. 5. BDL is equivalent to 'ppm'. 6 BDL- Below detection limit. 7 DL- DL indicates detection limit of instrument /method and shall be considered as 'absent'.

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s Western Coalfields Limited (WCL) (Wani North Area)
Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ (M.S), 44000.

REPORT NO :SAL/MSP19/FMD/05/GW(24-25-003)

REPORT DATE : 06/05/2024

CUSTOMER REF : Verbal

REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-003)

SAMPLING PLAN& METHOD NO.: IS 3025 Part 1

SAMPLING DATE :01/05/2024

SAMPLE RECEIPT DATE :02/05/2024

ANALYSIS START DATE :02/05/2024

ANALYSIS COMPLETE DATE :06/05/2024

GROUND WATER ANALYSIS

LOCATION : Kesurli - (Wani North Area) Well No.: WN13

SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr.Kartik Shrivastava-Anacon Laboratory

SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit *	Permissible Limit *	Reference Method
1	Alkalinity	mg/L	268.02	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	BDL(DL- 1)	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	142.22	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	98.2	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL(DL- 0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	0.82	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	32.56	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	4.63	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	7.64	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	16.71	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	916	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	0.1	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	414	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL(DL- 0.02)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	0.06	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL(DL- 0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL(DL- 0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	0.08	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL(DL- 0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL(DL- 0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL(DL- 0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	BDL(DL- 0.05)	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Alkalinity, Calcium, Magnesium, TDS, Hardness(total) are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. *Permissible limit in absence of an alternate source for drinking water. 5. mg/l is equivalent to 'ppm'. 6. BDL- Below detection limit. 7. DL- DL Indicates detection limit of instrument /method and shall be considered as 'absent'.

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s Western Coalfields Limited (WCL) (Wani North Area)

Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ (M.S), 44000.

REPORT NO :SAL/MSP19/FMD/05/GW(24-25-004)

REPORT DATE : 06/05/2024

CUSTOMER REF : Verbal

REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-004)

SAMPLING PLAN& METHOD NO.: IS 3025 Part 1

SAMPLING DATE :01/05/2024

SAMPLE RECEIPT DATE :02/05/2024

ANALYSIS START DATE :02/05/2024

ANALYSIS COMPLETE DATE :06/05/2024

GROUND WATER ANALYSIS

LOCATION : KESURLI(B) - (Wani North Area) Well No.: WN14

SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr. Kartik Shrivastava-Anacon Laboratory

SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit #	Permissible Limit #	Reference Method
1	Alkalinity	mg/L	212.06	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	BDL(DL- 1)	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	117.12	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	165.6	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL(DL- 0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	0.46	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	32.56	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	3.54	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	7.11	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	13.58	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	894	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	0.1	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	468	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL(DL- 0.02)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	0.06	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL(DL- 0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL(DL- 0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	0.15	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL(DL- 0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL(DL- 0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL(DL- 0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	BDL(DL- 0.05)	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Alkalinity, Calcium, Magnesium, TDS, Hardness(total) are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Se. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. #Permissible limit in absence of an alternate source for drinking water. 5. 'mg/l' is equivalent to 'ppm'. 6 BDL- Below detection limit. 7 DL- DL Indicates detection limit of instrument /method and shall be considered as 'absent'.

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s Western Coalfields Limited (WCL) (Wani North Area)

Futala Road, Coal Estate, Civil Lines, Nagpur, WCL HQ (M.S.), 44000.

REPORT NO :SAL/MSP19/FMD/05/GW(24-25-026)

REPORT DATE : 06/05/2024

CUSTOMER REF : Verbal

REF DATE : NA

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : 05/GW(24-25-026)

SAMPLING PLAN & METHOD NO.: IS 3025 Part 1

SAMPLING DATE : 01/05/2024

SAMPLE RECEIPT DATE : 02/05/2024

ANALYSIS START DATE : 02/05/2024

ANALYSIS COMPLETE DATE : 06/05/2024

GROUND WATER ANALYSIS

LOCATION : Ganeshpur - (Wani North Area) Well No: WN54

SAMPLE SPECIFICATION : Ground Water

SAMPLE COLLECTED BY : Mr. Kartik Shrivastava-Anacon Laboratory

SAMPLE QUANTITY : 1 Ltrs

Sr. No.	Test Parameter	Unit	Result	Acceptable Limit *	Permissible Limit *	Reference Method
1	Alkalinity	mg/L	220.64	200	600	IS 3025 (Part 23)
2	Colour	Hazen Unit	BDL(DL- 1)	5	15	IS 3025 (Part 4)
3	Chloride	mg/L	140.2	250	1000	IS 3025 (Part 32)
4	Calcium	mg/L	42.4	75	200	IS 3025 (Part 40)
5	Residual free chlorine (RFC)	mg/L	BDL(DL- 0.1)	>0.2	1	IS 3025 (Part 26)
6	Fluoride	mg/L	0.13	1.0	1.5	IS 3025 (Part 60)
7	Metal-Magnesium	mg/L	20.41	30	100	IS 3025 (Part 46)
8	Nitrate	mg/L	3.28	45	No Relaxation	IS 3025 (Part 34)
9	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
10	pH	-	8.31	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)
11	Sulphate, SO ₄	mg/L	18.23	200	400	IS 3025 (Part 24)
12	Total dissolved solids	mg/L	740	500	2000	IS 3025 (Part 16)
13	Turbidity	NTU	0.1	1	5	IS 3025 (Part 10)
14	Hardness (total)	mg/L	320	200	600	IS 3025 (Part 21)
15	Metal-Arsenic	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
16	Metal-Aluminium	mg/L	BDL(DL- 0.02)	0.03	0.2	IS 3025 (Part 2)
17	Boron as B	mg/L	0.04	0.5	2.4	IS 3025 (Part 2)
18	Metal-Copper	mg/L	BDL(DL- 0.05)	0.05	1.5	IS 3025 (Part 2)
19	Metal-Cadmium	mg/L	BDL(DL- 0.003)	0.003	No Relaxation	IS 3025 (Part 2)
20	Metal-Iron	mg/L	0.11	1.0	No Relaxation	IS 3025 (Part 2)
21	Metal-Lead	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
22	Metal-Manganese	mg/L	BDL(DL- 0.05)	0.1	0.3	IS 3025 (Part 2)
23	Metal-Nickel	mg/L	BDL(DL- 0.02)	0.02	No Relaxation	IS 3025 (Part 2)
24	Metal-Selenium	mg/L	BDL (DL-0.01)	0.01	No Relaxation	IS 3025 (Part 2)
25	Chromium	mg/L	BDL(DL- 0.05)	0.05	No Relaxation	IS 3025 (Part 2)
26	Zinc	mg/L	0.05	5	15	IS 3025 (Part 2)

Opinion/Observation: Analyzed parameters in above tested sample As per IS 10500: 2012 Alkalinity, TDS, Hardness (total) are Exceeds acceptable limit, however, the result is within permissible limit.

Verified by

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing. 2. This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by any person or organization etc will attract suitable legal action against them by SkyLab Analytical Laboratory. 4. *Permissible limit in absence of an alternate source for drinking water. 5. *mg/l is equivalent to 'ppm'. 6 BDL- Below detection limit. 7 DL- DL indicates detection limit of instrument /method and shall be considered as 'absent'.

**Land Restoration / Reclamation Monitoring of 26 opencast projects
of Western Coalfield Limited producing More than 5 million Cu. M.
(Coal+OB) per annum based on Satellite Data of the Year 2024**

वेस्टर्न कोल्फील्ड्स लिमिटेड के ५ मिलियन घनमीटर (कोल+अधिभार) से अधिक उत्पादन क्षमतावाले २६ खुली खदानों के भूमि पुनरूद्धार हेतु २०२४ के उपग्रह डाटा के आधार पर निगरानी का वार्षिक प्रतिवेदन



Submitted to
Western Coalfields Limited



**Land Restoration / Reclamation Monitoring of 26 opencast projects
of Western Coalfield Limited producing More than 5 million Cu. M.
(Coal+OB) per annum based on Satellite Data of the Year 2024**

वेस्टर्न कोल्फील्ड्स लिमिटेड के ५ मिलियन घनमीटर (कोल+अधिभार) से अधिक उत्पादन क्षमतावाले २६ खुली खदानों के भूमि पुनरुद्धार हेतु २०२४ के उपग्रह डाटा के आधार पर निगरानी का वार्षिक प्रतिवेदन

March 2025

**Remote Sensing Cell
Geomatics Division
CMPDI-HQ, Ranchi**



Document Control Sheet

(1) Job No.	564924124
(2) Publication Date	March 2025
(3) Number of Pages	84
(4) Number of Figures	29
(5) Number of Tables	02
(6) Number of Plates	26
(7) Title of Report	Land Restoration / Reclamation Monitoring of Open Cast of Western Coalfields Ltd producing More than 5 million Cu.m. (Coal+OB) Based on Satellite Data for the Year 2024
(8) Aim of the Report	To prepare land use/cover map of leasehold area of 26 opencast projects based on high resolution satellite data (IRS2-L4FX) of the year 2024 using digital image processing technique.
(9) Executing Unit	Remote Sensing Cell, Geomatics Division, Central Mine Planning & Design Institute Limited, Gondwana Place, Kanke Road, Ranchi 834008
(10) User Agency	Western Coalfields Ltd., Nagpur, Maharashtra.
(11) Author	1) Swabhimani Dehariya, Asst. Manager (Mining/Geomatics) 2) Taluk Mondal, Chief Manager (E&M /Geomatics)
(12) Security Restriction	Restricted Circulation
(13) No. of Copies	5
(14) Distribution Statement	Official

CONTENTS (विषय)

	Page No.
कार्यकारी सारांश	viii- ix
Executive Summary	x-xv
1.0 Background	1
2.0 Objective	2
3.0 Methodology	2
4.0 Work Plan	5
5.0 Land Reclamation Status in Western Coalfields Limited	6

List of Tables

Table-1	Project wise Land Reclamation Status	xii-xiii
Table-2	Area Statistics of Land Use Classes in OC Mines	9-10

List of Figures

Figure - 1	Pie Chart of distribution percentage of Reclamation Activities	xi
Figure - 2	Bar-Chart of Project wise Land Reclamation Status	xiv-xv
Figure - 3	Methodology of Land Reclamation Monitoring	03
Figure - 4	Bar-Chart of Land Reclamation Status of Sasti OCP	37
Figure - 5	Bar-Chart of Land Reclamation Status of Durgapur OCP	37
Figure - 6	Bar-Chart of Land Reclamation Status of Mungoli OCP	38
Figure - 7	Bar-Chart of Land Reclamation Status of Umrer OCP	38
Figure - 8	Bar-Chart of Land Reclamation Status of Ukni OCP	39
Figure - 9	Bar-Chart of Land Reclamation Status of Niljai OCP	39
Figure - 10	Bar-Chart of Land Reclamation Status of New Majri OCP	40
Figure - 11	Bar-Chart of Land Reclamation Status of MKD-III OCP	40
Figure - 12	Bar-Chart of Land Reclamation Status of Penganga OCP	41
Figure - 13	Bar-Chart of Land Reclamation Status of Yekona-I&II(Amal) OCP	41

Figure - 14	Bar-Chart of Land Reclamation Status of New Majri UG to OCP	42
Figure - 15	Bar-Chart of Land Reclamation Status of Pauni-II(Expn) OCP	42
Figure - 16	Bar-Chart of Land Reclamation Status of MKD-I(Expn) OCP	43
Figure - 17	Bar-Chart of Land Reclamation Status of Bhatadi OCP	43
Figure - 18	Bar-Chart of Land Reclamation Status of Bellora Naigaon OCP	44
Figure - 19	Bar-Chart of Land Reclamation Status of Ballarpur OCP	44
Figure - 20	Bar-Chart of Land Reclamation Status of Junad OCP	45
Figure - 21	Bar-Chart of Land Reclamation Status of Kolarpimpiri OCP	45
Figure - 22	Bar-Chart of Land Reclamation Status of HLOCM OCP	46
Figure - 23	Bar-Chart of Land Reclamation Status of Gauri Pauni OCP	46
Figure - 24	Bar-Chart of Land Reclamation Status of Gondrgaon OCP	47
Figure - 25	Bar-Chart of Land Reclamation Status of Adasa UG to OCP	47
Figure - 26	Bar-Chart of Land Reclamation Status of Bhanegaon OCP	48
Figure - 27	Bar-Chart of Land Reclamation Status of Gokul OCP	48
Figure - 28	Bar-Chart of Land Reclamation Status of Inder Kamptee Amal.	49
Figure - 29	Bar-Chart of Land Reclamation Status of Dhuptala OCP	49

List of Plates

Plate - 1	Land Use Map of Sasti OCP	11
Plate - 2	Land Use Map of Durgapur OCP	12
Plate - 3	Land Use Map of Mungoli OCP	13
Plate - 4	Land Use Map of Umrer OCP	14
Plate - 5	Land Use Map of Ukni OCP	15
Plate - 6	Land Use Map of Niljai OCP	16
Plate - 7	Land Use Map of New Majri OCP	17
Plate - 8	Land Use Map of MKD-III OCP	18
Plate - 9	Land Use Map of Penganga OCP	19
Plate -10	Land Use Map of Yekona-I&II(Amal) OCP	20
Plate -11	Land Use Map of New Majri UG to OCP	21
Plate -12	Land Use Map of Pauni-II(Expn) OCP	22
Plate -13	Land Use Map of MKD-I(Expn) OCP	23
Plate - 14	Land Use Map of Bhatadi OCP	24

Plate - 15	Land Use Map of Bellora Naigaon OCP	25
Plate - 16	Land Use Map of Ballarpur OCP	26
Plate - 17	Land Use Map of Junad OCP	27
Plate - 18	Land Use Map of Kolarpimpiri OCP	28
Plate - 19	Land Use Map of HLOCM OCP	29
Plate - 20	Land Use Map of Gauri Pauni OCP	30
Plate - 21	Land Use Map of Gondegaon OCP	31
Plate - 22	Land Use Map of Adasa UG to OC OCP	32
Plate - 23	Land Use Map of Bhanegaon OCP	33
Plate - 24	Land Use Map G to Gokul OCP	34
Plate - 25	Land Use Map of Inder Kamptee Amal. OCP	35
Plate - 26	Land Use Map of Dhuptala OCP	36

List of Photographs

Photo - 1	Plantation on Internal OB/Backfill (Sasti OCP)	50
Photo - 2	Avenue plantation (Durgapur OCP)	50
Photo - 3	Plantation (Mungoli OCP)	51
Photo - 4	Avenue plantation (Umrer OCP)	51
Photo - 5	Plantation on OB dump (Ukni OCP)	52
Photo - 6	Plantation on OB dump (Niljai OCP)	52
Photo - 7	Plantation on OB dump (New Majri OCP)	53
Photo - 8	Plantation on OB dump (MKD-III OCP)	53
Photo - 9	Plantation on Embankment (Penganga OCP)	54
Photo - 10	Avenue plantation (Yekona-I&II amal. OCP)	54
Photo - 11	Plantation on OB dump (New Majri UG to OCP)	55
Photo - 12	Social Forestry (Pauni-II Expn. OCP)	55
Photo - 13	Social Forestry (MKD-I Expn. OCP)	56
Photo - 14	Avenue plantation (Bhatadi OCP)	56
Photo - 15	Plantation on External OB dump (Bellora-Naigaon OCP)	57
Photo - 16	Social Forestry (Ballarpur OCP)	57
Photo - 17	Social Forestry (Junad OCP)	58
Photo - 18	Avenue plantation (Kolarpimpiri OCP)	58
Photo - 19	Plantation along road (HLOCM OCP)	59

Photo - 20	Plantation (Gauri Pauni OCP)	59
Photo - 21	Plantation on External OB dump (Gondegaon OCP)	60
Photo - 22	Social Forestry (Adasa UG to OC OCP)	60
Photo - 23	Social Forestry (Bhanegaon OCP)	61
Photo - 24	Social Forestry (Gokul OCP)	61
Photo - 25	Plantation on External OB dump (Inder Kamptee Amal.. OCP)	62
Photo - 26	Avenue plantation (Dhuptala OCP)	62
 शब्दकोष		63-65
Abbreviations		66
Glossary		67-68

कार्यकारी सारांश

1.0 परियोजना

वेस्टर्न कोल्फील्ड्स लिमिटेड के ५ मिलियन घन मीटर (कोल+ अधिभार) से अधिक उत्पादन क्षमतावाली २६ खुली खदानों के पुनरुद्धार हेतु वर्ष २०२४ के उपग्रह डाटा पर आधारित पर सलाना नियमित निगरानी।

उपरोक्त २६ खुली में से १३ परियोजनाए जिन्हें भटाड़ी, बेलोरा-नयागांव, बल्लारपुर, जुनाड, कोलारपिम्प्री, हिंदुस्तान लालपेथ, गौरी-पौनी, गोंडेगाँव, अदासा (भूमिगत से खुली खदान), भानेगाओं, गोकुल, इन्दर-कामठी एकीकृत और धुपतला खुली खदानों के नाम से जाना जाता है, इन्हें कार्य - आदेश के तहत ५ मिलियन घन मीटर (कोल+ अधिभार) से अधिक क्षमता वाले खदानों के श्रेणी में पहली बार शामिल किया गया है।

2.0 उद्देश्य

भूमि पुनरुद्धार (लैंड रिक्लेमेशन) का उद्देश्य कुल पट्टाक्षेत्र में बैकफील, वृक्षारोपण, सामाजिक वानिकी, सक्रिय खनन क्षेत्र, जल निकाय (वाटर ड्रेनेज) बंजर भूमि, कृषि भूमि और जंगल के विभिन्न प्रकार के वितरण प्रणाली के क्षेत्र का आकलन करना है। यह अध्ययन न केवल उपरोक्त सभी खुली खदानों के भूमि पुनरुद्धार (लैंड रिक्लेमेशन) की प्रगति का आकलन में मदद करेगा बल्कि पर्यावरण संरक्षण के लिए आवश्यक उपचारात्मक उपायों को क्रियान्वित करने में भी सहायता करेगा।

3.0 मुख्य निष्कर्ष

- वर्ष २०२४-२०२५ के लिए भूमि पुनरुद्धार(लैंड रिक्लेमेशन) की निगरानी हेतु डब्ल्यू.सी.एल के २६ खुली परियोजनाए जिनका नाम सास्ती, दुर्गापुर, मुंगोली, उमरेड, उकनी, नीलजयी, न्यू माजरी, मकरधोकरा ३, पेनगंगा, एकोना १ और २ (एकीकृत), न्यू मजरी भूमिगत से खुली खदान, पौनी-२ (विस्तार), मकरधोकरा १ (विस्तार), भटाड़ी, गोकुल, इन्दर-कामठी एकीकृत तथा धुपतला है। इनका कुल पट्टा क्षेत्र २४२.७३ वर्ग किलोमीटर हैं, जिसमें से ६५.९९ वर्ग किलोमीटर उत्खनित क्षेत्र है जिसमें क्रमशः १९.२४ वर्ग किलोमीटर (२९.१६%) बैकफील क्षेत्र (तकनीकी पुनरुद्धार), ६.०८ वर्ग किलोमीटर (९.२१%) वृक्षारोपण (जैविक पुनरुद्धार) का क्षेत्र तथा ४०.६७ वर्ग किलोमीटर (६१.६३%) सक्रिय खनन क्षेत्र के अंतर्गत पाया गया। इस विश्लेषण से स्पष्ट है कि कुल खुली खदानों के उत्खनित क्षेत्र में से ३८.३७ प्रतिशत का क्षेत्र जैविक और तकनीकी रूप से भूमि पुनरुद्धार का कार्य हो गया है और शेष ६१.६३ प्रतिशत का क्षेत्र सक्रिय खनन के अंतर्गत है। परियोजनावार विवरण तालिका -१ और चित्र-१ दर्शाया गया है (तुलनात्मक अध्ययन के उद्देश्य के लिए तालिका -१ देखें)
- विभिन्न परियोजनाओं के लिए वर्ष २०२३ के सापेक्ष में वर्ष २०२४ में किये गए भूमि पुनरुद्धार की स्थिति की तुलना करने के पश्चात विश्लेषण से यह स्पष्ट है कि भूमि पुनरुद्धार के अंतर्गत वर्ष २०२३ के कुल क्षेत्र २३.२४ वर्ग किलोमीटर से बढ़कर वर्ष २०२४ में २५.३२ वर्ग किलोमीटर हो गया है, २६ खुली परियोजनाओं में से बल्लारपुर खुली खदान में भूमि पुनरुद्धार का कार्य

अधिकतम ८५.९५ प्रतिशत हुआ है अतः इसे शीर्ष स्थान पर रखा गया है इसके बाद क्रमशः सास्ती खुली खदान (८०.७३ प्रतिशत) तथा उमरेड (६६.२५ प्रतिशत) खुली परियोजनाओं का स्थान है।

- वर्ष २०२३ के कुल जैविक भूमि पुनरूद्धार (बैकफ़िल पर वृक्षारोपण) के अंतर्गत का क्षेत्र ५.२६ वर्ग किलोमीटर के तूलना में वर्ष २०२४ में बढ़कर ६.०८ वर्ग किलोमीटर हो गया है जबकि वर्ष २०२३ के तकनीकी पुनरूद्धार (बैकफ़ील के अंतर्गत क्षेत्र) का क्षेत्र १७.९५ वर्ग किलोमीटर से बढ़कर वर्ष २०२४ में १९.२४ वर्ग किलोमीटर हो गया है। भूमि पुनरूद्धार के अंतर्गत २.०८ वर्ग किलोमीटर की यह वृद्धि पर्यावरण संरक्षण के दिशा में वेस्टर्न कोलफील्ड्स लिमिटेड के द्वारा उठाये गए सकारात्मक प्रयासों का परिणाम है।

Executive Summary

- 1.0 Project** Land restoration / reclamation monitoring of 26 opencast coal mines of Western Coalfields Ltd. (WCL) producing 5 million cu.m. and more (Coal+OB) per year based on satellite data, regularly on annual basis. Among 26 opencast coal mines projects, 13 projects namely Bhatadi, Bellora-Naigaon, Ballarpur, Junad, Kolarpimpiri, Hindustan Lalpeth (HLOCM), Gauri- Pauni, Gondegaon, Adasa UG to OC, Bhanegaon, Gokul, Inder Kamptee Amal. and Dhuptala have been included in 2024 for the first time as per the work order, their capacity (Coal+OB) have been increased to category of more than 5 million cubic meter from category of less than 5 million cu.m. per year.
- 2.0 Objective** Objective of the land restoration / reclamation monitoring is to assess the area of backfilled, plantation, social forestry, active mining area, water bodies, distribution of wasteland, agricultural land and forest in the leasehold area of the project. This will help in assessing the progressive status of mined land reclamation and to take up remedial measures, if any, required for environmental protection.
- 3.0 Salient Findings**
- Out of total leasehold area of 242.73 Km² of 26 projects of WCL viz. Sasti, Durgapur, Mungoli, Umrer, Ukni, Niljai, New Majri. Makardhokra-III, Penganga, Yekona-I & II (Amal), New Majri UG to OC, Pauni-II (Expn.), MKD-I (Expn.), Bhatadi, Bellora-Naigaon, Ballarpur, Junad, Kolarpimpiri, Hindustan Lalpeth (HLOCM), Gauri-Pauni, Gondegaon, Adasa UG to OC, Bhanegaon, Gokul, Inder-Kamptee Amal., and Dhuptala considered for monitoring during 2024-25; the total excavated area is 65.99 Km² out of which 19.24 Km² area (29.16%) is backfilled (Technical Reclamation), 6.08 Km² area (9.21%) has been planted (Biological Reclamation) and 40.67 Km² area (61.63%) is under active mining. It is evident from the analysis that 38.37% area of the OC projects has been reclaimed (biological and technical) and balance 61.63% area is under active mining. Project wise details are given in Table-1 & Fig-1. (For comparison purpose, refer Table-1).
 - On comparing the status of land reclamation for the year 2024 with respect to the year 2023 in different projects, it is evident from the analysis that total area under land reclamation has increased from 23.24 Km² (Yr. 2023) to 25.32 Km² (Yr.2024). Out of 26 projects of WCL, Ballarpur OC ranks on top for land reclamation (85.95%) followed by Sasti OC (80.73%) and Umrer OC (66.25%).
 - Area under biological reclamation (Plantation on backfill) has increased from 5.26 Km² (Yr. 2023) to 6.08 Km² (Yr. 2024) whereas area of technical reclamation (area under backfilling) has increased from 17.98 Km² (Yr. 2023) to 19.24 Km² (Yr. 2024) in WCL. The total increase of 2.08 Km² under reclamation is the result of the efforts of the Western Coalfields Ltd. taken up towards environmental protection




Fig.1: Pie Chart indicating distribution (%) of reclamation activities in 26 OC Mines of WCL

Table-1
Projectwise Land Reclamation Status in Opencast Projects of WCL
(>5 Million Cubic Metre Coal+OB) based on Satellite Data of the year 2024

(Area in Sq. Kms.)

Sl. No.	Project	Total Leasehold Area		Technical Reclamation Area under Backfilling		Plantation						Area under Active Mining	Total Excavated Area		Total Area under Plantation (% Green Cover Generated in Leasehold)				Total Area under Reclamation				
						Biological Reclamation		Other Plantations															
						Plantation on Excavated / Backfilled Area		Plantation on External Over Burden Dumps		Social Forestry, Avenue Plantation Etc.													
1	2	3		4		5		6		7		8		9 (=4+5+8)		10 (=5+6+7)				11 (=4+5)			
		2023	2024	2023	2024	2023	2024	2023	2024	2023	2024	2023	2024	2023	2024	2023	2024	2023	2024	2023	2024	2023	2024
1	Sasti	9.20	11.12	2.72	2.90	0.73	0.62	1.68	1.92	0.68	0.71	0.50	0.84	3.95	4.36	3.09	3.25	33.59%	29.23%	3.45	3.52	87.34%	80.73%
				68.86%	66.51%	18.48%	14.22%					12.66%	19.27%										
2	Durgapur	15.50	15.50	1.04	0.96	1.06	1.18	2.81	2.99	1.19	1.26	2.57	2.75	4.67	4.89	5.06	5.43	32.65%	35.03%	2.10	2.14	44.97%	43.76%
				22.27%	19.63%	22.70%	24.13%					55.03%	56.24%										
3	Mugoli	12.55	12.55	1.53	1.70	0.17	0.2	1.9	1.98	0.61	0.65	1.95	2.23	3.65	4.13	2.68	2.83	21.35%	22.55%	1.70	1.90	46.58%	46.00%
				41.92%	41.16%	4.66%	4.84%					53.42%	54.00%										
4	Umrer	9.45	9.45	1.51	1.47	1.63	1.73	1.45	1.45	2.32	2.32	1.69	1.63	4.83	4.83	5.40	5.50	57.14%	58.20%	3.14	3.20	65.01%	66.25%
				31.26%	30.43%	33.75%	35.82%					34.99%	33.75%										
5	Ukni	12.85	12.85	0.54	0.65	0.00	0.00	1.74	1.81	0.86	0.98	2.15	2.15	2.69	2.80	2.60	2.79	20.23%	21.71%	0.54	0.65	20.07%	23.21%
				20.07%	23.21%	0.00%	0.00%					79.93%	76.79%										
6	Niljai	17.61	17.61	1.46	1.75	0.13	0.13	2.11	2.23	1.25	1.31	2.99	3.09	4.58	4.97	3.49	3.67	19.82%	20.84%	1.59	1.88	34.72%	37.83%
				31.88%	35.21%	2.84%	2.62%					65.28%	62.17%										
7	New Majri	7.74	7.74	1.64	1.82	0.24	0.28	0.97	1.04	1.47	1.47	2.22	2.27	4.10	4.37	2.68	2.79	54.15%	51.95%	2.10	2.18	62.17%	60.87%
				40.00%	41.65%	5.85%	6.41%					54.15%	51.95%										
8	MKD-III	9.23	9.23	0.41	0.46	0.00	0.00	0.00	0.25	0.12	0.17	1.09	1.55	1.50	2.01	0.12	0.42	72.67%	77.11%	0.41	0.46	45.85%	48.05%
				27.33%	22.89%	0.00%	0.00%					72.67%	77.11%										
9	Penganga	7.63	7.63	0.75	0.84	0.00	0.00	0.49	0.50	0.55	0.68	1.25	1.42	2.00	2.26	1.04	1.18	62.50%	62.83%	0.75	0.84	36.05%	37.17%
				37.50%	37.17%	0.00%	0.00%					62.50%	62.83%										
10	Yekona-I&II(Anai)	16.79	16.79	0.01	0.20	0.00	0.00	0.00	0.00	0.03	0.08	1.29	1.64	1.30	1.84	0.03	0.08	99.23%	89.13%	0.01	0.20	0.48%	0.77%
				0.77%	10.87%	0.00%	0.00%					99.23%	89.13%										
11	New Majri UG to OC	7.06	7.06	0.00	0.00	0.00	0.00	0.27	0.35	0.37	0.46	1.06	1.44	1.06	1.44	0.64	0.81	0.00%	0.00%	0.00	0.00	0.77%	10.87%
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
12	Pauni -II (Expn)	10.95	10.95	0.00	0.00	0.00	0.00	0.18	0.25	0.22	0.30	1.34	1.74	1.34	1.74	0.40	0.55	0.00%	0.00%	0.00	0.00	0.00%	0.00%
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
13	MKD -I (Expn) OC	6.14	6.14	0.00	0.00	0.00	0.00	0.10	0.10	0.00	0.00	1.57	1.86	1.57	1.86	0.10	0.10	0.00%	0.00%	0.00	0.00	0.00%	0.00%
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%										
				0.00%	0.00%	0.00%	0.00%					100.00%	100.00%	</									

Note : In reference of the above Table-1, different parameters are classified as follows

- 1Area under Biological Reclamation includes area under plantation done on backfilled area only.
- 2Area under Technical Reclamation includes areas under barren backfill only.
- 3Area under Active Mining includes coal quarry, advance quarry & quarry filled with water etc.
- 4Social forestry and plantation on external OB dump are not included in biological reclamation and are put under other plantation.
- 5% claculated in respect to total excavated area except for "Total area under plantation" where % is in terms of leasehold area.

Table.1
Projectwise Land Reclamation Status in Opencast Projects of WCL
(As per the data available on the website of the year 2024)

SL No.	Project	Total Leasehold Area	Technical Reclamation					Biological Reclamation					Plantation					Area under Active Mining	Total Excavated Area	Total Area under Plantation (Others Cover Generated in Leasehold)	Total Area under Reclamation
			2024	2023	2022	2021	2020	2019	2018	2017	2016	2015	2014	2013	2012	2011	2010				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
14	Bharat	8.47	0.39	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	Bellona Nagar	6.65	0.73	0.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	Bellona Nagar	2.43	0.76	0.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	Junad	4.50	0.37	0.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	Kolamput	11.83	0.45	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	HLOM	3.12	0.64	0.65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	Goutpuri	6.77	0.89	0.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	Gandigan	7.91	0.56	0.62	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	Adara UG to DC	5.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	Bharatnagar	3.48	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	Gokul	7.57	0.75	0.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	Indra Karpur Area	11.25	1.12	0.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	Dhara	-	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total-B		82.68	6.37	6.49	1.30	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94
Total- (A+B)		225.38	17.98	19.24	5.26	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.08	6.08

Note: In the above Table-1, different parameters are classified as follows:

1. Areas under Biological Reclamation includes areas under plantation done on back (Red area only)
2. Areas under Technical Reclamation includes areas under barren land (Brown)
3. Areas under Active Mining includes coal quarry, advance quarry, quarry filled with green etc.
4. Social forestry and plantation on external (Red area) are not included in biological reclamation and are put under other plantation.
5. It is calculated in respect to total reserved area except for "Total area under plantation" where % is in terms of leased area.




Fig.2: Land reclamation status in 14OC projects of WCL for the year 2024

1.0 Background

- 1.1** Land is the most important natural resource which embodies soil, water, flora, fauna and total ecosystem. All human activities are based on the land which is the scarcest natural resource in our country. Mining is a site specific industry and it could not be shifted anywhere else from the location where mineral occurs. It is a fact that surface mining activities do effect the land environment due to ground breaking. Therefore, there is an urgent need to reclaim and restore the mined out land for its productive use for sustainable development of mining. This will not only mitigate environmental degradation, but would also help in creating a more congenial environment for land acquisition by coal companies in future.
- 1.2** Keeping above in view, Coal India Ltd. (CIL) issued a work order vide letter no. CIL/WBP/Env/2009/2428dated 29.12.2009 to Central Mine Planning & Design Institute (CMPDI), Ranchi, for monitoring land reclamation. status of all the opencast coal mines having production of more than 5 million m³ per annum (coal + OB taken together per annum) based on remote sensing satellite data, regularly on annual basis for sustainable development of mining. Further, another work order vide letter no. CIL/WBP/ENV./2011dated23/08/11was issued by CIL for monitoring of less than 5 million m³ per annum capacity (Coal +OB) projects from the year 2011 at interval of three years. This order has been renewed in CIL letter no. CIL/WBP/Env/2011/4706dated 12.10.2012 for the next five years. Again this work order has been renewed vide letter no. CIL/WBP/Env/2017/DP/8391 dated 22.06.2017 for a period next five years starting from 2017-18 to 2021-22. The work order was renewed vide letter no. CIL/ ENVT/2022-23/W. O/10899 dated 06.07.2022 for a period of 2 more years from 2022-23 to 2023-24. Again the above work order has been renewed vide letter no. CIL/ ENV/11463 dated 03.07.2024 for a period of 3 more years for 2024-25, 2025-26 and 2026-27. The result of land reclamation status of all such mines is put on the websites of **CIL**, (www.coalindia.in), **CMPDI** (www.cmpdi.co.in) and the concerned

coal companies in public domain. Detailed report is submitted to Coal India and respective subsidiaries.

- 1.3** Land reclamation monitoring of all opencast coal mining projects would also comply the statutory requirements of Ministry of Environment & Forest (MoEF). Such monitoring would not only facilitate in taking timely mitigation measures against environmental degradation, but would also enable coal companies to utilize the reclaimed land for larger socio-economic benefits in a planned way.
- 1.4** Present report is embodying the finding of the study based on satellite data of the year 2024 carried out for all the OC projects producing more than 5 mcm (Coal+OB) for Western Coalfields Ltd.

2.0 Objective

Objective of the land reclamation/restoration monitoring is to assess the area of backfilled, plantation, OB dumps, social forestry, active mining area, settlements and water bodies, distribution of wasteland, agricultural land and forest land in the leasehold area of the project. This is an important step taken up for assessing the progressive status of mined land reclamation and for taking up remedial measures, if any, required for environmental protection.

3.0 Methodology

There are number of steps involved between raw satellite data procurement and preparation of final map. Bhoonidhi Portal of ISRO alongside National Remote Sensing Centre (NRSC) Hyderabad, being the nodal agency for satellite data supply in India, provides only raw digital satellite data, which needs further digital image processing for extracting the information and map preparation before uploading the same in the website. Methodology for land reclamation monitoring

is given in figure-3. Following steps are involved in land reclamation /restoration monitoring:




Figure: 3- **Methodology for Land Reclamation Monitoring**

3.1 Data Procurement: After browsing the data quality and date of pass on internet, supply order for data is placed to NRSC or if available downloaded directly from the Bhoonidhi portal. Secondary data like leasehold boundary, topo sheets are procured for creation of vector database.

3.2 Satellite Data Processing: Satellite data are processed using ERDAS IMAGINE 2022 digital image processing s/w and ArcGIS. Methodology involves the following major steps:

- **Rectification & Georeferencing:** Inaccuracies in digital imagery may occur due to 'systematic errors' attributed to earth curvature and rotation as well as 'non-systematic errors' attributed to satellite receiving station itself. Raw digital

images contain geometric distortions, which make them unusable as maps. Therefore, georeferencing is required for correction of image data using ground control points (GCP) to make it compatible to Sol toposheet.

- **Image enhancement:**

To improve the interpretability of the raw data, image enhancement is necessary. Local operations modify the value of each pixel based on brightness value of neighbouring pixels using ERDAS IMAGINE 2022 s/w. and enhance the image quality for interpretation.

- **Training set selection**

Training set requires to be selected, so that software can classify the image data accurately. The image data are analysed based on the interpretation keys. These keys are evolved from certain fundamental image-elements such as tone/colour, size, shape, texture, pattern, location, association and shadow. Based on the image-elements and other geo-technical elements like land form, drainage pattern and physiography; training sets were selected/identified for each land use/cover class. Field survey was carried out by taking selective traverses in order to collect the ground information (or reference data) so that training sets are selected accurately in the image. This was intended to serve as an aid for classification.

- **Classification and Accuracy assessment**

Image classification is carried out using the maximum likelihood algorithm. The classification proceeds through the following steps: (a) calculation of statistics [i.e. signature generation] for the identified training areas, and (b) the decision boundary of maximum probability based on the mean vector, variance, covariance and correlation matrix of the pixels. After evaluating the statistical parameters of the training sets, reliability test of training sets is conducted by measuring the statistical separation between the classes that resulted from

computing divergence matrix. The overall accuracy of the classification was finally assessed with reference to ground truth data.

- **Area calculation**

The area of each land use class in the leasehold is determined using ERDAS IMAGINE v.2022 software.

- **Overlay of Vector data base**

Vector data base created based on secondary data. Vector layer like drainage, railway line, leasehold boundary, forest boundary etc. are superimposed on the image as vector layer in the ArcGIS Pro 3.4 database.

- **Pre-field map preparation**

Pre-field map is prepared for validation of the classification result

3.3 Ground Truthing:

Selective ground verification of the land use classes is carried out in the field and necessary corrections if required, are incorporated before map finalization.

3.4 Land reclamation database on GIS:

Land reclamation database is created on GIS platform to identify the temporal changes identified from satellite data of different cut-of dates.

4.0 Work Plan

Twenty-six opencast projects of WCL producing more than 5 million cubic m. (Coal + OB together) have been taken up for land reclamation/ restoration monitoring in 2023-24, based on the Resourcesat-2/2A(L-IV) Satellite data, using

ERDAS Imaging digital image processing s/w, ArcGIS 10.2 and ArcGIS Pro 3.4 platform. Land reclamation monitoring will be carried out regularly on annual basis to assess the progressive status of land reclamation/ restoration in the above OC mines. The report of this study has been uploaded on the websites of CMPDI, CIL & WCL in public domain.

5.0 Land Reclamation Status in Western Coalfields Limited

5.1 Following 26 OC projects producing more than 5 million cubic m. (Coal + OB together) of Western Coalfields Ltd. have been taken up for land reclamation monitoring based on Satellite Data of the year 2024:

- | | |
|----------------------|----------------------|
| ▪ Sasti | ▪ Bhatadi |
| ▪ Durgapur | ▪ Bellora Naigaon |
| ▪ Mungoli | ▪ Ballarpur |
| ▪ Umrer | ▪ Junad |
| ▪ Ukni | ▪ Kolarpimpiri |
| ▪ Niljai | ▪ HLOCM) |
| ▪ New Majri | ▪ Gauri Pauni |
| ▪ MKD-III | ▪ Gondegaon |
| ▪ Penganga | ▪ Adasa UG to OC |
| ▪ Yekona I&II Amal | ▪ Bhanegaon |
| ▪ New Majri UG to OC | ▪ Gokul |
| ▪ Pauni-II (Expn.) | ▪ Inder Kamptee Amal |
| ▪ MKD-I Expn. | ▪ Dhuptala |

5.2 Project wise Land Reclamation status in WCL for the year 2024 is given in Table 1 and also shown graphically in Fig 1. Area statistics of different land use class present in the mine leasehold of the above projects for the year 2024 are shown in the Table 2. Land use maps derived from satellite data are shown in Plate 1-26. This time both local grid and UTM grid is used for map preparation along with all essential

boundaries shape file such as Quarry limit line, Sump, OB Dump, EC Boundary, Plantation area etc. as per the work order from CIL. Year wise changes in the different land use classes based on satellite data are depicted in Bar Charts in Fig.4–29 for the last three years only excluding Dhuptala OC (Sasti UG to OC) as this mine been consider for the land reclamation for the first time in Yr. 2024-25.

- 5.3** Study reveals that 25.32 Km² (38.37%) of excavated area has been under reclamation in the above mentioned mines of WCL out of which 6.08 Km²(9.21%) area has been revegetated and 19.24 Km² (29.16%) area is under backfilling. There is an overall increase of 2.08 Km² in area under reclamation in WCL in the year 2024 with respect to the year 2023, out of which there is an increase of 1.26 Km² in area under technical reclamation (Barren Backfilling) and an increase of 0.82 Km² in area under biological reclamation (Plantation on Backfilled Areas) (Refer Table-1).

In Sasti OC project, plantation on OB has been reduced by 0.11 Km² on account of tree felling and re-handling of backfill for the purpose of coal mining. In Durgapur OC and Umrer OC projects backfill has been reduced by 0.08 Km² and 0.04 Km² respectively as backfill has been converted to biological reclamation. In Inder Kamptee Amalgamated OC project total lease hold area have been decreased from 11.25 Km² to 7.95 Km². In previous cycle Inder OC project and Kamptee OC project had been analyzed separately in different year.

- 5.4** Analysis of satellite data also indicates that total area under active mining has increased from 33.43 Km² (Yr.2023) to 40.67 Km² (Yr.2024). In Umrer OC project area under active mining has reduced due to increase in area under backfilling.
- 5.5** After comparing the satellite data of year 2024 vs. 2023, study also reveals that area under backfilling has increased from 17.98 Km² (Yr.2023) to 19.24 Km² (Yr.2024).


- 5.6** Total area under biological reclamation has increased from 5.26 Km² (Yr.2023) to 6.08 Km² (Yr.2024). There is no biological reclamation in Yekona-I&II (Amal.), New Majri UG to OC, Pauni-II (Expn.), Bhatadi, MKD-I and MKD-III OC, Gondegaon, Adasa UG to OC, Bhanegaon, Gokul, Dhuptala & Penganga OC.
- 5.7** Analysis of satellite data also indicates that total area under plantation (Green Cover) has increased from 41.37 Km² (Yr.2023) to 47.26 Km² (Yr.2024). The increase of 5.89 Km² area under Green Cover areas may be attributed to continuous effort of WCL towards environmental protection.
- 5.8** After comparing the satellite data of year 2024 vs. 2023, it is evident that total area under plantation (Green Cover) in all 26 Opencast Projects has increased. It has been also observed in some of the projects natural vegetation has also started growing on stabilized old backfilled areas and overburden dumps due to high soil fertility.
- 5.9** On comparing the status of land reclamation for the year 2024 with respect to the year 2023 in different projects, it is evident that the total area under reclamation has increased from 23.24 Km² (Yr. 2023) to 25.32 Km² (Yr. 2023).
- 5.10** Out of 26 projects of WCL, maximum area under reclamation is in Ballarpur Opencast Project (85.95%) followed by Sasti OC (80.73%) and Umrer OC (66.25%).

TABLE - 2
Status of Land Use / Reclamation in OC Mines(>5mcu.m) of Western Coalfields Ltd based on Satellite data of the Year 2024

		(Area in Sq.Km)																												Total	
		Sasti		Durgapur		Mungoli		Ummer		Ukni		Nilgai		New Majri		MKD-III		Penganga		Yekona-I&II (Amal)		New Majri Ug to OC		Pauni-II (Expn)		MKD-I (Expn.)		Total			
		Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%		
FORESTS	Dense Forest	0.00	0.00	1.27	8.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.27	0.88		
	Open Forest	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
	Total Forest	0.00	0.00	1.27	8.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.27	0.88		
SCRUBS	Scrubs	0.51	5.00	0.48	3.10	1.62	12.91	0.00	0.00	1.53	11.91	1.34	7.61	0.06	0.78	0.54	5.85	0.71	9.31	1.99	11.85	0.68	9.63	0.97	8.86	0.75	12.21	11.18	7.78		
	Social Forestry	0.71	6.95	1.26	8.13	0.65	5.18	2.32	24.55	0.98	7.63	1.31	7.44	1.47	18.99	0.17	1.84	0.68	8.91	0.08	0.48	0.46	6.52	0.30	2.74	0.00	10.39	7.23			
	Plantation on OB Dump	1.92	18.81	2.99	19.29	1.98	15.78	1.45	15.34	1.81	14.09	2.23	12.66	1.04	13.44	0.25	2.71	0.50	6.55	0.00	0.00	0.35	4.96	0.25	2.28	0.10	16.3	14.87	10.35		
PLANTATION	Plantation on Backfill (Biological Reclamation)	0.62	6.07	1.18	7.61	0.20	1.59	1.73	18.31	0.00	0.00	0.13	0.74	0.28	3.62	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.14	2.88		
	Total Plantation	3.25	31.83	5.43	35.03	2.83	22.55	5.50	58.20	2.79	21.71	3.67	20.84	2.79	36.05	0.42	4.55	1.18	15.47	0.08	0.48	0.81	11.47	0.55	5.02	0.10	16.3	29.40	20.46		
	Total Vegetation	3.76	36.83	7.18	46.32	4.45	35.46	5.50	58.20	4.32	33.62	5.01	28.45	2.85	36.82	0.96	10.40	1.89	24.77	2.07	12.33	1.49	21.10	1.52	13.88	0.85	13.84	41.85	29.12		
COAL MINING	Coal Quarry	0.78	7.64	2.25	14.52	2.23	17.77	1.52	16.08	1.99	15.49	3.00	17.04	2.27	29.33	1.55	16.79	1.19	15.60	1.43	8.52	1.31	18.56	1.54	14.06	1.86	30.29	22.92	15.95		
	Coal Dump	0.06	0.59	0.05	0.32	0.00	0.00	0.10	1.06	0.10	0.78	0.05	0.28	0.00	0.00	0.00	0.00	0.00	0.23	3.01	0.21	1.25	0.13	1.84	0.20	1.83	0.00	1.13	0.79		
	Advance Quarry Site	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
ACTIVE MINING	Quarry Filled With Water	0.00	0.00	0.45	2.90	0.00	0.00	0.01	0.11	0.06	0.47	0.04	0.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.56	0.39		
	Total Area under Active Mining	0.84	8.23	2.75	17.74	2.23	17.77	1.63	17.25	2.15	16.73	3.09	17.55	2.27	29.33	1.55	16.79	1.42	18.61	1.64	9.77	1.44	20.40	1.74	15.89	1.86	30.29	24.61	17.12		
	Barren OB Dump	0.69	6.76	1.77	11.42	2.15	17.13	0.12	1.27	3.73	29.03	4.46	25.33	0.31	4.01	2.55	27.63	1.35	17.69	2.04	12.15	0.84	11.90	3.17	28.95	0.78	12.70	23.96	16.67		
WASTELANDS	Barren Back-filled Area (Technical Reclamation)	2.90	28.40	0.96	6.19	1.70	13.55	1.47	15.56	0.65	5.06	1.75	9.94	1.82	23.51	0.46	4.98	0.84	11.01	0.03	0.18	0.00	0.00	0.00	0.00	0.00	0.00	12.58	8.75		
	Total Area	3.59	35.16	2.73	17.61	3.85	30.68	1.59	16.83	4.38	34.09	6.21	35.26	2.13	27.52	3.01	32.61	2.19	28.70	2.07	12.33	0.84	11.90	3.17	28.95	0.78	12.70	36.54	25.43		
	Total Area Under Mine Operation	4.43	43.39	5.48	35.35	6.08	48.45	3.22	34.07	6.53	50.82	9.30	52.81	4.40	56.85	4.56	49.40	3.61	47.31	3.71	22.10	2.28	32.29	4.91	44.84	2.64	43.00	61.15	42.55		
WATERBODIES	Waste Lands	0.53	5.19	1.16	7.48	0.23	1.83	0.27	2.86	0.75	5.84	0.79	4.49	0.10	1.29	0.15	1.63	1.65	21.63	1.26	7.50	0.26	3.68	0.33	3.01	0.11	1.79	7.59	5.28		
	Fly Ash Pond / Sand Body	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.71	0.05	0.46	0.00	0.10	0.07			
	Total Wasteland	0.53	5.19	1.16	7.48	0.23	1.83	0.27	2.86	0.75	5.84	0.79	4.49	0.10	1.29	0.15	1.63	1.65	21.63	1.26	7.50	0.31	4.39	0.38	3.47	0.11	1.79	7.69	5.35		
AGRICULTURE	Reservoir, nullah, ponds	0.07	0.69	0.05	0.32	0.00	0.00	0.20	2.12	0.00	0.00	0.03	0.17	0.01	0.13	0.00	0.00	0.12	1.57	0.10	0.60	0.03	0.42	0.22	2.01	0.07	1.14	0.90	0.63		
	Total Waterbodies	0.07	0.69	0.05	0.32	0.00	0.00	0.20	2.12	0.00	0.00	0.03	0.17	0.01	0.13	0.00	0.00	0.12	1.57	0.10	0.60	0.03	0.42	0.22	2.01	0.07	1.14	0.90	0.63		
	Crop Lands	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.93	10.08	0.00	3.26	19.42	0.87	12.32	0.46	4.20	0.51	8.31	6.03	4.20		
SETTLEMENTS	Fallow Lands	1.08	10.58	1.04	6.71	1.46	11.63	0.00	0.00	1.05	8.17	1.45	8.23	0.00	0.00	2.42	26.22	0.21	2.75	6.34	37.76	2.00	28.33	3.33	30.41	1.96	31.92	22.34	15.55		
	Total Agriculture	1.08	10.58	1.04	6.71	1.46	11.63	0.00	0.00	1.05	8.17	1.45	8.23	0.00	0.00	3.35	36.29	0.21	2.75	9.60	57.18	2.87	40.65	3.79	34.61	2.47	40.23	28.37	19.74		
	Urban Settlement	0.08	0.78	0.39	2.52	0.12	0.96	0.15	1.59	0.00	0.00	0.34	1.93	0.34	4.39	0.00	0.00	0.00	0.00	0.01	0.06	0.07	0.99	0.00	0.00	0.00	0.00	1.50	1.04		
LOCALITIES	Rural Settlement	0.00	0.00	0.05	0.32	0.03	0.24	0.00	0.00	0.02	0.16	0.20	1.14	0.00	0.00	0.00	0.00	0.03	0.39	0.03	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.36	0.25		
	Industrial Settlement	0.26	2.55	0.15	0.97	0.18	1.43	0.11	1.16	0.18	1.40	0.49	2.78	0.04	0.52	0.21	2.28	0.12	1.57	0.01	0.06	0.01	0.14	0.13	1.19	0.00	1.89	1.32			
	Total Settlement	0.34	3.33	0.59	3.81	0.33	2.63	0.26	2.75	0.20	1.56	1.03	5.85	0.38	4.91	0.21	2.28	0.15	1.97	0.05	0.30	0.08	1.13	0.13	1.19	0.00	3.75	2.61			
Grand Total		10.21	100.00	15.50	100.00	12.55	100.00	9.45	100.00	12.85	100.00	17.61	100.00	7.74	100.00	9.23	100.00	7.63	100.00	16.79	100.00	7.06	100.00	10.95	100.00	6.14	100.00	143.71	100.00		

TABLE - 2
Status of Land Use / Reclamation in OC Mines(>5mcu.m) of Western Coalfields Ltd based on Satellite data of the Year 2024

		(Area in Sq.Km)																											
		Bhatadi		Bellora Nalgaoan		Ballarpur		Junad		Kolar Pimpri		HLOCM		Gauri-Pouni		Gondegaon		Adasa UG to OC		Dhupata		Gokul		Bhanegaon		Inder Kamptee		Total	
		Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%
FORESTS	Dense Forest	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Open Forest	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Total Forest	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SCRUBS	Scrubs	0.97	11.45	0.53	7.97	0.01	0.41	0.51	11.33	2.40	16.12	0.02	0.64	0.86	6.66	0.33	4.17	0.82	14.54	1.07	10.55	1.06	10.58	0.13	3.74	0.75	12.21	9.46	9.82
	Social Forestry	0.48	5.67	0.45	6.77	0.13	5.35	0.38	8.44	0.16	1.07	0.37	11.86	0.64	4.96	0.57	7.21	0.27	4.79	0.41	4.04	0.92	9.18	0.24	6.90	0.00	0.00	5.02	5.21
	Plantation on OB Dump	0.59	6.97	0.57	8.57	0.78	32.10	0.81	18.00	1.43	9.60	0.76	24.36	2.55	19.75	1.22	15.42	0.00	0.00	0.78	7.69	0.00	0.00	0.33	9.48	0.10	1.63	9.92	10.30
PLANTATION	Plantation on Backfill (Biological Reclamation)	0.00	0.00	0.20	3.01	0.28	11.52	0.12	2.67	0.11	0.74	0.10	3.21	0.79	6.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.60	1.66
	Total Plantation	1.07	12.63	1.22	18.35	1.19	48.97	1.31	29.11	1.70	11.42	1.23	39.42	3.98	30.83	1.79	22.63	0.27	4.79	1.19	11.74	0.92	9.18	0.57	16.38	0.10	1.63	16.54	17.18
	Total Vegetation	2.04	24.09	1.75	26.32	1.20	49.38	1.82	40.44	4.10	27.54	1.25	40.06	4.84	37.49	2.12	26.80	1.09	19.33	2.26	22.29	1.98	19.76	0.70	20.11	0.85	13.84	26.00	27.00
ACTIVE MINING	Coal Quarry	0.97	11.45	1.17	17.59	0.13	5.35	0.65	14.44	1.33	8.93	0.49	15.71	1.08	8.37	1.59	20.10	0.74	13.12	0.29	2.86	1.81	18.06	0.64	18.39	1.86	30.29	12.75	13.24
	Coal Dump	0.13	1.53	0.03	0.45	0.04	1.65	0.02	0.44	0.04	0.27	0.05	1.60	0.15	1.16	0.07	0.88	0.06	1.06	0.04	0.39	0.26	2.59	0.02	0.57	0.00	0.00	0.91	0.94
	Advance Quarry Site	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.89	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.09
	Quarry Filled With Water	0.02	0.24	0.00	0.00	0.00	0.00	0.00	0.00	0.42	2.82	0.00	0.00	0.47	3.64	0.24	3.03	0.00	0.00	0.04	0.39	0.05	0.50	0.03	0.86	0.00	0.00	1.27	1.32
	Total Area under Active Mining	1.12	13.22	1.20	18.05	0.17	7.00	0.67	14.89	1.79	12.02	0.54	17.31	1.70	13.17	1.90	24.02	0.80	14.18	0.46	4.54	2.12	21.16	0.69	19.83	1.86	30.29	15.02	15.60
	Barren OB Dump	1.77	20.90	0.45	6.77	0.19	7.82	1.15	25.56	3.58	24.04	0.31	9.94	0.90	6.97	1.62	20.48	0.97	17.20	1.18	11.64	1.52	15.17	0.96	27.59	0.78	12.70	15.38	15.97
	Barren Back-filled Area (Technical Reclamation)	0.44	5.19	0.83	12.48	0.76	31.28	0.41	9.11	0.21	1.41	0.65	20.83	0.91	7.05	0.62	7.84	0.00	0.00	0.00	0.00	0.89	8.88	0.02	0.57	0.00	0.00	5.74	5.96
	Total Area	2.21	26.09	1.28	19.25	0.95	39.09	1.56	34.67	3.79	25.45	0.96	30.77	1.81	14.02	2.24	28.32	0.97	17.20	1.18	11.64	2.41	24.05	0.98	28.16	0.78	12.70	21.12	21.93
	Total Area Under Mine Operation	3.33	39.32	2.48	37.29	1.12	46.09	2.23	49.56	5.58	37.47	1.50	48.08	3.51	27.19	4.14	52.34	1.77	31.38	1.64	16.17	4.53	45.21	1.67	47.99	2.64	43.00	36.14	37.53
WASTELANDS	Waste Lands	0.57	6.73	0.27	4.06	0.03	1.23	0.22	4.89	0.65	4.37	0.11	3.53	0.41	3.18	0.50	6.32	0.46	8.16	0.68	6.71	0.47	4.69	0.25	7.18	0.11	1.79	4.73	4.91
	Fly Ash Pond / Sand Body	0.05	0.59	0.05	0.75	0.02	0.00	0.04	0.89	0.03	0.20	0.00	0.00	0.06	0.46	0.00	0.00	0.04	0.71	0.05	0.49	0.00	0.00	0.03	0.86	0.00	0.00	0.37	0.38
	Total Wasteland	0.62	7.32	0.32	4.81	0.05	1.23	0.26	5.78	0.68	4.57	0.11	3.53	0.47	3.64	0.50	6.32	0.50	8.87	0.73	7.20	0.47	4.69	0.28	8.05	0.11	1.79	5.10	5.30
WATERBODIES	Reservoir, naluh, ponds	0.15	1.77	0.02	0.30	0.02	0.82	0.04	0.89	0.02	0.13	0.08	2.56	0.02	0.15	0.00	0.00	0.05	0.89	0.11	1.08	0.02	0.20	0.08	2.30	0.07	1.14	0.68	0.71
	Total Waterbodies	0.15	1.77	0.02	0.30	0.02	0.82	0.04	0.89	0.02	0.13	0.08	2.56	0.02	0.15	0.00	0.00	0.05	0.89	0.11	1.08	0.02	0.20	0.08	2.30	0.07	1.14	0.68	0.71
	Crop Lands	0.00	0.00	0.50	7.52	0.00	0.00	0.00	0.00	0.35	2.35	0.00	0.00	0.00	0.00	0.00	0.00	0.70	12.41	1.67	16.47	0.00	0.00	0.00	0.00	0.51	8.31	3.73	3.87
AGRICULTURE	Fallow Lands	2.25	26.56	1.58	23.76	0.02	0.82	0.12	2.67	3.99	26.80	0.04	1.28	3.94	30.52	1.08	13.65	1.45	25.71	3.56	35.11	2.80	27.94	0.67	19.25	1.96	31.92	23.46	24.36
	Total Agriculture	2.25	26.56	2.08	31.28	0.02	0.82	0.12	2.67	4.34	29.15	0.04	1.28	3.94	30.52	1.08	13.65	2.15	38.12	5.23	51.58	2.80	27.94	0.67	19.25	2.47	40.23	27.19	28.23
	Urban Settlement	0.02	0.24	0.00	0.00	0.01	0.41	0.01	0.22	0.01	0.07	0.13	4.17	0.00	0.00	0.04	0.51	0.04	0.71	0.07	0.69	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.34
SETTLEMENTS	Rural Settlement	0.04	0.47	0.00	0.00	0.00	0.00	0.01	0.22	0.06	0.40	0.00	0.00	0.05	0.39	0.00	0.00	0.03	0.53	0.02	0.20	0.16	1.60	0.00	0.00	0.00	0.00	0.37	0.38
	Industrial Settlement	0.02	0.24	0.00	0.00	0.01	0.41	0.01	0.22	0.10	0.67	0.01	0.32	0.08	0.62	0.03	0.38	0.01	0.18	0.08	0.79	0.06	0.60	0.08	2.30	0.00	0.00	0.49	0.51
	Total Settlement	0.08	0.94	0.00	0.00	0.02	0.82	0.03	0.67	0.17	1.14	0.14	4.49	0.13	1.01	0.07	0.88	0.08	1.42	1.58	0.22	2.20	0.08	2.30	0.00	0.00	0.00	1.19	1.24
Grand Total		8.47	100.00	6.65	100.00	2.43	99.18	4.50	100.00	14.89	100.00	3.12	100.00	12.91	100.00	7.91	100.00	5.64	100.00	10.14	100.00	10.02	100.00	3.48	100.00	6.14	100.00	96.30	100.00






Figure 20




Figure 21



Photograph-17: Social Forestry (Junad OCP)



Photograph-18: Avenue plantation (Kolarpimpri OCP)

शब्द-कोष

1	Land Reclamation	भूमि पुनरुद्धार
2	Over Burden	अधिभार
3	Monitoring	निगरानी
4	Report	प्रतिवेदन
5	Executive Summary	कार्यकारी सारांश
6	Opencast Mine	खुली खदान
7	Objective	उद्देश्य
8	Methodology	कार्य प्रणाली अथवा प्रक्रिया
9	Table	तालिका
10	List of Tables	तालिकाओं की सूची
11	Map	मानचित्र
12	Social Forestry	सामाजिक वानिकी
13	Plantation	पौधारोपण
14	Million	घनमीटर
15	Background	पृष्ठभूमि
16	Planning	योजनाबद्ध
17	Asses	आकलन
18	Status	स्थिति
19	Regularly	निरंतर
20	Satellite	उपग्रह
21	Subsidiary	अनुषांगिक
22	Production	उत्पादन
23	Biological Reclamation	जैविक पुनरुद्धार
24	Technical Reclamation	तकनीकी पुनरुद्धार

25	Leasehold Area	पट्टा क्षेत्र
26	Excavated Area	उत्खनन क्षेत्र
27	Active mining	सक्रिय खनन
28	Environmental Protection	पर्यावरण संरक्षण
29	Remedial Measure	उपचारात्मक उपाय
30	Interval	अंतराल
31	Systematic Error	व्यवस्थित त्रुटियाँ।
32	Error	अशुद्धियाँ
33	Curvature	वक्रता
34	Geometric	ज्यामितिक
35	Distortion	विरूपण
36	Plantation	पौधारोपण
37	Capacity	क्षमता
38	Software	सॉफ्टवेयर
39	Class	वर्ग
40	Accuracy	सटीकता
41	Statistical Separation	सांख्यिकीय पृथक्करण
42	Cubic meter	घनमीटर
43	Depicted	दर्शाया गया
44	Percentage	प्रतिशत
45	Salient Findings	मुख्य निष्कर्ष
46	Methodology	पद्धति
47	Data Procurement	डाटा क्रय
48	Satellite data Processing	उपग्रह डेटा प्रसंस्करण
49	Rectification and geo-referencing	सुधार और भूसन्दर्भ-

50	Image enhancement	छविगुण - बृद्धि
51	Training set selection	प्रशिक्षण सेट का चयन
52	Classification and Accuracy assessment	वर्गीकरण और मूल्यांकन की सटीकता
53	Area calculation	क्षेत्र गणना
54	Temporal	लौकिक
55	Processing	प्रसंस्करण
56	Overlay of Vector data base	वेक्टर डेटा बेस का अरोपन
57	Area calculation	क्षेत्रगणना-
58	Pre-field map preparation	क्षेत्र जाने के पहले नक्शे की तैयारी
59	Ground Truthing	भू-सत्यापन
60	Ground Information	भू-सूचना
61	Interpretation	व्याख्या
62	Eco-system	पारिस्थितिकी तंत्र
63	Minor	मामुली
64	Water Drainage	जल निकास
65	Interval	अंतराल
66	Maximum	अधिकतम
67	Coal field	कोयला क्षेत्र
68	Design	परिकल्पना
69	Superimpose	आरोपित
70	Update	अद्यतनीकरण/नवीनीकरण
71	Cumulative	संचयित
72	Embankment	तटबंध
73	Cluster	खुली तथा भूमिगत खदानों के समूह

ABBREVIATIONS

Sol	Survey of India
MoEF&CC	Ministry of Environment, Forest & Climate Change
CIL	Coal India Limited
ECL	Eastern Coalfields Limited
BCCL	Bharat Coking Coal Limited
CCL	Central Coalfields Limited
WCL	Western Coalfields Limited
SECL	South Eastern Coalfields Limited
NCL	Northern Coalfields Limited
MCL	Mahanadi Coalfields Limited
NEC	North Eastern Coalfields
CMPDIL	Central Mine Planning & Design Institute Ltd
NRSC	National Remote Sensing Centre
R2/ R2A	ResourceSat Satellites
LISS - 4	Linear Imaging and Self Scanning Sensor
FCC	False Colour Composite
OCP	Opencast Project
UGP	Underground Project
OB	Over Burden
GCP	Ground Control points
GIS	Geographic Information System
WGS-84	World Geodetic System
UTM	Universal Transverse Mercator

GLOSSARY

Sl.	Term	Definition
1.	Land Reclamation	To manage, reclaim and restore mined out/ degraded land as close as possible to its original stage.
2.	Over Burden	The material that lies above the coal seam/ deposit
3.	Monitoring	A process of evaluation to check or keep record for a period of time.
4.	Opencast Coal Mine	Open-pit mining, also known as opencast mining, is a surface mining technique that extracts minerals from an open pit in the ground.
5.	Social Forestry	Social forestry is the management and protection of forests and afforestation of barren and deforested lands with the purpose of helping environmental, social and rural development. Plantation (Social/ Avenue or other) carried out outside mining area.
6.	Biological Reclamation	Plantation on Backfilled areas (Stabilized Internal Dumps)
7.	Technical Reclamation	Area under backfilling (Over burden dumped inside the mine voids) in mining area.
8.	Green Cover Generated	Total Plantation carried out in the lease area of Project. This includes Plantation on Backfill, Plantation on OB and Social Forestry.
9.	Leasehold Area	The area, for which lease is granted for the purpose of undertaking mining and allied operations.
10.	Excavated area	Mined out area which includes active mining, area under backfilling and plantation on backfilled areas
11.	Active Mining	Mining areas which include Coal Quarry, Advance Quarry, Quarry Filled with Water etc.
12.	Environmental Protection	It is the practice of protecting the natural environment by individuals, organizations and governments. Its objectives are to conserve natural resources and the existing natural environment and, where possible, to mitigate damage and reverse trends.
13.	Remedial Measure	Any measure or action required or undertaken to investigate, monitor, clean up, remove, treat, prevent, contain or otherwise remediate the presence or release of any hazardous substance or activity.
14.	Systematic Error	Every measurement differing from the true measurement in the same direction, and even by the same amount in some cases.

15.	Geometric Distortion	It refers to the improper positioning of any image with respect to their true geographic position when viewed in a properly scaled common image display plane.
16.	Land Use/Cover Class	Land cover is what covers the surface of the earth and land use describes how the land is used.
17.	Accuracy	The closeness of agreement between a measured quantity value and a true quantity value.
18.	Environmental Clearance	Environmental Clearance (EC) for any developmental projects like coal mining projects etc. has been made mandatory by the Ministry of Environment, Forests and Climate Change (MoEF& CC) through its Notification issued on 27.01.1994 under the provisions of Environment (Protection) Act, 1986.
19.	Rectification and Geo-referencing	Geo-referencing is the assigning of absolute location of a data point or data points. Geo-rectification refers to the removal of geometric distortions between sets of data points, most often the removal of terrain, platform, and sensor induced distortions from remote sensing imagery.
20.	Image Enhancement	It is the process of modifying digital images so that the results are more suitable for processing or further image analysis.
21.	Training set selection	It is a portion of a data set used to fit or train a model for prediction or classification of values that are known in the training set, but unknown in other (future) data.
22.	Image Classification	It refers to the task of extracting information classes from a multiband raster image. The resulting raster from image classification can be used to create thematic maps.
23.	Temporal Changes	The 'temporal change' means the change in any entity with a period of time.
24.	Ground Truthing	Collection of primary/ basic information from ground realities for satellite image interpretation and thematic mapping.
25.	Cluster	Group of opencast and/ or underground mines clubbed together for administrative purposes.
26.	Arc GIS	GIS Software used for Map preparation
27.	ERDAS IMAGINE	Satellite Image Data Classification Software



Central Mine Planning & Design Institute Ltd.

(A Subsidiary of Coal India Ltd.)

Gondwana Place, Kanke Road, Ranchi 834031, Jharkhand

Phone : (+91) 651 2230001, 2230002, 2230483, FAX (+91) 651 2231447, 2231851

Website : www.cmpdi.co.in, Email : cmpdihq@cmpdi.co.in



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

FORM V

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2024

Unique Application Number

MPCB-ENVIRONMENT_STATEMENT-0000073339

Submitted Date

28-09-2024

PART A

Company Information

Company Name

Western Coalfields Limited, Kolar
Pimpri Open Cast Mine

Application UAN number

-

Address

Office of the Sub Area Manager,
Kolar PimpriPimpalgaon Sub Area,
Po.- Ukni, Tal.- Wani, Distt. -
Yavatmal, Maharashtra

Plot no

79

Taluka

Wani

Village

-

Capital Investment (In lakhs)

31361.06

Scale

L.S.I

City

Wani

Pincode

445304

Person Name

Manish Chawda

Designation

Sub Area Manager, Kolar pimpri-
Pimpalgaon Sub Area

Telephone Number

8766720435

Fax Number

07239241357

Email

wclsamkolarpimpri@gmail.com

Region

SRO-Chandrapur

Industry Category

Red

Industry Type

R35 Mining and ore beneficiation

Last Environmental statement submitted online

yes

Consent Number

Format1.0/CAC/UAN
No.MPCBConsent-0000160282/CR/2305000851

Consent Issue Date

2023-05-12

Consent Valid Upto

2024-03-31

Establishment Year

1993

Date of last environment statement submitted

Sep 22 2023 12:00:00:000AM

Industry Category Primary (STC Code) & Secondary (STC Code)

Product Information

Product Name

Coal

Consent Quantity

1.5

Actual Quantity

1.5

UOM

MT/A

By-product Information

By Product Name

-

Consent Quantity

0

Actual Quantity

0

UOM

MT/A

Part-B (Water & Raw Material Consumption)

<u>1) Water Consumption in m3/day</u>		
Water Consumption for Process	Consent Quantity in m3/day	Actual Quantity in m3/day
	450.00	450.00
Cooling	0.00	0.00
Domestic	130.00	18.00
All others	190.00	0.00
Total	770.00	468.00

<u>2) Effluent Generation in CMD / MLD</u>			
Particulars	Consent Quantity	Actual Quantity	UOM
Mine Discharge	3558	3458	CMD

<u>2) Product Wise Process Water Consumption (cubic meter of process water per unit of product)</u>			
Name of Products (Production)	During the Previous financial Year	During the current Financial year	UOM
Coal (Cubic Meter per day/Tonnes)	0.1095	0.1138	CMD

<u>3) Raw Material Consumption (Consumption of raw material per unit of product)</u>			
Name of Raw Materials	During the Previous financial Year	During the current Financial year	UOM
Explosives	1.049	3.130	Kg/Annum

<u>4) Fuel Consumption</u>			
Fuel Name	Consent quantity	Actual Quantity	UOM
Diesel	0	0	KL/A

Part-C

<u>Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)</u>					
<u>[A] Water</u>					
Pollutants Detail	Quantity of Pollutants discharged (kL/day) Quantity	Concentration of Pollutants discharged(Mg/Lit) Except PH,Temp,Colour Concentration	Percentage of variation from prescribed standards with reasons %variation	Standard	Reason
-	0	0	-	-	-

<u>[B] Air (Stack)</u>					
Pollutants Detail	Quantity of Pollutants discharged (kL/day) Quantity	Concentration of Pollutants discharged(Mg/NM3) Concentration	Percentage of variation from prescribed standards with reasons %variation	Standard	Reason
NA	0	0	-	-	-

Part-D

<u>HAZARDOUS WASTES</u>			
<u>1) From Process</u>			
Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
5.1 Used or spent oil	0.2	0.2	KL/A

5.2 Wastes or residues containing oil	0	Ton/Y
---------------------------------------	---	-------

2) From Pollution Control Facilities

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
35.3 Chemical sludge from waste water treatment	0	0	Ton/Y

Part-E

SOLID WASTES

1) From Process

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
-	0	0	Ton/Y

2) From Pollution Control Facilities

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
-	0	0	Ton/Y

3) Quantity Recycled or Re-utilized within the unit

Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
0	0	0	Ton/Y

Part-F

Please specify the characteristics(in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

1) Hazardous Waste

Type of Hazardous Waste Generated	Qty of Hazardous Waste	UOM	Concentration of Hazardous Waste
5.1 Used or spent oil	0.2	KL/A	-
5.2 Wastes or residues containing oil	0	KL/A	-
35.3 Chemical sludge from waste water treatment	0	KL/A	-

2) Solid Waste

Type of Solid Waste Generated	Qty of Solid Waste	UOM	Concentration of Solid Waste
-	0	Ton/Y	-

Part-G

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

Description	Reduction in Water Consumption (M3/day)	Reduction in Fuel & Solvent Consumption (KL/day)	Reduction in Raw Material (Kg)	Reduction in Power Consumption (KWH)	Capital Investment(in Lacs)	Reduction in Maintenance(in Lacs)
Impact of the pollution Control measures taken	0	0.1561	0	0	0	0

Part-H

28-09-2024